Personal Computer World

US $2.00/F 8:80/LIRE 1700/DM 3.80/FL 4.00/BFr 59
DKr 10.75/SKr 7.65/NKr 10.50/A Sch 28/S Fr 3.50/Pts 135

SEPTEMBER 1980 60p

THE SUPERPET ENCHTESTED

EUROPE'S LEADING MICRO MAGAZINE



WHO'LL BE WORLD MICRO CHESS CHAMP?

Find out at the PCW Show

The best computers PLUS the best service

At MicroCentre, we're concentrating our resources on what we genuinely believe are the very best computers available today. . . . Cromemco computers, naturally. This way we can offer you the best deal possible.

What we don't do

What we don't do is spread our expertise thinly amongst umpteen different systems, or try to stock every S100 product on the market. We don't claim to offer "impartial" advice on the best buy. And we don't sell from price lists or catalogues.

The MicroCentre approach

Some micro-computer suppliers work like that, but we don't. Because we realise that when you're buying a computer you want more than the "brochures and boxes" approach. You want to see computers running; to try them out with different software products; to study the documentation; above all, you want expert answers to your most searching questions.

Cromemco specialists

That's why we've specialised in Cromemco systems. Not simply because we think Cromemco systems are the best serious computers available at the price. But because by doing so we can dedicate our time, energy and resources to giving you the highest standard of Cromemco support possible.



Cromemco Model Z-2H hard disc computer. 10 megabyte hard disc, 2 floppy discs, Z-80 computer and 64K memory. MicroCentre price £5,326.

Demonstrations

So when you visit MicroCentre expect to find Cromemco systems on permanent demonstration; expect the full range of Cromemco peripherals; single-user and multi-user systems; and interactive graphics.

Software

Expect a choice of operating systems and compilers to evaluate; expect complete documentation; and expect the largest collection of Cromemco systems software in the UK.

Expertise

Expect to find in-depth professional expertise at MicroCentre, the kind that is only acquired by installing Cromemco systems all over Britain. Expect a thorough appreciation of how Cromemco systems can be applied . . . in business, scientific research, industrial engineering, medicine and education.

Support

Expect to get frank, accurate answers to your questions at MicroCentre. Above all, once you've bought a Cromemco system from us, expect to get a very high standard of technical support with your hardware enhancements and continuing software needs.



MicroCentre's Cromemco demonstration room, with the full range of Cromemco computers, peripherals, operating systems and software products on permanent exhibition. Why not pay us a visit? We're only an hour's Shuttle flight from Heathrow!

At MicroCentre, simply expect the best.

For Cromemco... call the experts

NOW IN SPACIOUS NEW SHOWROOMS

Tel. 031-556 7354

MicroCentre

STILL IN CENTRAL EDINBURGH

Complete Micro Systems Ltd., 30 Dundas Street, Edinburgh EH3 6JN

CONTENTS

Volume 3 No 9 September 1980

Founder
Angelo Zgorelec

Editor
David Tebbutt

Deputy Editor
Peter Rodwell

Executive Editor
Bruce Sawford

Editorial Office
01-637 7991

Consultants
John Coll, Mike Dennis, Michael James, David Hebditch, Sheridan Williams, Dr Adrian Stokes, Dr Stephen Castell.

Advertisement Manager
Stephen England
01-631 1786

Advertisement Executive
Patrick Dolan
01-636 4463

Micromart
Jacquie Hancock
01-631 1682

Group Advertising Director
Richard Howell 01-631 3187

Production Manager
Dick Pountain

Art Director
Paul Carpenter

Art Editor
Julia Davies

Art Assistants
Jimmy Egerton
Sarah Castell

Typesetter
Jane Hamnell

Published by Sportscene Publishers (PCW) Ltd., 14 Rathbone Place, London W1P 1DE, England. Tel: 01-637 7991/2/3. Telex: 8954139 A/B 'Bunch' G London.

Copyright notice
Personal Computer World is published by Sportscene Publishers (PCW) Ltd. © 1980 Felden Productions. No material may be reproduced in whole or part without written consent from the copyright holders.

Printed by Riverside Press Whitstable.

36 NEWSPRINT: Guy Kewney brings you the latest news in his usual style.

43 YANKEE DOODLES: The latest US developments from Tom Williams.

45 COMMONS REPORT: Ian Lloyd MP reports on recent Parliamentary happenings.

46 COMMUNICATION: Our readers in their own write.

48 BENCHTEST: Mike Dennis examines an upmarket micro from BASF.

54 BASIC BASIC: Portable programming with Mike Parr.

56 THE PCW SHOW: Our guide to the show you can't afford to miss!

63 CHECKOUT: The Hi-Tech S100 colour VDU board.

69 SECRETS OF SYSTEMS ANALYSIS: Lynn Antill starts a new series for the would-be micro user.

73 COMPUTER ANSWERS: Sheridan Williams and his team answer your queries

77 PCW SUB SET: A new series of handy subroutines, co-ordinated by Alan Toothill.

80 BOOKFARE: Malcolm Peltu and others versus Basic!



Cover illustration William Stok

83 MICRO CHESS: Kevin O'Connell looks at Sargon 2.5.

84 BENCHTEST: The one you've been waiting for — CBM's 'SuperPET'.

FACE TO FACE: David Hebditch continues his man/machine series with free-format dialogues.

89 NETWORK NOTES: Using a TRS-80 and linking up via cassette ports.

90 GATEWAYS TO LOGIC: Continuing Derek Daines' unique series on teaching microcomputing to others.

99 BACK ISSUES: Find out what you've missed!

100 LARGER LEDS: Beef-up your MK 14 display.

105 COMPUTER GAMES: David Levy looks at chess this month.

110 CALCULATOR CORNER: A useful aid for the blind.

113 YOUNG COMPUTER WORLD: Especially for our younger readers.

115 NEWCOMERS START HERE: Our quick intro to the world of microcomputing

116 DIRECT ACCES ACCESS: Our new PACKAGES section, plus USER GROUPS, DIARY DATA and TRANSACTION FILE.

125 PROGRAMS: Get those fingers tapping with our readers' latest listings.

132 LEISURE LINES: J J Clessa brings you further exercises for the grey matter..

132 BLUNDERS: Our monthly confession.

167 CHIP CHAT: Europe's leading microgossip page with all that's happening behind the scenes.

COMPUTECH for apple

COMPUTECH for ITT

Well proven software (several hundred packages already licensed) for business applications on the ITT 2020 and Apple microcomputers.

Prices excluding V.A.T for cash with order, F.O.B London NW3

PAYROLL	(300+ Employees, 100 Departments, hourly, weekly, monthly. Very powerful but easy to use).	£375
SALES LEDGER	(500+ Accounts, 100 Departments).	£295
PURCHASES LEDGER	(500+ Accounts, 100 Departments).	£295
GENERAL (OR NOMINAL) LEDGER	(1000 Accounts, 100 Analyses, multi-purpose package).	£295
UTILITIES DISK 1	(Diskette patch, slot to slot copy, zap etc).	£20
APPLEWRITER	(Word Processing)	£42
VISICALC	(Financial Modelling, Costing, Analysis)	£95

AND NOW HARDWARE!

COMPUTECH DIPLOMAT H/S SERIAL INTERFACE £80

This card has been designed and built to the same professional standards that have resulted in the success of our software. The DIPLOMAT observes the proper "handshaking" protocol so that you can drive fast printers and send and receive data from other peripherals at high speeds without loss of data. Switch (& software) selectable baud rates to 19200 and many other options. Plug compatible with 'terminal' or 'modem' wired peripherals. Guaranteed.

MICROLINE M80 PRINTER £450

This neat, reliable machine prints at 10 characters per inch, 80 characters on an 8 inch line, or 40 expanded characters, or 132 very readable characters, upper and lower case and graphics, 9 x 7 dot matrix, 6 or 8 lines per inch. Parallel interface is standard, serial optional. Both friction and sprocket feed are standard, tractor optional. We can also supply the parallel interface card for Apple System computers for £80 and a driver to enable both text and graphics to be used. Optional custom colour matching for Apple or ITT.

THE FABULOUS MICROMUX 8000 from £800

This is a brand new product, an asynchronous serial multiplexor with up to 16 ports, any one of which may communicate with any other independently, like a 'telephone exchange' for data! Built in test function. Firmware may be customised for special applications. Available in multiples of 4 ports up to 16.

COMPUTECH SYSTEMS

168, Finchley Road, London NW3 6HP. Tel: 01-794 0202

AGENTS THROUGHOUT THE UK AND OVERSEAS


Solve your Business Energy Crisis

with a

Z-Plus Word Processing System

A well proven micro-processor system to handle all your word processing requirements. Change your program (takes a few seconds only) and it will do your accounts with equal ease. The module design means you can upgrade the single user Z-Plus adding hard disk and additional Terminals as required. This means your W.P. and accounts can be done at the same time.

PRICES: From around **£5000** plus VAT



ROSTRONICS

LIMITED

The Z System is marketed throughout the U.K. & Europe and is available through a number of selected dealers.

115 - 117 WANDSWORTH HIGH STREET, LONDON SW18 4HY
Telephone: 01-874 1171 Telex: 8813089 INTPRM G

The best computers PLUS the best service

At MicroCentre, we're concentrating our resources on what we genuinely believe are the very best computers available today. . . . Cromemco computers, naturally. This way we can offer you the best deal possible.

What we don't do

What we don't do is spread our expertise thinly amongst umpteen different systems, or try to stock every S100 product on the market. We don't claim to offer "impartial" advice on the best buy. And we don't sell from price lists or catalogues.

The MicroCentre approach

Some micro-computer suppliers work like that, but we don't. Because we realise that when you're buying a computer you want more than the "brochures and boxes" approach. You want to see computers running; to try them out with different software products; to study the documentation; above all, you want expert answers to your most searching questions.

Cromemco specialists

That's why we've specialised in Cromemco systems. Not simply because we think Cromemco systems are the best serious computers available at the price. But because by doing so we can dedicate our time, energy and resources to giving you the highest standard of Cromemco support possible.



Cromemco Model Z-2H hard disc computer. 10 megabyte hard disc, 2 floppy discs, Z-80 computer and 64K memory. MicroCentre price £5,326.

Demonstrations

So when you visit MicroCentre expect to find Cromemco systems on permanent demonstration; expect the full range of Cromemco peripherals; single-user and multi-user systems; and interactive graphics.

Software

Expect a choice of operating systems and compilers to evaluate; expect complete documentation; and expect the largest collection of Cromemco systems software in the UK.

Expertise

Expect to find in-depth professional expertise at MicroCentre, the kind that is only acquired by installing Cromemco systems all over Britain. Expect a thorough appreciation of how Cromemco systems can be applied . . . in business, scientific research, industrial engineering, medicine and education.

Support

Expect to get frank, accurate answers to your questions at MicroCentre. Above all, once you've bought a Cromemco system from us, expect to get a very high standard of technical support with your hardware enhancements and continuing software needs.



MicroCentre's Cromemco demonstration room, with the full range of Cromemco computers, peripherals, operating systems and software products on permanent exhibition. Why not pay us a visit? We're only an hour's Shuttle flight from Heathrow!

At MicroCentre, simply expect the best.

For Cromemco... call the experts

NOW IN SPACIOUS NEW SHOWROOMS

Tel. 031-556 7354

MicroCentre

STILL IN CENTRAL EDINBURGH

Complete Micro Systems Ltd., 30 Dundas Street, Edinburgh EH3 6JN

CONTENTS

Volume 3 No 9 September 1980

Founder
Angelo Zgorelec

Editor
David Tebbutt

Deputy Editor
Peter Rodwell

Executive Editor
Bruce Sawford

Editorial Office
01-637 7991

Consultants
John Coll, Mike Dennis, Michael James, David Hebditch, Sheridan Williams, Dr Adrian Stokes, Dr Stephen Castell.

Advertisement Manager
Stephen England
01-631 1786

Advertisement Executive
Patrick Dolan
01-636 4463

Micromart
Jacquie Hancock
01-631 1682

Group Advertising Director
Richard Howell 01-631 3187

Production Manager
Dick Pountain

Art Director
Paul Carpenter

Art Editor
Julia Davies

Art Assistants
Jimmy Egerton
Sarah Castell

Typesetter
Jane Hamnell

Published by Sportscene Publishers (PCW) Ltd., 14 Rathbone Place, London W1P 1DE, England. Tel: 01-637 7991/2/3. Telex: 8954139 A/B 'Bunch' G London.

Copyright notice
Personal Computer World is published by Sportscene Publishers (PCW) Ltd. © 1980 Felden Productions. No material may be reproduced in whole or part without written consent from the copyright holders.

Printed by Riverside Press Whitstable.

36 NEWSPRINT: Guy Kewney brings you the latest news in his usual style.

43 YANKEE DOODLES: The latest US developments from Tom Williams.

45 COMMONS REPORT: Ian Lloyd MP reports on recent Parliamentary happenings.

46 COMMUNICATION: Our readers in their own write.

48 BENCHTEST: Mike Dennis examines an upmarket micro from BASF.

54 BASIC BASIC: Portable programming with Mike Parr.

56 THE PCW SHOW: Our guide to the show you can't afford to miss!

63 CHECKOUT: The Hi-Tech S100 colour VDU board.

69 SECRETS OF SYSTEMS ANALYSIS: Lynn Antill starts a new series for the would-be micro user.

73 COMPUTER ANSWERS: Sheridan Williams and his team answer your queries

77 PCW SUB SET: A new series of handy subroutines, co-ordinated by Alan Toothill.

80 BOOKFARE: Malcolm Peltu and others versus Basic!



Cover illustration William Stok

83 MICRO CHESS: Kevin O'Connell looks at Sargon 2.5.

84 BENCHTEST: The one you've been waiting for — CBM's 'SuperPET'.

FACE TO FACE: David Hebditch continues his man/machine series with free-format dialogues.

89 NETWORK NOTES: Using a TRS-80 and linking up via cassette ports.

90 GATEWAYS TO LOGIC: Continuing Derek Daines' unique series on teaching microcomputing to others.

99 BACK ISSUES: Find out what you've missed!

100 LARGER LEDS: Beef-up your MK 14 display.

105 COMPUTER GAMES: David Levy looks at chess this month.

110 CALCULATOR CORNER: A useful aid for the blind.

113 YOUNG COMPUTER WORLD: Especially for our younger readers.

115 NEWCOMERS START HERE: Our quick intro to the world of microcomputing

116 DIRECT ACCES ACCESS: Our new PACKAGES section, plus USER GROUPS, DIARY DATA and TRANSACTION FILE.

125 PROGRAMS: Get those fingers tapping with our readers' latest listings.

132 LEISURE LINES: J J Clessa brings you further exercises for the grey matter..

132 BLUNDERS: Our monthly confession.

167 CHIP CHAT: Europe's leading microgossip page with all that's happening behind the scenes.

COMPUTECH for apple

COMPUTECH for ITT

Well proven software (several hundred packages already licensed) for business applications on the ITT 2020 and Apple microcomputers.

Prices excluding V.A.T for cash with order, F.O.B London NW3

PAYROLL	(300+ Employees, 100 Departments, hourly, weekly, monthly. Very powerful but easy to use).	£375
SALES LEDGER	(500+ Accounts, 100 Departments).	£295
PURCHASES LEDGER	(500+ Accounts, 100 Departments).	£295
GENERAL (OR NOMINAL) LEDGER	(1000 Accounts, 100 Analyses, multi-purpose package).	£295
UTILITIES DISK 1	(Diskette patch, slot to slot copy, zap etc).	£20
APPLEWRITER	(Word Processing)	£42
VISICALC	(Financial Modelling, Costing, Analysis)	£95

AND NOW HARDWARE!

COMPUTECH DIPLOMAT H/S SERIAL INTERFACE £80

This card has been designed and built to the same professional standards that have resulted in the success of our software. The DIPLOMAT observes the proper "handshaking" protocol so that you can drive fast printers and send and receive data from other peripherals at high speeds without loss of data. Switch (& software) selectable baud rates to 19200 and many other options. Plug compatible with 'terminal' or 'modem' wired peripherals. Guaranteed.

MICROLINE M80 PRINTER £450

This neat, reliable machine prints at 10 characters per inch, 80 characters on an 8 inch line, or 40 expanded characters, or 132 very readable characters, upper and lower case and graphics, 9 x 7 dot matrix, 6 or 8 lines per inch. Parallel interface is standard, serial optional. Both friction and sprocket feed are standard, tractor optional. We can also supply the parallel interface card for Apple System computers for £80 and a driver to enable both text and graphics to be used. Optional custom colour matching for Apple or ITT.

THE FABULOUS MICROMUX 8000 from £800

This is a brand new product, an asynchronous serial multiplexor with up to 16 ports, any one of which may communicate with any other independently, like a 'telephone exchange' for data! Built in test function. Firmware may be customised for special applications. Available in multiples of 4 ports up to 16.

COMPUTECH SYSTEMS

168, Finchley Road, London NW3 6HP. Tel: 01-794 0202

AGENTS THROUGHOUT THE UK AND OVERSEAS


Solve your Business Energy Crisis

with a

Z-Plus Word Processing System

A well proven micro-processor system to handle all your word processing requirements. Change your program (takes a few seconds only) and it will do your accounts with equal ease. The module design means you can upgrade the single user Z-Plus adding hard disk and additional Terminals as required. This means your W.P. and accounts can be done at the same time.

PRICES: From around **£5000** plus VAT



ROSTRONICS

LIMITED

The Z System is marketed throughout the U.K. & Europe and is available through a number of selected dealers.


115 - 117 WANDSWORTH HIGH STREET, LONDON SW18 4HY
Telephone: 01-874 1171 Telex: 8813089 INTPRM G

the b



TRS-80 Model I
from **£379**
4K Level I
£559
16K Level II
(illustrated).

TRS 80 Model I Microcomputer Here's the push button brain, the entertainer, the tutor, the timesaver. Fun for the children, a helper for the businessman and the teacher, a catalogue for the housewife, an analyser for the investor and an informer for the salesman.
Run Maths, English, Chess, Draughts and video game programmes for educational fun.
Easy to learn and operate — you can even write your own programmes. Suddenly you have a ready and reliable source of brainpower — put it to work immediately.



TRS 80 Model I C.P.U.'s Complete and ready to run from your TV monitor. Just plug in and start computing. The lowest priced 4 K level I CPU contains 4096 bytes of user memory and can be expanded to 16K within the keyboard unit. The 16K level II CPU is a more powerful and flexible version using an additional 12K ROM. Level II also incorporates a calculator style numeric keypad for faster data entry.

rains.



£2,199.00*

RS 80 Model II Microcomputer A bigger, more powerful brother to Model I. Designed for more data storage and versatility. Like Model I is completely modular allowing easy, plug-in expansion. It's available memory will allow maximum use of future languages.

RS-80 COMPUTER CENTRES NOW OPEN AT—
Birmingham—Edgbaston Shopping Precinct, Hagley Road.
Bradford—214, Forster Square.
Bristol—Colston Centre, Colston Avenue.
London—1-2, Seacoal Lane, Ludgate Hill, EC4.
111, Kingsway, WC2.
Manchester—30, Market Place, Deansgate.
Southampton—East Street Centre.

FULL COMPUTER FACILITIES AVAILABLE AT—
Dowend—5, Badminton Road, Downend, Bristol.
Leeds—72, Merrion Centre.
Liverpool—168, Market Way, St. Johns Centre.
Wednesbury—Bilston Road.
Wimbledon—124-126, The Broadway, London, SW19.

*All prices include VAT.

IT'S POSSIBLE, ONLY AT Tandy

Better Equipment. Lower Prices. No Middlemen.

new

for PET and SUPERBRAIN

16 AND 32K VERSIONS AVAILABLE....PET-DISK, COMPUTHINK 400 AND 800 DISKS SUPPORTED

32 AND 64K VERSIONS AVAILABLE.....DOUBLE AND QUAD MACHINES SUPPORTED

ALL SOFTWARE SUPPLIED ON DISK....WITH EXCELLENT DOCUMENTATION.....TRIED AND PROVEN

Management Accounting;

Financial Forcasting done effeciently. System uses a wide base of information in forcast calculation, with facilities to allow for inflation, seasonality and other factors.....£.250.00

Transport Package;

Trip costing, Client quotations, Vehicle Running Cost Analysis, Load Planning, Vehicle History etc., etc.....£.350.00

Advertising Agency Package;

Media Order Generation, Schedule generation, History by Client etc., etc.....£.500.00

General Accounting;

Computhink 400/800 Sales/Purchase Ledger Transaction Analysis for Nominal Ledger Postings. VAT Inclusive and Exclusive reports generated.....£.100.00

SPECIALS

VAT Analysis - input and output amounts stored ex keyboard or direct from Sales and Purchase Ledger Postings and reported when required.....£. 50.00

Multi-Option Label Print PLUS Outlet Analysis by Geographical Location facility.....£. 75.00



Dealer enquiries welcome

Solicitors' Package;

Comprehensive Accounting Package, providing Client and Office records, simple to use input facilities, detailed Analysis reports - includes User education. Nominal Ledger facility under development.....£.1000.00

Insurance Brokers Package;

Insurance Brokers dream realised...stores all Client detail in easily locatable form, identifies payments due, outputs letters/accounts, balances monthly accounts ex Suppliers.....£. 750.00

STANDARD RANGE

Management Accounting Package.....As for PET.....£. 250.00

Transport Industry Package.....As for PET.....£. 350.00

Payroll Package.....£. 350.00

TL computer systems Wolverhampton and Redditch

Troycrow Limited,
25 Grendon Gardens,
Merryhill,
Wolverhampton.

Phone: (0902) 36094
or
(0527) 23785



the choice was ours.... ....now its yours

RICOH R.P. 1600 Daisy Wheel Printer

1 letter quality
2 speed 60 C.P.S.
3 economy

- **Printing speed – 60 C.P.S.**
- 124 character print wheel
- Integral PET Interface
- Line width – 136 characters (10 characters per per inch)
  – 163 characters (12 characters per inch)

Complete word processing systems – PET, Wordcraft, R.P. 1600 also available

Price R.P. 1600 £1590 inc PET Interface

ANADEX D.P. 9500/01 Line Printer

1 speed 150-200 C.P.S.
2 matrix flexibility
3 economy

- Bi-directional printing with shortest distance sensing logic
- High density graphics
- 50 to 200 + Lines/Min. 150/200 CPS with 9 x 9/7 x 9 Character font or 120/200 CPS with 11 x 9/7 x 9 Character font
- 132/158/176 or 132/165/198/200 Columns
- Parallel, RS-232-C and Current Loop Interfaces standard. PET Interfaces available.

Prices: 9500 – £895
9501 – £995

small systems engineering limited

2-4 Canfield Place · London · NW6 3BT · Telephone 01-328 7145/6 Telex: 8813085 (Abacus)

creative computing

David Ahl in U.K.

David Ahl, editor of Basic Computer Games and More Basic Computer Games and publisher of Creative Computing magazine will be at the PCW show, 4-6 September 1980. Stop by Stand B16 and Mr. Ahl will be pleased to autograph books purchased at the show or just talk.



Creative Computing Magazine

Creative Computing has long been Number 1 in applications and software for micros, minis, and time-sharing systems for homes, schools and small businesses. Loads of applications every issue: text editing, graphics, communications, artificial intelligence, simulations, data base and file systems, music synthesis, analog control. Complete programs with sample runs. Programming techniques: sort algorithms, file structures, shuffling, etc. Coverage of electronic and video games and other related consumer electronics products, too.


Just getting started? Then turn to our technology tutorials, learning activities, short programs, and problem solving pages. No-nonsense book reviews, too. Even some fiction and foolishness.

Subscriptions: 1 year (12 issues) £10.00 by suface or £19.00 by air; 3 years (36 issues) £28.50 by surface or £55.00 by air.

Basic Computer Games

Edited by David Ahl, this book contains 101 imaginative and challenging games for one, two, or more players — Basketball, Craps, Gomoko, Blackjack, Even Wins, Super Star Trek, Bombs Away, Horserace. Simulate lunar landings. Play the stock market. Write poetry. Draw pictures.

All programs are complete with listing in Microsoft Basic, sample run and description. Basic conversion table included. 125,000 copies in print. 192 pages softbound. [6C] £4.25



More Basic Computer Games

Contains 84 fascinating and entertaining games for solo and group play — evade a man-eating rabbit, crack a safe, tame a wild horse, become a millionaire, race your Ferrari, joust with a knight, trek across the desert on your camel, navigate in deep space.

All games come complete with program listing in Microsoft Basic, sample run and description. 192 pages softbound. [6C2] £4.25

The Best of Byte

This is a blockbuster of a book containing the majority of material from the first 12 issues of Byte magazine. The 146 pages devoted to hardware are crammed full of how-to articles on everything from TV displays to joysticks to cassette interfaces and computer kits. But hardware without software might as well be a boat anchor, so there are 125 pages of software and applications ranging from on-line debuggers to games to a complete small business accounting system. A section on theory examines the how and why behind the circuits and programs, and "opinion" looks at where this explosive new hobby is heading. 386 pp softbound. £5.95 [6F]



Computer Music Record

A recording was made of the First Philadelphia Music Festival which is now available on a 12" LP record. It features eight different computer music synthesizers programmed to play the music of J.S. Bach, J. Pachelbel, Rimsky-Korsakov, Scott Joplin, Neil Diamond, Lennon & McCartney and seven others. The music ranges from baroque to rock, traditional to rag and even includes an historic 1963 computerized singing demonstration by Bell Labs. £3.50 [CR101].



The Best of Creative Computing

The first three years of Creative Computing magazine have been edited into three huge 324-page books full of programs, tutorials, programming techniques, reviews of books and equipment, articles, fiction, games, puzzles and problems and much more. The material in these volumes has been carefully selected to be useful for years to come. Volumes 1,2 and 3—each volume £4.95.



Computer Coin Games

Computer Coin Games by Joe Weisbecker aids newcomers to the field of computers by simplifying the concepts of computer circuitry through games which can be played with a few pennies and full sized playing boards in the book. Enhanced by outrageous cartoons, teachers, students and self-learners of all ages will enjoy this 96 page softbound book. [10R] £1.95

To Order

Many, but not all, of these items are stocked by Creative Computing in Britain. Those in stock will be sent immediately; other items will be acknowledged and then shipped directly from the U.S.A.

To make payment send cash, postal order or cheque (in sterling drawn against a U.K. bank) plus £2.00 per order shipping and handling on books and records to Creative Computing, 27 Andrew Close, Stoke Golding, Nuneaton CV13 6EL.

creative computing

VECTOR GRAPHIC COMPLETE SYSTEMS



Micro-computers for research, laboratory work, word processing, business systems, Schools, Colleges, Universities and Industry.
At Almarc, when you buy Vector Graphic Micro-computers, you get Almarc's experience of over 200 systems installed throughout the U.K. and their back-up of full service facilities carried out by experienced staff. Plus an ever growing list of compatible software including:
Pascal. Fortran, Cobol, APL, Algol, C Basic Compiler, etc.

Vector MZ
* 56K Bank Selectable Ram
* 3 Serial Ports, 2 Parallel Ports
* Twin Disc Drives, 630K Capacity
* 280 CPU, with Fast 4MHZ Clock
* Prom Programmer (2708)
* Interrupt Handling on 1/0 Board
* 18 slot Motherboard

Vector System B
* Vector Mindless Terminal
* Flashwriter II Video Board (24 x 80)
* MDOS + CP/M2 Operating System

Plus Microsoft Version. 5 basic options
Plus many S100 Bus add-ons, such as Extra Memory, A/D-D/A Boards, High Resolution Graphics, etc

Vector System 2800
* Vector System 3 Terminal
* Dual 8" Disc Drives
  Capacity 2.4 megabytes (IBM format)
* 56K RAM
* Z80A CPU, 4MHZ
* 1 Serial, 3-8-bit parallel ports
* CP/M2, RAID SCOPE, MICROSOFT BASIC 80

We will be pleased to demonstrate any of the Vector Graphic Systems, please contact:

ALMARC
DATA SYSTEMS LTD
906 Woodborough Road, Nottingham. Telephone: (0602) 625035

Specialists in Vector Graphic Equipment.

ALTOS

The ALTOS ACS 8000 range of business/scientific micro computers creates a new standard in quality and reliability in high technology micro computers.

High Technology

Floppy Disk System The ACS 8000 single board Z80 floppy disk based micro computer utilises the ultra reliable Shugart 8 inch, IBM compatible, disc drives, double density — single sided, and providing 1 M. byte of data storage. Featuring the ultimate in high technology hardware: a fast 4 MHz.Z80CPU, 65 kilobytes of 16 K dynamic RAM, 1 kiloybte of 2708 EPROM, an AMD 9511 floating point processor (OPTIONAL) a Western Digital floppy disc controller, a Z80 direct memory access (OPTIONAL), Z80 parallel and serial I/O two serial RS232 ports, 1 parallel port) and a Z80 CTC Programmable Counter/ Timer (real time clock). In essence, the best in integrated circuit technology.



Hard Disk/Multi User Systems The Winchester hard disk/multi user systems are now available supporting up to 4 simultaneous users and providing a maximum of 58 Megabytes of hard disk data storage.

The systems are truly flexible and allow expansion of the ALTOS floppy disk system to keep pace with the users requirements.

Still single board, features include * a high speed I/O section with up to six serial ports and one 8 bit Parallel port *up to 208K of on board RAM.

*High speed (4 MHZ) D.M.A. control as standard.

Yes, mini power and at micro cost too.

Built-in Reliability

The ACS 8000 range are true single board micro computers making them extremely reliable and maintainable. All electronics are socketed for quick replacement. Complete diagnostic utility software for drives and memory is provided.

The board and Shugart floppy disk drives are easily accessible and can be removed in less than ten minutes.

Quality Software

Unlimited versatility. The ACS 8000 range support the widely accepted CP/M and MP/M operating systems plus basic (Microsoft and CBasic), Cobol, Pascal, and Fortran IV. All available now.

Logitek in conjunction with its own microsoftware house, Interface Software Ltd. of Camberley are able to supply a wide range of proven 'off the shelf' business software including general accounting, word processing, stock control, mailing list etc.

There are already over 1000 micro computer installations using this software.

A track record which we consider speaks for itself. Why re-invent the wheel' when there is standard software of this quality available now?

After Sales Support

Logitek are supported by DDT Maintenance Ltd. who provide a nationwide field maintenance service for ALTOS products and offer the option of maintenance contracts.

Availability

Logitek carry deep shelf stocks of ALTOS hardware and compatible peripherals.

If you are a dealer who may be interested in promoting ALTOS and/or Interface Software by joining the fast growing network of approved suppliers, contact Logitek.

We can offer you something rather special now.

Approved Dealers

Scotland
Aethotrol Consultancy Services Ltd., Glasgow.
Tel: 041-641 7758/9

Robox Ltd., Glasgow.
Tel: 041-221 5401

Peter MacNaughton and Associates, Glenalmond.
Tel: 073-888 267.

North East and Yorkshire
Shermac Computers Ltd., Hebburn.
Tel: 0632-837405

Monitor (Data Processing) Ltd., Harrogate.
Tel: 0423-60670

Metrodata, Leeds.
Tel: 0532-623788

Derwent Electronics Ltd., York.
Tel: 0904-53990

Sheffield Computer Centre, Sheffield.
Tel. 0742-53519

North West
B.& B Computers Ltd., Bolton.
Tel: 0204-26644

Kewill Systems Ltd., Rochdale.
Tel: 0706-44337

De-Mat Services Ltd., Northwich.
Tel: 0606-47648

Midlands
East Midlands Computer Services, Nottingham.
Tel: 0602-267079.

Evans Jackson, Lincoln.
Tel. 0522-30371

Microspecific, Leicester.
Tel: 0572-2528

Saba Computer Systems Ltd., Birmingham.
Tel: 021-643 2021

CLE-COM Ltd., Birmingham.
Tel: 021-444 3618 or 021-472 8233

Starwest Computer Services, Bedford.
Tel: 0234-57135

South West
Opco Ltd., Cirencester.
Tel: 0285-75225

South East inc. London
Action Computer Services Ltd., Loughton.
Tel: 01-502 1311

Boyd Microsystems Ltd., Bushey Heath.
Tel: 01-950 0303

Computer Systems Analysis, Gerrards Cross.
Tel: 02813-85389

Silicon Chip, Slough.
Tel: 0753-70639

Micro Market, Feltham.
Tel: 01-979 9824

Systematika, London NW5.
Tel. 01-485 3634

Logic Box Ltd., London SW1.
Tel: 01-222 1122

Quad Business Systems Ltd., Wembley.
Tel: 01-908 1170

Prolac Computer Services Ltd., Camberley.
Tel: 0276-25247

Kewill Systems Ltd., Weybridge.
Tel: 09322-22448

Unichem Ltd., Morden.
Tel: 01-542 8522

East Anglia
Proloc Computer Services Ltd., Beccles.
Tel: 0502-714038

South
Software Development Services, Winchester
Tel: 0962-68956

Wendmore Management Services Ltd., Southampton
Tel: 04895-6318

Colin Bentley & Associates, Waterlooville
Tel: 07014-51082

Isle of Wight
Zeta Dynamics Ltd., Newport
Tel. 0983-527725

Channel Islands
Jersey European Airways, Jersey
Tel: 0534-44171

Ireland
Rainsford Computing Services Ltd., Dublin
Tel: 0001-756701

LOGITEK

LOGITEK, E.I.C. Electronics Ltd. all enquiries to: 8-10 Fazackerley St., Chorley, Lancs., PR7 1BG.
Tel: 02572 67615/70206
also at: 30 Kelvin Ave., Hillington Industrial Estate, Glasgow, G52 4LH.

Mail Order, Visits, Trade Enquiries Welcome, Credit Card Orders Accepted by telephone/telex. Payment must be in sterling on UK Bank.

LP ENTERPRISES

Room PCW
8 Cambridge House
Cambridge Road, Barking
Essex 1G11 8NT, England.
Telephone: 01-591 6511
Telex: 892395 LPRISE

BY OSBORNE

Introduction to Microcomputers Series

Vol 0: Beginners Book	£ 5.95
Vol 1: BASIC Concepts	£ 6.30
Vol 2: Some Real Microprocessors (without binder)	£ 18.95
Vol 2: Some Real Microprocessors (with binder)	£ 24.70
Vol 2: Updating supplement set Nos. 1–6	£ 18.95
Vol 3: Some Real Support Devices (without binder)	£ 11.95
Vol 3: Some Real Support Devices (with binder)	£ 17.70
Vol 3: Updating supplement set Nos. 1–6	£ 18.95
1 binder (Specify for Vol 2 or 3)	£ 5.75
1 Updating supplement (Specify for Vol 2 or 3)	£ 4.00
PET and the IEEE 488 (GPIB) bus	£ 9.95
6800 Programming for Logic Design	£ 6.30
8080 Programming for Logic Design	£ 6.30
Z80 Programming for Logic Design	£ 6.30
Z80 Assembly Language Programming	£ 8.15
6502 Assembly Language Programming	£ 8.25
8080A/8085 Assembly Language Programming	£ 7.95
6800 Assembly Language Programming	£ 7.95
Accounts Payable and Accounts Receivable (specify Wang or CBASIC	£ 13.15
Payroll with Cost Accounting (Specify Wang or CBASIC)	£ 13.50
General Ledger (Specify Wang or CBasic)	£ 12.25
Some Common BASIC Programs	£ 7.95
Running Wild	£2.50

GENERAL

See Magazines and Subscriptions! *See Osborne Books!*

Microprocessors from Chips to System	£ 7.00
Microprocessor Interfacing Techniques	£ 9.95
Numbers in Theory and Practice (A BYTE publication)	£ 5.50
Cheap Video Cookbook	£ 4.30
CMOS Cookbook	£ 7.50
IC OP-AMP Cookbook	£ 8.95
RTL Cookbook	£ 4.25
TTL Cookbook	£ 7.50
Ciarcias Circuit Cellar	£ 5.50
First Book of Kim	£ 7.00
Buyers Guide to Microsoftware	£ 2.40
Calculating with BASIC	£ 4.95
Computer Programs that Work (In BASIC)	£ 2.95
Dr Dobbs Journal, Volume 1 (Coming soon)	£13.95
Dr Dobbs Journal, Volume 2 (Coming soon)	£13.95
Dr Dobbs Journal, Volume 3 (Coming soon)	£13.95
Best of BYTE	£8.95
Scelbi BYTE Primer	£8.95
Best of Creative Computing, Vol 1	£6.95
Best of Creative Computing, Vol 2	£6.95
Program Design	£4.25
Programming Techniques: Simulation	£4.25
PIMS – A Database Management System	£5.95
Best of Interface Age – Software	£9.95
Programming the Z8000	TBA

FOR THE Z80

See Osborne books!

32 BASIC Programs for the TRS-80 (Level II)	£10.10
Introduction to the T-bug (TRS-80 Machine Lang. Monitor discussion)	£4.50
Z80 Software Gourmet Guide and Cookbook	£ 8.50
Programming the Z80 (ZACS)	£ 9.95
Z80 Instruction Handbook (Wadsworth)	£ 2.95

FOR THE 6800

See Magazines and Subscriptions! *See Osborne Books!*

6800 Software Gourmet Guide & Cookbook	£ 7.15
6800 Tracer – An aid to 6800 Program Debugging	£ 3.95
Tiny Assembler	£ 5.75
RA 6800 ML – An M600 Relocatable Macro Assembler	£ 15.95
Link 68 – An M6800 Linking Loader	£ 5.50
MONDEB – An Advanced M6800 Monitor Debugger	£ 3.50

CONCERNING LANGUAGE

SCELBAL – BASIC Language Interpreter (Source Code)	£ 15.00
Instant BASIC	£ 6.95
Basic BASIC	£ 6.50
Advanced BASIC	£ 6.00
My Computer likes me . . . when I speak in BASIC	£ 2.75
Users Guide to North Star BASIC	£ 10.00
A Practical Introduction to PASCAL	£ 3.95
Microsoft BASIC	£ 6.50
Secret Guide to Computers	T.B.A.

Best of Micro, Vol 1	£ 5.50
Best of Micro, Vol 2	£ 5.50
Programming the 6502 (Zacs)	£ 7.95
Programming the 6502 (Foster)	£ 6.75
6502 Applications	£ 7.95
6502 Software Gourmet Guide and Cookbook	£ 7.25
32 BASIC Programs for the PET	£10.10

FOR THE 8080

See Osborne Books!

8080 Programmers Pocket Guide	£ 1.95
8080 Hex Code Card	£ 1.95
8080 Octal Code Card	£ 1.95
8080 Software Gourmet Guide & Cookbook	£ 7.15
8080/8085 Software Design	£ 6.75
8080 Standard Monitor	£ 9.95
8080 Standard Assembler	£ 9.95
8080 Standard Editor	£ 9.95
8080 Special Package: Monitor, Editor, Assembler	£ 20.00
BASEX: A Simple Language and Compiler for the 8080	£ 5.50

FOR FUN

Starship Simulation	£ 4.50
SARGON – A Chess Game (for the Z80)	£ 9.50
BASIC Computer Games	£ 5.00
More BASIC Computer Games	£ 5.50
What to do After you Hit Return	£ 8.95
8080 Galaxy Game	£ 6.95
SUPER-WUMPUS – A game in 6800 Assembler Code & BASIC	£ 4.25
Computer Music Book	£ 6.75
Computer Rage (A board game)	£ 6.95
Artist and Computer	£ 3.95
Games, Tricks and Puzzles for a Hand Calculator	£ 2.49
Introduction to TRS-80 Graphics	£ 5.75
Take My Computer Please . . . (Fiction)	£ 3.25
Introduction to Low Resolution Graphics for Pet, Apple, TRS80	£ 5.50

FOR THE NOVICE

See Magazines and Subscriptions! *See Osborne Books!*

How To Make Money With Your Microcomputer	£5.75
From the Counter to the Bottom Line	£10.00
Your Home Computer	£ 5.95
Introduction to Personal and Business Computing	£ 5.50
Getting involved with Your Own Computer	£ 5.50
How to Profit from Your Personal Computer	£ 5.50
Microcomputer Potpourri	£ 1.95
Hobby Computers are Here	£ 3.95
New Hobby Computers	£ 3.95
Understanding Microcomputers and Small Computer Systems	£ 6.95
Understanding Microcomputers and Small Computer Systems and Audio Cassette	£ 8.75
Getting Down to Business With Your Microcomputer	£ 5.50

MAGAZINE BACK ISSUES

Micro 6502 Journal	£1.75
Personal Computing	£1.95
Interface Age	£2.95
Dr Dobbs Journal	£1.95
Computer Music Journal	£3.75
Recreational Computing	£1.95
BYTE	£2.95
Creative Computing	£1.95
Claculators and Computers	£1.95
Kilobaud Microcomputers	£2.95
Compute – for the 6502	£1.95
68' Micro	£1.95
80-Microcomputing	£2.25
On Computing	£1.95
Compute II – for the Single Board	£1.95
Magazine Storage Box (Holds 12)	£1.50
S-100 Microcomputing	£1.75

MAGAZINE SUBSCRIPTIONS (all processed within 3 weeks)

Micro 6502 Journal	(12 issues) £13.50
68 Micro	(12 issues) £17.50
Personal Computing	(12 issues £17.50
Interface Age	(12 issues) £25.50
Dr. Dobbs Journal	(10 issues) £15.00
Recreational Computing	(6 issues) £10.50
BYTE	(12 issues) £25.00
Creative Computing	(12 issues) £17.00
Kilobaud Microcomputing	(12 issues) £22.00
Compute for the 6502	(6 issues) £10.50
80'-Microcomputing	(12 issues) £21.00
Compute II – for the Single Board	(6 issues) £10.50
S-100 Microcomputing	(6 issues) £9.50

HOW TO ORDER:

Send cash, postal order, cheque card number to L.P. Enterprises, Room 8, Cambridge House, Cambridge Road, Barking, Essex IG11 8NT. All payment must be in Sterling and drawn against a U.K. bank.

Please note: If you wish to pay by Diners Club credit card, we must have your signature. For any payment by credit card, we need the expiry date of the card and the address that the credit card company knows (although we can send the goods to an alternative address).

All publications are published in the U.S.A. and are stocked in Britain by L.P. Enterprises. Prepaid orders are despatched by return of post, or advice concerning.

For more information on any of these items, please phone, write or visit. (We are open during office hours).

TRADE ENQUIRIES WELCOME

Mail Order, Visits, Trade Enquiries Welcome, Credit Card Orders Accepted by telephone/telex. Payment must be in sterling on UK Bank.

LP ENTERPRISES

Room PCW
11 Cambridge House
Cambridge Road, Barking
Essex 1G11 8NT, England.
Telephone: 01-591 6511
Telex: 892395 LPRISE

	Software & manual / Manual only
BYROM SOFTWARE	
Software & Manual/Manual only	
BSTAM – Utility to link one microcomputer to another also using BSTAM	£70/5
COMPUTER PLUS	
PMS 80 (File Management System) Demo Pack (includes manual and disc)	£35
Complete System	£395/25
COMPUTER SERVICES	
Bidirectional driver for Diablo Hytype printers for use on CPM & CDOS systems	£65/10
CP/M USER LIBRARY	
42 Volumes on 8" disc	£4
42 Volumes on 5" disc	£8
CREATIVE COMPUTING	
For CP/M	
CS-9001 BASIC Computer Games disc 1	£12
CS-9002 BASIC Computer Games disc 2	£12
CS-9000 Both discs purchased together	£20
DIGITAL RESEARCH (Most formats now available)	
MPM 1.1	£175/18
CP/M 1.4	£65/18
CP/M 2.2	£90/18
SID	£45/12
ZSID	£55/12
MAC	£55/15
TEX	£45/12
DESPOOL	£30/5
PL/1	TBA
INFORMATION UNLIMITED	
WHATSIT (Database Management System)	
on North Star	£59
on CP/M	£75
on APPLE 2:48k (requires int Basic)	£72
on Apple 2:32k (requires int Basic)	£59
on ITT 2020 (see Apple)	
GUNN	
Utilities for Cromemco CDOS	£65/10
KLH SYSTEMS	
Spooler for CPM systems	£65/5
L.P.ENTERPRISES	
Diablo driver runs 110 to 9600 baud with autoload for CP/M or CDOS	£30/5
OMNIX – UNIX like multiuser, multiasking operating system for Z80 i.e. IMS, Cromemco, Horizon	£150/30
MULTIFORTH	£65/20
MICAH INC.	
CP/M for CDOS Users:	
Program to Expand CP/M system to be compatible with Cromemco CDOS software	£59/5
Disc Utilities:	
Pack one of CDOS users includes: Fast disc copy, Track test, Disc test, Compare files and others	£30/5
Pack two for CP/M users includes same as pack one	£30/5
Pack three for Cromemco users includes same as pack one and spool and print	£65/5
MICROSOFT INC.	
Software & Manual/Manual only	
BASIC-80	£175/17
BASIC Compiler	£195/17
FORTRAN-80	£220/17
COBOL-80	£355/17
EDIT-80	£45/11
MACRO-80	£80/11
MICHAEL SHRAYER INC.	
Electric Pencil Word Processor	
SSII for tty etc	£100
DSII for Diablo	£105
TRS-80 Cassette/disc	£50

	Software & manual / Manual only
MICROFOCUS LTD.	
CIS COBOL version 4.2	£425/25
FORMS 2	£100/10
MICROPRO INC.	
WORD-MASTER 1.7	£70/20
MICROPRO INC.	
WORD-MASTER 1.7	£70/20
TEX-WRITER 2.6	£35/15
WORD-STAR 2.00	£240/25
SUPER-SORT: version 1	£120/20
version 2	£100/20
version 3	£75/20
WORD-STAR/MAIL MERGE	£315/25
DATASTAR	£175/25
NORTHSHARE	
Multi-user system for Horizon Users	£24/5
SOFTWARE SYSTEMS (compiler systems)	
CBASIC v2.05	£65/15
SOFTWARE WORKS	
Northstar Format Only	
Inventory-1 (Stock Control)	£50/10
Inventory-2 with order entry, invoicing	£130/15
Mailroom	£50/10
Preventive Maintenance	£75/15
Housekeeper-2 (Coming soon)	£TBA
STRUCTURED SYSTEMS	
Sales Ledger.	£275/15
Purchase Ledger	£275&15
Nominal Ledger	£325/15
Stock Control	£275/15
Letteright	£95/10
Analyst (File management Reporting System)	£115/10
NAD (Name and Address selection system)	£50/10
OSORT	£50/10
TINY-C ASSOCIATES	
Tiny-C language for 8080, 8085, Z80 systems	£50/35

ORDER INFORMATION:

Software prices reflect distribution on 8" single density discs. If a format is requested which requires additional discs a surcharge of £4 per additional disc will be added.

Please add VAT and £1.50 for first class postage, packing and insurance.

If required, DATAPOST D service is available for an extra charge of £7.50 + VAT.

All software on this Advertisement is available from stock and a 24-hour return service is thereby offered on all prepaid orders. When ordering CP/M software please specify the format you require otherwise software will be dispatched on an 8" single density disc.

OEM terms available.

For more information on any of these items, please phone, write or visit. (We are open during office hours).

All publications are published in the U.S.A. and are stocked in Britain by L.P. Enterprises. Prepaid orders are despatched by return of post, or advice concerning.


HOW TO ORDER:

Send cash postal order, cheque or credit card number to L.P. Enterprises, Room PCW, 11 Cambridge House, Cambridge Road, Barking, Essex IG11 8NT. All payment must be in Sterling and drawn against a U.K. bank.

Please Note: If you wish to pay by Diners Club credit card, we must have your signature. For any payment by credit card, we need the expiry date of the card and the address that the credit card company knows (although we can send the goods to an alternative address).

Due to fluctuations of the dollar, prices are subject to change withoug notice.

TRADE ENQUIRERS WELCOME



Micro U.K.

The business & leisure microcomputer conference

The main event

Micro UK is the conference component of the year's most important business and personal computing show.

Top-line US and European specialists are coming to London to present a comprehensive update on current advances in technology and to discuss the practical aspects of putting together and implementing micro systems successfully.

The multi-stream structure offers the widest possible subject choice and gives each delegate the flexibility to tailor his attendance to suit his own requirements.

The first two days concentrate on the use of micros in industry and commerce and the third day is devoted to a series of half-day teach-ins for the personal computer enthusiast.

Whether you come for one, two or three days, your conference fee buys you entry to the sessions of your choice, unrestricted access to the PCW exhibition (usually £2 per visit) and a chance to meet the speakers face-to-face in a special Micro UK feature.

Outline

each heading desc

Conference (4 and 5 September)

Technology Stream I

Processors and Memory
memory chips – special purpose chips – bit slicin
– new systems architecture – Motorola 6809 –
Intel 8086 – Zilog Z8000 – 16 bit micros

Storage Systems
diskettes – single/double density – single/double
sided – hard disks – 8" Winchester technology –
fixed/changeable – costs and reliability

Communications
modem technology – PO facilities – data link
controls – high level protocols – local area
networks – Prestel – personal computer networ

Systems Review
survey of micro systems – Texas Instruments
TI 99/4 – Apple III – Triumph Adler Alphatronic –
Sinclair ZX80 – other new releases

Technology Stream II

Monitors and Operating Systems
CP/M – MP/M – low level monitors – multi-testing
– multi-user operating systems – utility
program

Languages
BASIC – Business BASIC – Pascal – PL/1 – APL –
language developments

Programming and Quality Control
program design – debugging tools – project control
– program productivity

Micro U.K. is in conjunction with the third

Micro U.K.

4-6 September 1980
Cunard Hotel, London.

gramme –
es a half-day session

Development Systems
development and programming aids – ROM – EPROM – simulators – testing

Applications Stream

Retail and Distribution
stock control – order processing – point of sale – billing – financial management

Manufacturing
process control – production control – inventory management – job scheduling

Word Processing
special purpose/general purpose hardware – peripherals – displays and printers – cost justification

Professional Office Systems
time recording – client billing – diary management – client services

Teach-ins (6 September)

Game Playing on Micros
DIY Circuit Building
Music and Microcomputers
Micros for the Disabled
Simulation and Business Games
Technology and Concepts for the Businessman
Building your own System
The Personal Computer Network

sonal Computer World Show

Meet the experts

As well as the wide-ranging 'traditional' conference sessions, Micro UK offers you a unique opportunity to meet some of the world's leading micro authorities face-to-face and get expert advice on your very own systems and equipment.

It's the next best thing to personal consultancy – and at a fraction of the cost.

This special feature is available on all three days only to Micro UK delegates. Get the full conference brochure now and make sure of your place. Phone the conference office on Uxbridge (0895) 30594 or clip the coupon below.

The Micro UK Conference Office,
106 Pield Heath Road, Hillingdon,
Middlesex UB8 3NL.

Please send me _____ copies of the full conference programme.

Name _____

Position _____

Organisation _____

Address _____

_____

_____


_____ Tel. No: __ _____

PCW

GW Computers Ltd

89 Bedford Court Mansions, Bedford Avenue, London W.C.1.
call only by appointment





SUPERBRAIN™

Intelligent Video Terminal Systems

350K or 700K of Disk Storage

SuperBrain's CP/M operating system boasts an overwhelming amount of available software in BASIC, FORTRAN, COBOL, and APL. Whatever your application . . . General Ledger, Accounts Receivable, Payroll, Inventory or Word Processing, SuperBrain is tops in its class. And the SuperBrain QD boasts the same powerful performance but also features a double-sided drive system to render more than 700K bytes of disk storage and a full 64K of RAM. All standard!

COMPUSTAR™

MULTI-USER TERMINAL SYSTEM

CompuStar user stations can be configured in a countless number of ways. A series of three intelligent-type terminals are offered. Each is a perfect cosmetic and electrical match to the system. The CompuStar 10-a 32K programmable RAM-based terminal (expandable to 64K) is just right if your requirement is a data entry or inquiry/response application. And, if your terminal heads are more sophisticated, select either our CompuStar 20 or CompuStar 40 as user stations. Both units offer dual disk storage in addition to the disk system in the CompuStar. The Model 20 features 32K of RAM (expandable to 64K) and 350K of disk storage. The Model 40 comes equipped with 64K of RAM and over 700K of disk storage. But, most importantly, no matter what your investment in hardware, the possibility of obsolence or incompatibility is completely eliminated since user stations can be configured in any fashion you like — whenever you want — at amazingly low cost!

DISK STORAGE

Options for the Superbrain and Compustar Video Terminal

"Backup" for the 20 megabyte Century Data drive is provided via the dual disk system housed in the CompuStar or the SuperBrain. The Control Data CMD Drive features a removable, front-in-sertable top loading cartridge of 16 megabyte capacity plus a fixed disk capacity of either 16 or 80 megabytes.
Each drive is shipped equipped with an EIA standard 19" rack mounting system and heavy duty chassis slide mechanisms to permit easy accessability for fast and efficient servicing.

**** WIDELY USED IN UK AND USA ****
**** TESTED AND PROVEN ****
**** POWER AT YOUR FINGERTIPS ****
**** JUST COMPARE THIS LIST ****

Tony Winter, B.A. Lit., B.A. Hon Phil.
Will give a seminar of Business Programmes
at Central London Polytechnic,
on Monday 29th September
Please contact us for more information

++ ROBUST SET OF PROGRAMS WITH ERROR TRAPS COVERING PET DOS RENAME MALFUNCTIONS, CASUAL USER, ERROR, DISK FAILURES, PET DOS MISMANAGEMENT BLOCK ALLOCATIONS, DISK FAILURES, FAST SINGLE KEY STROKE ENTRIES, CONTROLLED INPUT WITH VISIBLE LINE LENGTH, AND DATE VERIFIICATIONS PREVENTING ERRONEOUS DATE ENTRY.

++ COMPREHENSIVE DATABASE MANAGEMENT SYSTEM INCLUDES

**** FILE CREATE/DELETE/SEARCH
**** RECORD CREATE/DELETE/SEARCH/AMEND/PRINT 4 WAYS
**** RECORD SORT BY ANY FIELD BOTH ALPHA OR NUMERIC
**** RECORD INDEX, FIELD, & FIELD ELEMENT SEARCH (EG NO:, TOWN OR SURNAME)
**** FOUR ARITHMETIC FUNCTIONS TO USE AS CALCULATOR ON LAST FOUR FIELDS
**** AUTO CHECK TO PREVENT DOUBLE ENTRY WITH FILE MANAGEMENT SYSTEM DYNAMICALLY ALLOCATING INFORMATION FOR MINIMUM DISK SPACE CONSUMPTION.

++ AUTO INVOICE NUMBERING (WITH OVERRIDE OPTION), PLUS AUTO PRINTOUT INTEGRATED WITH ADDRESS AND STOCK FILES FOR PAYMENT TERM DISCOUNT, AGENT ALLOCATION, PRICE INDEX RETRIEVAL AND AUTO STOCK UPDATE; NOMINAL CODES RETRIEVED FROM ADDRESS FILES MAY BE OPTIONALLY OVERRIDDEN.

++ POWERFUL ALTERNATIVE DOUBLE ENTRY SYSTEM (GENERAL AND OPEN ITEM) INCLUDING NOMINAL CODES PROVIDING A BUREAUX TYPE FACILITY FOR TRACKING MONTHLY TRADING FIGURES AND TAX ACCRUALS.

++ CURRENTLY USING 16 SALE AND 66 PURCHASE COMMODITY CODES WHICH ARE AUTOMATICALLY WRITTEN INTO LEDGERS FROM ADDRESS FILES (INCLUDES OVERRIDE OPTION).

++ AUTOMATIC TRIPLE POSTING OF SALES/PURCHASES TO INVOICE & GENERAL & OPEN ITEM LEDGERS WITH COMPLETE AUDIT TRAIL TO INCLUDE ACCOUNT VERIFICATION ON PAYMENTS IN/OUT, SO THAT DISCREPENCIES ARE RE-ALLOCATED TO OUTSTANDING ACCOUNTS, OR OPTIONALLY WRITTEN OFF AS DISCOUNTS TO THE CASH BOOK. THIS FACILITATES PART PAYMENTS.

++ FINAL LIQUIDITY STRIKES A COMPLETE AUDIT TRAIL BALANCE WITH CREDITORS AND DEBTORS O/S AMOUNTS, BANK BALANCES, STOCK MOVEMENTS, AND REMAINING STOCK VALUE TO GIVE PROFITABILITY OF COMPANY IN BOTH FINANCIAL AND STOCK ASSET TERMS.

++ POWERFUL ACCOUNT TRACKING FACILITIES INCLUDE AUTO STATEMENT PRODUCTION FOR ALL ACCOUNTS EXCLUDING NIL BALANCES, WITH DATE COMPARISON AGE ANALYSIS TO * CURRENT * 30 DAYS * 60 DAYS * 90 DAYS * AND APPROPRIATE MESSAGES WHEN A DATE BLOCK HAS AN INCLUSION.

++ COMPLETE SEARCH/CREATE/AMEND/DELETE/SORT/FACILITIES ON ANY SIGNIFICANT LEDGER HEADING AGAINST EITHER OPEN OR GENERAL LEDGER IN DATE/INVOICE/ACCOUNT/AGENT/NOMINAL CODE/HEADINGS, FOR FULL INFORMATION RETRIEVAL SUCH AS A SHORTLIST OF OVERDUE ACCOUNT FOR A SPECIFIED MONTH, ACCOUNT LEDGER CARD RETRIEVAL, NOMINAL ANALYSIS ETC.

++ FAST INPUT ECHO FUNCTION TO ENABLE REDUCTION OF KEY-STROKES ON REPETITIVE DATA, PLUS PRINT AUDIT TRAIL OF ANY FILE CHANGES.

++ —— NO —— SPECIAL PRINTED STATIONERY NEEDED SO 50-100 INVOICES COST YOU A FRACTION OF A PENNY EACH, AND THEY ARE FORMATTED PRECISELY TO FIT IN A STANDARD 'RYMAN' WINDOW ENVELOPE FOR CONVENIENT POSTING. TRACKING PROGRAM ENABLING PRINTING OF PAST INVOICES — RECALL ON SCREEN, PLUS MONITOR OF SPECIFIED SALES — PURCHASES OF COMMODITIES BY CODE.

++ MONTHLY QUARTERLY TAX CALCULATIONS PLUS STANDARD MAILING TICKET PRINT FACILITIES.

++ ADD-ON OPTION OF AUTO STOCK MOVEMENT REPORT AND UPDATE QUANTITY ON HAND PLUS VALUATION OF RESIDUE AS RESULT OF PURCHASES AND SALES.

++ ADD-ON OPTION OF AUTO BANK UPDATE FROM RECEIVABLES AND PAYABLES AGAINST LEDGERS.

++ PET STORES UP TO 2200 ADDRESSES OR UP TO 4000 SIMPLE LEDGER RECORDS ON ONE DISKETTE WITH 160K OF USER MENU CALLABLE PROGRAMS FROM OTHER DISK. ——ONLY ONE PROGRAM DISK—— AND THE HARD CORE PROGRAMS CAN'T BE BUSTED.

++ SUBSTANTIAL USER GROUP IN UK AND ABROAD WITH ALL POSITIVE FEEDBACK IMPLEMENTED EVERY 3/4 WEEKS AND RE-DISTRIBUTED FREE OF CHARGE (EXCEPT COST OF DISK AND MAILING 50-70 POUND P.A.) SO YOU BECOME PART OF A COMMONWEALTH OF USERS WORKING WITH AN IDENTITY OF INTERESTS.

++ THIS MUST BE SURELY THE MOST COMPREHENSIVE, COMPACE, PROVEN, AND COST-EFFECTIVE ONGOING PACKAGE ON THE MARKETPLACE AT THIS POINT IN TIME.

++ TOTAL PRICE VERSION3 475 POUNDS . . ADD-ON STOCK OPTION 100 POUNDS . . ADD-ON BANK OPTION . . 100 POUNDS . . REMAINING PROGRAMS 19, 20, 22, 23 JOINTLY 100 POUNDS.

++ THINK OF JUST KEYING IN 100 INVOICES, 50 CHEQUES? (PROVIDED YOU LEFT YOUR PRINTER ON WITH PAPER IN!) YOU COULD LEAVE OUR PROGRAMS TO DO ALL THE SECRETARIAL POSTING AUTOMATICALLY' AFTER WHICH YOU MAY SET IN MOTION THE AUTO STATEMENT RUN, THEN YOU CAN SIMPLY POST OUT ALL PAPERWORK WITH STATEMENTS AGE ANALYSED WITH APPROPRIATE COMMENTS . . . . . .

++ CPM VERSION SPECIAL *** WRITTEN ON THE NEW SUPERBRAIN PROCESSOR WITH THREE HIGHER LEVELS OF OPERATION.
***** 1 = ALL FILES ARE FULLY RANDOM ACCESS SO RETRIEVAL OF ANY RECORD IN THE SYSTEM TAKES NO LONGER THAN SEVERAL SECONDS FOLLOWED IMMEDIATELY WITH THE OPTION TO AMEND/PRINT/DELETE/QUIT/OR CARRY ON SEARCHING THROUGH ANY FIELD.
***** 2 = ENTIRE FORMER SET OF PET PROGRAMS ARE NOW JUST ONE PROGRAM RESIDENT IN CORE. ONCE INVOKED FROM DISK (UNDER MBASIC) THE USER MAY INSERT TWO EMPTY DATA DISKS IN BOTH DRIVES OF THE SYSTEM ENABLING A HIGHER MAGNITUDE OF DISK SPACE FOR MORE DATA STORAGE. (STANDARD SUPERBRAIN TWIN DRIVES CAN STORE 3000 STOCK ITEMS OR 4500 LEDGER RECORDS. . 800K SUPERBRAINS CAN STORE 7000 NAMES AND ADDRESSES OR 9000 STOCK ITEMS OR 12000 LEDGER RECORDS * ALL INSTANDLY RETRIEVALBE) NEW 20 MEGABYTE HARD DISK STORAGE CAN HANDLE 40000 NAMES AND ADDRESSES OR 60000 LEDGER ENTRIES.
***** 3 = FULLY TRANSLATEABLE PROGRAM WITH RESIDENT VOCABULARLY WHICH MAY BE TRANSLATED INTO ANY FOREIGN LANGUAGE IN A MATTER OF HOURS.

MAIN MENU DISPLAY

New! Produced in U.K. and widely used in England and the U.S.A.
Complete Business Package

INCLUDES EVERYTHING FROM INVENTORY TO SALES SUMMARY
PROMPTS USER AND VALIDATES ENTRIES. MENU DRIVEN

BUS VER 3.00 TO ver 9.00 PET AND CP/M
APPROXIMATELY 60–100 ENTRIES/INPUTS REQUIRE 2–4 HOURS WEEKLY
AND ENTIRE BUSINESS IS UNDER CONTROL

* PROGRAMS ARE INTEGRATED . . SELECT FUNCTION BY NUMBER . . . .

01=*ENTER NAMES & ADDRESSES. . . . . .
02=*ENTER/PRINT INVOICES . . . . . .
03=*ENTER PURCHASES . . . . . .
04=*ENTER A'C RECEIVABLES . . . . . .
05=*ENTER A'C PAYABLES . . . . . .
06=*ENTER' UPDATE INVENTORY. . . . . .
07=ENTER' UPDATE ORDERS . . . . . .
08=*ENTER' UPDATE BANKS . . . . . .
09=*REPORT SALES LEDGER . . . . . .
10=*REPORT PURCHASE LEDGER . . . . . .
11=*INCOMPLETE RECORDS. . . . . .
12=*EXAMINE PRODUCT SALES . . . . . .
13=*PRINT CUSTOMERS STATEMENTS . . . . . .
14=*PRINT SUPPLIER STATEMENTS. . . . . .
15=*PRINT AGENT STATEMENTS. . . . . .
16=*PRINT TAX STATEMENTS . . . . . .
17=GENERAL HELP . . . . . .
18=ALTER VOCABULARIES . . . . . .
19=PRINT YEAR AUDIT . . . . . .
20=PRINT PROFIT' LOSS A'C. . . . . .
21=ENDMONTH MAINTENANCE. . . . . .
22=PRINT CASHFLOW FORECAST . . . . . .
23=ENTER PAYROLL (NO RELEASE) . . . . . .
24=EXIT SYSTEM . . . . . .

. . . . . ENTER WHICH ONE?

DATABASE MANAGEMENT INCLUDES
*** FILE CREATE'DELETE'SEARCH *** RECORD CREATE'DELETE'SEARCH'4 OPTION PRINT *** RECORD SORT ANY FIELD ALPHA OR NUMERIC *** INDEX SEARCH OR GENERAL SCAN'PRINT IN ANY FIELD (EG TOWN OR NAME) *** 4 ARITHMETIC FUNCTIONS TO USE AS CALCULATOR ON LAST 4 FIELDS *** AUTO CHECK TO PREVENT DOUBLE ENTRY TO FILE MANAGEMENT SYSTEM, DYNAMICALLY ALLOCATING INFORMATION TO MINIMISE DISK SPACE CONSUMPTION

VERY FLEXIBLE, EASY TO USE
G.W. COMPUTERS U.K. ARE THE PRODUCERS OF THIS BEAUTIFUL PACKAGE
VER 3.00 (EXC PROG 19,20,22,23)=475.00, VER 4.00 INCLUDES AUTO STOCK-UPDATE=575.00, VER 5.00 INCLUDES AUTO BANK UPDATE=675.00, VER 6.00 IN CORE=875.00, VER 7.00 (INC 19,20,22,23) NOT YET RELEASED=975.00, VER 8.00 RANDOM ACCESS=1000.00, VER 9.00 TRANSLATEABLE=1075.00 +++EACH LEVEL OVERRIDES LOWER ONE

WE EXPORT TO ALL COUNTRIES CALLERS ONLY BY APPOINTMENT
CONTACT TONY WINTER ON 01-636 8210
89 BEDFORD COURT MANSIONS, BEDFORD AVENUE, LONDON W.C.!.
NOTE!!! All versions, especially 9.00 use broad financial principles and 9.00 is one 16K core program releasing both disk drives for data storage, as well as being translateable into any foreign language

IMPORTANT!!! We also sell the hardware for the above tasks to enable the purchase from one source. Note that A* complete *** CBM system with Bus Ver 3 is 2215 pounds and A *** complete *** superbrain system with bus ver 3 and dec printer is 3345 pounds.**

PET + PET + PET + PET	
CBM 3032 32K	650.00
CBM 3040 DISKS	650.00
CBM 3022 PRINTER	425.00
CBM 8032 32K	875.00
CBM 8050 1MEG DISKS	875.00
CBM EPSON PRINTER	395.00
CBM MULTI USER	650.00
CBM 3032 + EPSON +	0
CBM 3040 + BUS V3	2215.00

PRINTERS + PRINTERS	
DIABLO 1650 40CPS	2150.00
DOLPHIN 125CPS BD80	495.00
OKIDATA MICROLINE	575.00
PAPER TIGER 195CPS	575.00
TELETYPE 43SR 30CPS	875.00
DEC-LA34 TRACT 30CP	875.00
NEC-SPINWRITER	1595.00
QUME DAISY SPRINT5	1950.00
TEXAS 810 150	1390.00

SPECIALS + SPECIALS	
N'STAR QUAD .7 MEG	1500.00
IMS 5000 48K D'D	1500.00
COMPUTHINK * 800K *	795.00
2 WAY CRDLESS PHONE	195.00
TELEPHONE ANSWER	230.00
1 WAY CRDLESS PHONE	80.00

SOFTWARE + SOFTWARE	
BUS VER 3.00	475.00
BUS VER 4.00	575.00
BUS VER 5.00	675.00
BUS VER 6.00	775.00
BUS VER 7.00	875.00
BUS VER 8.00	900.00
BUS VER 9.00	975.00
CBM WORDPRO II	75.00
CBM WORDPRO III	150.00
CPM WORD-STAR	250.00
CPM MBASIC 80	150.00
CPM COBOL 80	320.00
CPM PASCAL MT	150.00
CPM FORTRAN 80	200.00
CPM DATASTAR	175.00
CPM PASCAL-M	250.00
CPM BYSTAM S'BRAIN	75.00
CPM SUPERSORT	120.00
CPM BASIC COMPILER	190.00
CPM DESPOOL	30.00
CPM BYSTAM IMS'N-STAR	75.00
CPM TEXTWRITER	75.00
CPM POSTMASTER	75.00
CPM SELECTOR 3	180.00
CPM CBASIC	75.00
CPM MACRO 80	75.00
CPM W'STAR M'MERGE	310.00
BUS MANUAL **********	9.00

SUPERBRAIN + SUPERBRAIN	
SUPERBRAIN 320K	1795.00
TWIN Z80 64K+CRT	.
+2 D'D–S'S DRIVE	.
SUPERBRAIN 800K	2500.00
TWIN Z80 64K+CRT	.
+2 D'd–D'S DRIVE	.
M'USER S'BRAIN	3950.00
LINKS UP TO 16	.
SUPERBRAINS ON	.
MULTI TASKING	.
COMPUSTAR	.
20 MEG ADD-ON	5250.00
S'BRAIN HARD DSK	.
INTERTUBE III	450.00
SUPERBRAIN 800K	
TWIN Z80 32K + CRT	
+2 D'd – D's Drive	£1695.00
TANDY MODEL II	1950.00
APPLE II 16K	675.00
COMPUCOLOR 32K	1750.00
IEEE TO RS 232	150.00
IEEE TO PARALLEL	160.00
IEEE'RS232 BI'DI	195.00
IEEE MODEM	295.00
CAT MODEM	135.00

WARRANTY
90 DAY FREE REPLACEMENT

SPECIAL INSTITUTION AND UNIVERSITY DISCOUNTS
STOCK AND COMING ROUND. (BARCLAYCARD WELCOME OTHERWISE CHEQUE WITH ORDER)
CONTACT TONY WINTER 01-636 8210
89 BEDFORD CT MANS. BEDFORD AVE W.C.1.

SEE YOU AT STAND No. A15 The 3rd Personal Computer World Show SEPT 4–6 CUNARD INTERNATIONAL HOTEL


DIRTY MAINS! CORRUPT DATA?

SEE YOU AT STAND No. A15 The 3rd Personal Computer World Show SEPT 4–6 CUNARD INTERNATIONAL HOTEL

Is your computer suffering from the effects of unstable mains or from high voltage transients and momentary supply breaks, which you probably do not even notice otherwise?

Have you counted the cost of the loss of a day's data input or, worse still, the corruption of a whole programme?

If not, when you do you may get an unpleasant surprise — particularly if you then compare it with the low cost of a Galatrek Constant Voltage Transformer.



For a cost ranging from only £75 (ex workd) + VAT you can get:—

- *** STABILISATION OF ± 1%**
- *** TRANSIENT ATTENUATION**
- *** MOMENTARY POWER BACK-UP**
- *** RAPID RESPONSE**
- *** OUTPUT TOTALLY ISOLATED**
- *** PROTECTION FOR STABILISER AND EQUIPMENT UNDER OVERLOAD AND SHORT-CIRCUIT CONDITIONS**

Standard range covers ratings from 250VA to 5kVA. Higher ratings to order.

Model AK250 at £75 ex works + VAT, one of a range of 90 models covering most voltages.

Galatrek VOLSTAB Constant Voltage Transformers are based on a Galatrek innovation on the well established ferro-resonant saturable reactor technique. They offer high performance with minimal size and weight at a highly competitive price.

They contain no moving parts and are very reliable in service. They will provide close regulation within the limits specified. So consider carefully the Six Star Features listed above. And consider carefully the cost of system 'hickups' resulting from mains supply irregularities.
Then complete the coupon below to secure your copy of our new 12 page catalogue listing our whole range of stabilisers and cutouts.
Or ring Ron Koffler on 0492 640311.

GALATREK

Scotland Street, Llanrwst,
Gwynedd LL26 0AL. North Wales, Britain.
Telephone: Llanrwst (0492) 640311
Telex: 617114 Answer back—GALAHU
Telegraphic Address GALAWATT.

U.K. Marketing Agent:
Danesbury Marketing Ltd.,
Tavistock House,
Bedford MK40 2QD
Tel: 0234 213571 Telex: 825633 OTSS-B

TRADE & OEM ENQUIRIES WELCOME

CUTOUT NOW AND POST TODAY

ON FREEPOST LL99 No stamp necessary

Mark first class

☐ **PLEASE recommend a stabiliser for the following:**

. . . . . .
. . . . . .
. . . . . .

☐ **PLEASE send me your new 12 page catalogue**

Name . . . . . .
Sent By. . . . . . .
Tel No . . . . . .
Tick if trade ☐ **Tick if OEM** ☐

Address. . . . . . .
. . . . . .
. . . . . .

Floppy Disk Systems



FOR APPLE II® AND ITT® 2020


* Dual disk unit giving a total of 232K Bytes using DOS 3.2 and 254K Bytes using DOS 3.3
* Works with standard Apple or ITT disk controller cards
* Has its own power supply unit

DUAL DISK UNIT	**£498**
DISK CONTROLLER CARD	**£49**


FOR THE TRS80, SWTP, SUPERBRAIN, NORTH STAR HORIZON, HEATHKIT ETC. ETC.

40 Track single disk unit	**£236**
77 Track single disk unit	**£345**
40 Track Dual disk unit	**£440**
77 Track Dual disk unit	**£645**

* Mains powered disk systems
* Shugart SA400 Interface compatability
* Daisy chain up to four drives



TRS80 DISK CABLES:	2 Drive Cable	**£20.00**
	4 Drive Cable	**£32.50**




FOR TRS80 USERS

The PERCOM DATA SEPARATOR eliminates read and verify errors on the inner (higher numbered) tracks of your Disk Systems. Plugs into the expansion interface. No soldering – takes 5 minutes to fit.

£20 WITH FULL INSTALLATION INSTRUCTIONS

MAIL ORDER MINI FLOPPY DISK DRIVES	**Qty**	**Price Each**
TEAC FD-50A 40 Track 5¼ inch	1–5	**£ 155**
Double/Single density drives	6–12	**£ 145**
	13–25	**£ 135**

Price includes warranty and manual



Call your nearest dealer for a demonstration:

Radio Shack Ltd., 188, Broadhurst Gardens, London NW6 Tel: 01-624-7174
London Computer Centre, 43 Grafton Way, London W1. Tel: 01-388-5721
Micro Control, 224, Edgeware Road, London W2. Tel: 01-402-8842
Katanna Management Services, 22, Roughtons, Galleywood, Chelmsford. Tel: 0245-76127
Cambridge Computer Store, 1, Emmanuel Street, Cambridge. Tel: 0223–65334
Portable Micro Systems, 18, Market Place, Brackley, Northants. Tel: 0280–702017
Ensign Ltd., 13-19, Milford Street, Swindon. Tel: 0793–42615
Sevet Trading, 14, St. Paul's Street, Bristol 2. Tel: 0272–697757
EWL Computers Ltd., 8, Royal Crescent, Glasgow. Tel: 041–332–7642

CUMANA LTD., 35, Walnut Tree Close, Guildford, Surrey. GU1 4UN.
Tel: (0483) 503121
Telex: 859680 (Input G)

Please add VAT to all prices. Delivery at cost will be advised at time of order.



Zilog from Micro-Bits ...your best bet

MULTI-END BUYERS, O.E.M.'s SOPHISTICATED END USERS – THE FULL ZILOG PRODUCT RANGE IS NOW AVAILABLE THROUGH YOUR OWN DISTRIBUTOR.

The Zilog MCZ range, with its advanced hardware and software options, offers you a high level of flexibility, expandability and sophistication.

SOME TYPICAL SYSTEMS:

MCZ 1/05 computer, 64K, dual 8" disk drives, from around £4,000 or leased for about £138 per month.
MCZ 1/20A computer system, 64K, dual disk drives, VDU and 180 cps printer from £6,025 or leased for about £204 per month.
MCZ 1/35, 64K, 10mb cartridge disk drive, VDU and 180 cps printer from around £12,000 or £408 per month.

APPLICATIONS SOFTWARE:

*ORDER ENTRY/INVOICING	*INTEGRATED ACCOUNTING	*PAYROLL
*STOCK CONTROL	*INFORMATION RETRIEVAL	*STATISTICS
*PERSONNEL MANAGEMENT	*BUDGETING/CASH FLOW	*MAIL LISTS
*WORD PROCESSING	*DATABASE MANAGEMENT	*LABEL PRINTING
*BILL OF MATERIALS	*PRODUCTION FORECASTING	*UNIT COSTING

*INSURANCE BROKERS ACCOUNTS *BESPOKE SOFTWARE

NEW PRODUCTS*

ELBIT VDU with Word*Star orientated keyboard, with special function keys for CURSOR WORD RIGHT & LEFT, SCREEN SCROLL UP & DOWN, HELP, INSERT ON/OFF, DELETE CHARACTER/WORD/LINE, REFORMAT PARAGRAPH, EDIT & END EDIT.
Also available as a separate keyboard package to upgrade your existing VDU.

For further information please contact:

MICRO BITS

34B London Road, Blackwater, Camberley, Surrey.
Tel: Camberley (0276) 34044 Telex 858893
OFFICES & SHOWROOM Mon – Fri 9am – 6pm
Sat: by appointment only

Now available on Earth



THE SHARP MZ-80 COMPUTER SYSTEM

Sharp have been associated with many major advances in electronic technology in space and here on Earth. We have introduced the most sophisticated production techniques for electronic circuitry to set world renowned standards of reliability into every product.

That's why the MZ-80K and its range of peripherals is going to change the way you think about microcomputers. The Sharp MZ-80 System now includes the MZ-80K processor backed with the MZ-80FD dual drive, double sided mini-floppy disk unit to give rapid, effective, sequential and random access, to huge amounts of stored information with incredibly fast response times.

Our new MZ-80P3 printer makes a good impression as well. Its fine definition dot matrix head prints across 80 columns, at 100 characters per second, with full graphics capabilities.

The Sharp MZ-80 System is a new approach to computer applications, and their efficient use by human beings.

Our aim is to make computers and their related equipment relatively simple and therefore better understood and better used by those they are designed to serve.

Whether you are looking for a business system, or a system for educational or personal use—take a look at Sharp, it will change the way you think about computers.

SHARP **COMPUTER APPLICATIONS**

Send me details of the complete Sharp MZ-80 System and the name and address of my nearest stockist

Name _____

Address _____

_____ PCW/9

Sharp Electronics (UK) Limited, Sharp House, Thorp Road, Newton Heath, Manchester. M10 9BE Tel: 061-205 2333

The video genie system only needs a plug



£380 inc. VAT

- 16K RAM + 12K Microsoft BASIC in ROM
- TRS–80 Level II compatible
- Ideal for Business, Education + Leisure
- Integral Cassette + TV Output
- Customized Business Packages available
- Expansion to Disks + Printer

MATRIX COMPUTER SYSTEMS LIMITED

325, Upper Elmers End Road, Beckenham, Kent. Telephone 01-658 7508/7551

Z80/Z8000

INMAN/INMAN
1979 120pp
0 918398 33 9
£5.80 **Intro to T-Bug**
Explains the TRS-80 monitor program (Level I and Level II)

TITUS Jonathan
1979 190pp
0 672 21633 7
£5.90 **TRS-80 Interfacing (Level II) Book 1**

BARDEN William
1978 304pp
0 672 21500 4
£6.80 **Z80 Microcomputer Handbook**
General overview of hardware & software

HOPTON J (G3WMP)
1979 180pp
0 905104 09 9
£7.50 **Z80 Instant Programs: Machine Code Routines for Nascom & other Z80 Systems**
36 machine code routines from a hobbyist

NICHOLS/RONY
1979 302pp
0 672 21609 4
£7.50 **Z80 Microprocessor - Book 1**
Uses the SGS-ATES Nanocomputer
Concentrates on Z80 programming

NICHOLS/RONY
1979 496pp
0 672 21610 8
£7.50 **Z80 Microprocessor - Book 2**
Uses the SGS-ATES Nanocomputer
Features Z80 interfacing

OSBORNE Adam
NYP 500pp
0 931988 36 5
£8.50 **Z8000 Assembly Language Programming**
(Contact MOI for publication date)

MATEOSIAN Richard
1980 297pp
0 89588 032 6
£8.50 **C281 - Programming the Z8000**

LEVENTHAL Lance
1979 630pp
0 931988 21 7
£8.60 **Z80 Assembly Language Programming**
Instruction set + examples + algorithms
Accurate and reliable, a good textbook

WADSWORTH Nat
1979 322pp
ISBN not known
£8.90 **Scelbi Z80**
Software Gourmet Guide & Cookbook
Features a floating-point package

ZAKS Rodnay
1979 624pp
0 89588 013 X
£10.50 **C280 Programming the Z80**
Readable and nicely presented

6502

BARDEN William
1977 256pp
0 672 21459 8
£6.30 **How to Program Microcomputers**
Compares 6502 vs 6800 vs 8080

BUTTERFIELD et al
1978 176pp
0 8104 5119 0
£7.50 **First Book of KIM**
KIM-1 guide and program listings

FOSTER Caxton C
1978 234pp
0 201 01995 7
£7.50 **Programming a Microcomputer: 6502**
A self contained micro course for KIM-1

ZAKS Rodnay
1980 292pp
0 89588 023 9
£8.20 **G402 - 6502 Games Book**
Latest in the popular Sybex 6502 series

ZAKS Rodnay
1980 387pp
0 89588 046 6
£8.20 **C202 Programming the 6502**
Third edition
Easy to read, well presented

ZAKS Rodnay
1979 284pp
0 89588 015 6
£8.50 **D302 6502 Applications Book,**
A source of ideas around the house

LEVENTHAL Lance
1979 650pp
0 931988 27 6
£8.90 **6502 Assembly Language Programming**
Instruction set + examples + algorithms
Probably the best of its class

FINDLEY Robert
1979 204pp
ISBN not known
£8.90 **Scelbi 6502**
Software Gourmet Guide & Cookbook

DONAHUE/ENGER
NYP
0 931988 30 6
£9.20 **Pet Personal Computer Guide**
(Contact Mol for publication date)
Includes detailed memory maps

FISHER/JENSEN
1980 233pp
0 931988 31 4
£9.50 **Pet & The IEEE-488 BUS (GPIB)**
How to interface the Pet via IEEE Bus

HAMPSHIRE Nick
1980 183pp
ISBN not known
£10.00 **The Pet Revealed (2nd Edition)**
Covers old and new Roms
Essential reading for programmers

Your reference:
Name:
Address:

Mol ref:

Circle the price of each title chosen and indicate quantity required

£ _____ Total value of books chosen

_____ Extra 10% for delivery outside the UK

_____ TOTAL DUE

HOW TO ORDER

☐ Cheque ☐ Bank draft
☐ ACCESS ☐ PO/IMO
☐ Please invoice

Please phone and complain if books do not arrive within 14 days!

Prices are subject to change without notice, due to external factors

Make cheques etc payable to 'Mol'

Creditcard number:
Cardholder's signature:

Mol

1 Francis Avenue, St Albans, AL3 6BL England
Phone 0727 52801 Telex 925859

ENTER THE COMPUTER AGE

NOW WIN A TRIP TO HONG KONG
See your dealer for details



video genie system £330 plus vat

Printer now available

See it at the following dealers

3 Line Computing
Hull 445496

Advance Television Services
Shipley 585333

Amateur Radio Shop
Huddersfield 20774

Blandford Computers
Blandford 53737

Briers Polytechnic Bookshop
Middlesbrough 242017

Buss Stop
Watford 40698
Newport Pagnell 610625

Cambridge Microcomputers Ltd
Cambridge 134666

Catronics Limited
Wallington 01 669 6700/1

SOLE IMPORTERS

Cavern Electronics
Milton Keynes 314925

Computer Business Systems
Lytham 730033

Computerama Limited
Bath 28819

Computopia Limited
Leighton Buzzard 376600

Computer and Chips
St Andrews 72569

Derwent Radio
Scarborough 65996

Eiron Computers Limited
Dublin 808575/805045

Eley Electronics
Leicester 871522

D B Microcomputers
Limerick 42733

Gemsoft
Woking 22881

G B Organs & Televisions
Jersey 26788/23564

Kansas City Systems
Chesterfield 850357

Kays Electronics
Chesterfield 31696

Leisuronics
Blackpool 27091

Marton Microcomputer Services
Cogenhoe 890661
Melton Mowbray 812888

Matrix Computer Systems Limited
Beckenham 01 658 7508/7551

Microdigital Limited
Liverpool 227 2535

Midland Microcomputers
Nottingham 298281

Mighty Micro Limited
Burnley 32209/53629

Mighty Micro
Watford 38923
Basingstoke 56417

MRS Communications
Cardiff 616936/7

Optelco
Rayleigh 774089

Q Tek Systems Ltd
Stevenage 65385

Rebvale Computers Ltd
Garboldisham 316

SMG Microcomputers
Gravesend 55813

Tryfan Computers
Bangor 52042

Univ Radio Stores (Nott'm) Ltd
Nottingham 45466

Ward Electronics
Birmingham 021 554 0708

LOWE ELECTRONICS

BENTLEY BRIDGE
CHESTERFIELD Rd.
MATLOCK
DERBYSHIRE DE4 5LE

Trade Enquiries Welcome

PRINTERS FOR PEOPLE WHO COUNT.



Without breaking any of the rules for printer quality, Facit now breaks the economic rules by introducing its Low-Cost Printer Family. Featuring the models Facit 4520, 4521, 4525 and 4526.

Here you find 80 and 132 column printing formats, journal roll as well as pin and tractor feed, 100 and 150 cps 9×7 and 9×9 matrix and even true descenders.

A printer family that combines the performance and reliability of the advanced printer with the cost of the small. To provide versatile, heavy-duty, 100% duty cycle printing functions.

The bidirectional print mechanism, monitored and controlled by the powerful Z-80 microprocessor, makes Facit Low-Cost Printers intelligent, fast and flexible for use in personal computer systems in business and industry, data-logging, as well as small business computers and educational applications.

This is further emphasized by the low noise level and the fact that European safety and interference standards are fully met.


Serial RS-232 and parallel interfaces are standard. And all language versions current in Europe are catered for, including US ASCII.

So when comparing printers:
Think professionally. Contact Facit.

FACIT DATA PRODUCTS

ALWAYS SOMETHING MORE IN PRINTERS.

Facit Addo Limited, Data Products Division, Maidstone Road, Rochester, Kent ME1 3QN. Tel. Medway (Kent) 401721/7



why suffer?

Apple offer a range of developed hardware and software. We provide fast delivery, plus the technical support you and your users need. If you're interested in Apple-II, Apple III, FORTRAN, Pascal, BASIC, SOS, PILOT, DOS 3.3, Graphics Tablet, Graphics Printers, A/D, D/A, 80 Character Video, A.I.O, Serial, Parallel Communications,..... or any other Apple-orientated product, please call or post the coupon now.

COMPUTER SERVICES LIMITED

STACK-APPLE

Coming soon.... Apple and CP/M

Stack-Apple Cards.
We've become so tired of long delivery dates and inadequate performance that we've designed our own D/A, A/D and control cards. Our 4 channel D/A should be ready by the time you read this advert - please call for details.

Phone Paul Fullwood or Carl Phillips on
051-933 5511

290-298 DERBY RD, BOOTLE, LIVERPOOL.

Please add our name to your mailing list

.....

.....

.....

to

STACK-APPLE; 290-298 DERBY RD, BOOTLE, LIVERPOOL. Telephone: 051-933 5511.

ELIMINATE YOUR BACK-UP PROBLEMS

with our low cost cartridge drive



PRICE
£3950*
PLUS VAT

*One-off OEM price

The Equinox KB10 Cartridge Drive allows S100 microsystems to transfer, read and write data at high speed. Its 5MB fixed and 5MB removable discs eliminate the need to provide separate data back-up. The removable 5MB disc allows for fast back-up and therefore unlimited off-line storage. Without sacrificing high performance, multiple users can operate the Equinox KB10 simultaneously using multi-user software. Equinox provides support for such software i.e., MVT/FAMOS, MP/M and OMNIX. CP/M is also supported.

EQUINOX
COMPUTER SYSTEMS LIMITED

Kleeman House, 16 Anning Street, New Inn Yard,
London EC2A 3HB. Tel: 01-739 2387/9 and 01-729 4460

---

aculab floppy tape,

The tape that behaves like a disc,
For TRS-80 LEVEL II.



Connects directly to **TRS**-80 Level 2 Keyboard. Operating and file handling software in **ROM**. 8 commands add 12 powerful functions to Level 2 **BASIC.** No buttons, switches or volume controls. Full control of all functions from Keyboard or program. Daisy chain multiple drives. Certified digital tape in endless loop cartridges. Reads and writes in **FM** format at 9000 Baud. Soft sectored with parity and checksum error detection for highly reliable operation—just like discs. Maintains directory with up to 32 files on each tape, tapes may be write-protected. Supports Basic and machine-language program files, memory image and random access data files. 12 character filespecs —: **"FILENAME/EXT**:d" (d is drive no. 0—7). Automatic keyboard debounce. Full manual with programming examples and useful file-handling routines.

COMMANDS (usually followed with a filespec and possible parameter list).
@SAVE, @LOAD, @RUN —for **BASIC** programs, machine language programs and memory image files. **@GET, @PUT** —moves a 256-byte record between a random access file and **BASIC's** data buffer. **@KILL** —removes a file from the directory and releases tape sectors for immediate re-use. **@LIST** —displays file directory along with sector allocation and free sectors. **@NEW** —formats tape and creates a blank directory.

Master drive with PSU, Manual and a selection of tapes.
- £167-00 +£2-00 pp+vat.
Slave drives with PSU- - - - - - - £122-00 +£2-00 pp+vat.

(Export orders pp charged at cost)

For further information, Telephone 0525 371393

aculab Ltd.
24 Heath Road, Leighton Buzzard, Beds. LU7 8AB

'TUSCAN' FROM TRANSAM



Take a step up to your next Computer!

THE CONCEPT

How many ways are there to build an S100 system? Not many, and all expensive. TUSCAN changes all that.

Five S100 boards on one single board—just for starters. Plus five extra slots for future expansion.

What a combination! Z80 and S100 with the TRANSAM total package of system and applications software.

How do we do it? Our prices start at £195 and you can build up in easy stages to a fully CP/M compatible disc based system. Something to think about!

THE HARDWARE

The first Z80 single board computer with integral S100 expansion. British designed to the new IEEE (8 BIT) S100 specification, the TUSCAN offers total system flexibility. A flexibility available now.

The board holds the equivalent of a Z80 cpu card, 8k ram, 8k rom video and I/O cards with 5 spare S100 expansion slots and offers a price/performance ratio which is hard to beat.

Just compare our price with a commercial S100 ten slot motherboard with this specification.

THE SOFTWARE

TUSCAN offers the user the choice of system monitor, editor, resident 8k basic, resident Pascal compiler or full CP/M disk operating system. All options are upwards compatible and fully supported with applications software. Both 5¼" and 8" drives are supported in double density.

THE PACKAGE

TUSCAN is available in kit form or assembled. With several hardware and software options to suit your requirements and budget. Attractive desk top case also available holds 2 x 5¼" Drives.

TRANSAM

NOBODY DOES IT BETTER!

Send to Transam Components Ltd,. 12 Chapel Street, London NW1

I am interested in the TUSCAN Z80 based single board computer with S100 expansion and enclose a S.A.E. for further details.

Name _____

Address _____

_____

Telephone _____

TRANSAM COMPONENTS LTD., 59-61 THEOBALDS ROAD, LONDON, WC1. TEL: 01-405 5240/405 2113

GODBOUT PRODUCTS

HIGH QUALITY, RELIABLE S-100 CARDS AND OTHER PRODUCTS

NEW LOW PRICES	Kit	Ass.
2708 EPROM i.c.	£ 7	n/a
2716 EPROM i.c.	£ 22	n/a
Bob Mullen S-100 Bus Extender card with built-in logic probe	£ 30	n/a
Econorom 2708, 16K EPROM card (excludes EPROMS)	£ 55	£ 80
6 Slot S-100 motherboard with termination	n/a	£ 85
SSM SB1 2708/2716 EPROM programmer card with Textool sockets	£ 85	£125
Econoram 11a, 8K memory card	£ 90	£100
Interfacer I/O card, 2 full RS232c serial ports	£115	£145
Econoram XIIIa-32K/16K bank select	n/a	£195
Econoram XIIIa-32K/24K bank select	n/a	£245
Econoram XIIIa-32K/32K bank select	n/a	£295

HIGH PERFORMANCE VDUS AND PRINTERS . . .
Prices include Cables and Securicor delivery

Microline-80 printer, 132 cols, graphics	£475
Anadex DP9500 printer, 200 cps, bi-directional full-width paper, 132 columns	£895
Intertec Intertube II VDU, numerous features, 25 x 80 screen	£525
TeleVideo TVI-912 VDU, intelligent compact 24 x 80 screen	£545
TeleVideo TVI 920 VDU, as above + function keys, 2 screen memory pages	£645
Anadex DP9500 printer, 200 cps, bi-directional	£895
Paper Tiger printer, 100 cps, 2K buffer, graphics	£575
Heuristics Model 50S Speech Recog. (Special low price)	£195

EXTRA LOW PRICES ON QUALITY BRAND NAME DISKETTES

Pack of ten 5.25" disks	£ 19
Pack of ten 8" disks	£ 23
Ten packs of 5.25" (100 disks)	£175
Ten packs of 8" (100 disks)	£210

★ EDUCATIONAL DISCOUNTS GIVEN! ★

MAIL ORDER ONLY

All prices given include postage and packing (overseas add £10), just add VAT. Credit terms (nett 30 days) given to large companies and government establishments. Please write or telephone for further information.


Telephone orders welcome with Access and Barclaycard

LTT ELECTRONICS

8 WALDEGRAVE ROAD LONDON SE19
Telephone: 01-828 1785

ACCESS · BARCLAYCARD VISA

BUBBLE MEMORY and REAL TIME CLOCK for NASCOM



THE 8423 IS FULLY ASSEMBLED, BURNT IN AND PLUGS INTO THE 77 WAY NASBUS.

* ADD A NON-VOLATILE MEMORY TO YOUR NASCOM I or II
* MONITOR TRANSPARENT – USE IT WITH NAS-SYS, T2, T4 or B-BUG
* UNAFFECTED BY DUST OR VIBRATION
* 92,304 BIT CAPACITY ORGANISED AS 144 MINOR LOOPS OF 641 BITS
* BATTERY SUPPORTED CHOS CLOCK GENERATES PERPETUAL DAY, DATE, TIME
* DEALERS ENQUIRIES WELCOMED

Microdata Computers Ltd

BELVEDERE WORKS, BILTON WAY,
PUMP LANE INDUSTRIAL ESTATE, HAYES,
MIDDLESEX. UB3 3ND.
TELEPHONE (01) 848 9871 (6 LINES) TELEX 934110

MICRO BUSINESS CENTRE LTD.

YOUR WEST MIDLAND APPLE : ITT 2020 DEALERS

SPECIALISTS
IN QUANTITY BUSINESS SOFTWARE
DEMONSTRATIONS FREELY GIVEN
BY APPOINTMENT


INTEGRATED STOCK/ INVOICE/SALES/ PURCHASE	£1000	COMPLETE PACKAGE FOR SOLE TRADER FINANCIAL PLANNING	£ 295
PAYROLL	£ 295	APPLE II 16K	£ 695
SALES LEDGER	£ 295	ITT2020 16K	£ 750
PURCHASE LEDGER	£ 295	16K UPGRADES	£ 69
NOMINAL LEDGER	£ 295	DISK DRIVE	£ 299
STOCK CONTROL	£ 100	WITH CONTR.	£ 349
INCOMPLETE RECORDS	£ 450	PRINTERS	
VISICALL	£ 95	OKI MICROWAVE	£ 495
WORD PROCESSING FROM	£ 150	CENTRONICS 799	£ 825
THE CASHIER	£ 195	PAPER TIGER	£ 585
		TCM 200	£ 395
		ANADEX DP 8000	£ 675

***SPECIAL* 4 GAMES ON DISK INC SPACE INVADERS £10**
ALL PRICES EX VAT UNLESS STATED
SEND REMITTANCE WITH ORDER.

CASTLEBRIDGE HOUSE, LICHFIELD ROAD
WEDNESFIELD, WOLVERHAMPTON. (0902) 732687
BARCLAYCARD : ACCESS : TERMS ARRANGED

PHL

...when you need a dependable supplier, an authorised distributor with a comprehensive range of products at keen prices, backed by large stocks for fast delivery, with full after-sales support. We promise you a rapid response.



ANADEX DP8000

Exceptional value and high reliability. 84 lines per minute, 112 cps. Parallel and serial interfaces as standard. 96 ASCII set, 9 x 7 font. Variable tractor. Forms handling facilities. 1K buffer store. Options include 2K extra store IEEE interface.


from only **£494**



LEAR SIEGLER ADM-3A


The most popular visual display in the world. 1920 character screen capacity. Cursor addressing. Dual interface. Auxiliary port. Wide range of speed and word formats. Options include Tektronix 4010 compatible graphics.

from only **£545**



TEXAS 810

Compact 150 cps 132 column printer. Optimised bi-directional printing. Adjustable tractor feeds, 3 - 15 inches. 9 x 7 dot matrix. RS232 interface. Forms control options. Other serial and parallel interface options. Compressed print option.



TELETYPE 43

Versatile, economic and reliable 30 cps, serial interface keyboard printer. 132 or 80 columns. 94 ASCII set, 9 x 7 font. Crisp, high quality printout. Microprocessor controlled. Portable versions. Character set options.

from only **£775**



TYPEWRITER TERMINAL

Two machines for the price of one. Typewriter style friction feed for single documents, letters etc. Pin feed for continuous business stationery. Electric typewriter keyboard layout and touch. Left and right hand margin setting. Crisp, high quality printout.

from only **£799**



For a limited period only

DIGITAL LA 34

30 cps desk top terminal/Roll feed, paper widths from 3-14⅞ inches/EIA interface/Selectable character widths, 10, 12, 13.2 and 16.5 characters per inch/Full 96 ASCII character set/7 x 9 dot matrix/Options include a 20mA interface, tractors to accept sprocket feed paper and numeric keypad.

PERIPHERAL HARDWARE LIMITED
Armfield Close West Molesey Surrey Telex 922175

SOUTH	NORTH	IRELAND
01-941 4806	Harrogate 501263/4	Dublin 952316

Z19.



The Intelligent terminal.

The Z19 'intelligent' Video Terminal, from Zenith Data Systems, is ideal for a wide variety of high-speed data handling tasks.

Compatible for use with EIA RS-232 or 20mA current loop, it has all the capabilities and features you'd expect from a top-of-the-line peripheral.

- Z80 Microprocessor based electronics
- Special deflection system for sharp resolution
- Full editing functions, plus user-definable keys
- Reverse video by character
- 24 lines of 80 characters plus 25th user status line
- 5 x 7 Dot matrix (upper case)
  5 x 9 Dot matrix (lower case)
- 128 characters (95 ASC11 and 33 Graphic)
- ANSII and DEC VT 52 compatible

And there's one feature of the Z19 you wouldn't expect. The price. Just £735, exclusive of VAT and delivery charges.

Generous OEM discounts are available.

Zenith data systems

HEATH ZENITH

For full details about the Z19, complete this coupon and return it to:

Zenith Data Systems Division, Heath Electronics (UK) Ltd., Dept. ( ), Bristol Road, Gloucester, GL2 6EE.

Name_____

Company_____

Address_____

Z19

Dataplus make Apples sweeter

Apple – the most remarkable micro computer – now available from DATAPLUS LIMITED. Before considering any other for Educational – Commercial – Industrial or Scientific use, look at the Apple's specification. BASIC, PASCAL and now FORTRAN has been added to the list of operating systems. Where will it end? Make sure you purchase the Apple – this can be expanded bit by bit and does not become out-dated overnight.



with the NEW TX-80 dot matrix Printer only £445 +VAT

Apple 11 plus

Basic 16K machine ... £695
Disc Drive & Controller £349
Extra Disc £299
Pascal Language System £299
Alf Music Synthesizer £180
Graphics Tablet etc .. £462
all plus VAT

The **TX-80** is a Complete 80 column dot matrix printer for use with personal computers. Available in tractor or friction feed versions printing the full 96 ASCII alpha numerics and graphics at 150 cps. **The special ruby jewelled needle guide gives the print head a life in excess of 100 million characters.**

- 80 std or 40 double width char/line
- 150 cps 7 x 5 matrix 70 lines/min
- 96 ASCII set provides upper & lower case plus graphics
- Parallel data inputs – Centronics compatible
- 220/240V 50Hz 100 watts
- 16" W x 13" D x 5" H 21lbs
- Paper low detector Built in self test feature Power ON/OFF and paper feed controls
- Supplied complete with operating manual, mains lead and ink ribbon

Special Offer!

you could SAVE up to £130

Attach this Advertisement to your order for a **TX-80** and we will include an Interface card and connecting cable **FREE**. Specify type of micro used. Models available ex-stock for **APPLE, PET, TANDY** – with or without expansion box. RS232, current loop and IEEE 488.

BARCLAYCARD VISA

Barclay Visa-Trust and other credit cards accepted

order now from DATAPLUS

DATAPLUS LTD 39-49 ROMAN ROAD
CHELTENHAM GL51 8QQ Tel: 0242 30030
Telex: 43594

SYSTEMS HOUSES, OEMS and DEALER ENQUIRES WELCOME

apple computer
Sales and Service

DO YOU USE

FLOPPIES?

IN YOUR MINI, MICRO COMPUTER OR WORD PROCESSOR

Then we have a **cadle** floppy to suit your equipment

- ★ Every Diskette individually certified Error Free
- ★ Direct from the USA, so we are cheaper
- ★ Colour-coded labels included
- ★ No delivery charge


SPECIAL OFFER Pack of 10 for PET send cheque for £21.50! Including VAT and delivery

Cash with order **10%** discount off our published price list

CALL US NOW FOR PRICE LIST

01·460 9586

cadle computer resources ltd
17 church road·bromley·kent·br2 0eg



You stand out in a crowd

Your business is not exactly the same as any other and neither are its problems. Any solutions are probably unique and must be tailored exactly for you.

You know your business better than anyone else and any system designed should use your knowledge. The micro-computer specialist should show you how to use the computer to meet your business requirements.

You should be able to get the micro-computer which best suits your business. It should be chosen after your requirements are specified.

You and your staff have a right to know all about YOUR system, including helping to program it if you want to. Training is your right – not an additional service.

If microcomputers cannot satisfy your business needs, you want to know – you don't want false promises.

67 Nova Road, Croydon, Surrey CR0 2TN.
Telephone: 01-688 6013

minerose micros

PET users!

SAVE UP TO 90% ON PROGRAM DEVELOPMENT TIME

by using ComPasS the new programming aid

PLUS!

- Random access routines
- Effective data handling
- Flexible screen formatting
- Big savings in program testing
- Consistency with standard sub-routines
- Easier program maintenance

ComPasS is an easy-to-use new package containing parameter-driven BASIC programming routines to handle the input and output of data to and from tape and disc files. ComPasS will set you on the right course —and save you time, money and frustration.

Ring CPS or contact your nearest PET dealer.

DEALERS! **TWO more NEW packages from CPS**

'NEWSBOY' —a system for Newsagents accounting and delivery control (over 70 programs).

'GOLD' —a product costing and invoicing system for Manufacturing Jewellers.

'phone us for more information 021-707 3866

CPS (DATA SYSTEMS) LTD

Arden House, 1102 Warwick Road,
Acocks Green, Birmingham B27 6BH.
Telephone: 021-707 3866
Telex: 312280 CPS G

Z89.



Altogether a better computer.

All the power and built-in peripherals for business and educational computing in one compact, desk top unit.

The Z89 Series Microcomputer.

Designed and built to the highest specification, the Z89 combines reliability and efficiency with ease of operation. And is backed, of course, by our excellent after sales service.

Features include:

- Z80 CPU
- Built-in floppy Disc with optional dual external drives
- Built-in Z19 VDU
- Up to 65K RAM
- Three serial RS-232 I/O
- Operating systems C/PM & H.DOS.
- Languages: M-Basic, C-Basic, Fortran, Pascal, etc.

And with generous OEM discounts available you can see why the Z89 is a better computer.

HEATH ZENITH

Zenith data systems

For full details about the Z89, complete this coupon and return it to:

Zenith Data Systems Division, Heath Electronics (UK) Ltd., Dept. ( ), Bristol Road, Gloucester, GL2 6EE.

Name_____

Company_____

Address_____

Z89

INNOVATIVE

TRS-80 SOFTWARE

FROM THE PROFESSIONALS



COMPANY DIRECTOR

You are in charge of an Electronics Company able to produce digital watches, colour TVs and other products. You must cope with sales, production, research and development, industrial disputes with your labour force - you name it! If you make the right decisions then the company will flourish, make them wrong and you will be out of business. This is a game which may be played by one to three players. Each player has his own company to manipulate. You will have the option of bidding for export orders (with a big penalty for non-delivery) and every month you will be given a Profit & Loss Account, a Balance Sheet and 3 graphs to help you decide on the next month's decisions. A gripping game which allows you to make or lose a fortune without leaving your chair! TRS-80 Level II 16K or Disk and the Video Genie. Supplied on cassette.

SEE YOU AT STAND No. B17 The 3rd Personal Computer Show SEPT 4-6 CUNARD INTERNATIONAL HOTEL

£14.95

Plus VAT @ 15% = £17.19.
Postage & Packing 75p.

Send large SAE (38p) for our current Catalogue of TRS-80 software. Add £1.85 for a binder.

A.J.HARDING (MOLIMERX)
MOLIMERX LTD.
28 COLLINGTON AVENUE, BEXHILL-ON-SEA, E.SUSSEX. TEL: (0424) 220391
TELEX 86736 SOTEX G FOR A. J. HARDING

BARCLAYCARD VISA

TEMPLEMAN SOFTWARE LIMITED
25-26 Greenhill Street, Stratford Upon Avon
Warwickshire CV37 8LR
Telephone: Stratford Upon Avon (0789) 66237



"DON'T BOTHER ME NOW, CAN'T YOU SEE I'M WORRIED!"

EXAMPLES OF COMPLETE SYSTEMS

1. *SALES LEDGER, STOCK CONTROL, INVOICING, I.T.T. 2020, 2 DISK DRIVES AND DOT MATRIX PRINTER £3600*
2. *SALES AND PURCHASE LEDGER PROGRAMS, I.T.T. 2020, 2 DISK DRIVES AND DOT MATRIX PRINTER £3200*
3. *STOCK CONTROL RECORDING PROGRAM, I.T.T. 2020, 2 DISK DRIVES AND DOT MATRIX PRINTER £3000*
4. *BILL OF MATERIAL, STOCK CONTROL PROGRAMS, I.T.T. 2020, 4 DISK DRIVES AND DOT MATRIX PRINTER £5350*

(Prices exclude VAT)

SOFTWARE IS OUR MIDDLE NAME

WH14.



First in line.

If you're looking for an above average line printer at a lower than average price then the WH14 from Zenith Data Systems is your first choice.

Microprocessor controlled, this compact table-top unit can be used with most computers through a standard serial interface. It provides hard-copy output of your programmes as you execute them, plus handy copies of address lines, lists and other programming data for educational or business applications.

Features include:

- 5 x 7 Dot matrix printing
- Clear easy-to-read images
- Upper and lower case characters
- Operator/software selectable line width: 132, 96 and 80 characters per line.
- Sprocket paper feed with adjustable spacing
- Stepper motor feeds allows 6 or 8 lines per inch vertical.
- Form feed operator/computer control
- Microprocessor based electronics

And at £510, exclusive of VAT and delivery charges, the WH14 puts economy first in line too.

Generous OEM discounts are available.

Zenith data systems

HEATH ZENITH

For full details of the WH14, complete this coupon and return it to:

Zenith Data Systems Division, Heath Electronics (UK) Ltd., Dept. ( ), Bristol Road, Gloucester, GL2 6EE.

Name_____

Company_____

Address_____

WH14

Systems Engineering Limited

IEEE-488/PET INTERFACES

NEW . . .

£186
TYPE B200 Bi-directional serial interface
C.B.M. Disk compatible, software selectable Baud rates, switchable code conversion, RS 232C input and output handshake.

Type C £120
Serial interface – output only
PET disk, compatible, RS232 C Handshake (Printer Busy), switch selectable Baud rates, Listen Address link selectable.

All type C interfaces now incorporate switchable code conversion to match print to PET screen display.

Type G.P.I. A.P. £249
Micro-based, bidirectional with buffering. The General Purpose Interface allows free use of PET's INPUT # statement without hangup problems. Software changeable BAUD rates optional features include: Second Serial I.O. Port, 20 mA Loop I.O.

Addressable parallel (disc compatible) for Centronics, Anadex etc. £106
Also available with switchable code conversion.

Non addressable parallel £45

TV/Video monitor interface £35

Pet Memory Expansion Boards internally mounted.

24K	£328
32K	£432

S100 BOARDS

Dynamic Memory Boards
IEEE-S100 Specification Timing
Transparent on Board Refresh
4Mhz Z80 Operation with no wait states.
Fully tested and Burned In
Bank Select versions available –
North Star, Cromemco and Alpha Micro
I.O. Port Bank select
Bank Size to 64K in 16K increments

Size	Standard	Bank Select
64K	£449	£595
48K	£398	£539
32K	£346	£483

P&T IEEE-488 Interface
Provides S100 computers with IEEE-488 Controller, Listener, Talker, Capability £350

SOFTWARE

PETE PET intelligent terminal package £200

NEW . . .

BISYNC 80
IBM 3780 emulation software for CPM Micros £425

Please note our new address and phone number!

2-4 Canfield Place · London · NW6 3BT
· Telephone: 01 328 7145/6 · Telex 8813085 (Abacus)

MIND YOUR OWN BUSINESS!

...with these popular business packages from DATABANK

APPLE][& ITT 2020

WORD PROCESSOR
MAILER/LETTER
STOCK CONTROL
PAYROLL
BANK ACCOUNT
SALESMAN
CASH REGISTER
LIBRARY INDEX

Written in Applesoft.

ALL FOR **£99** inc. disk & post.


Buy your ITT2020 from us and get the above FREE

RING OR WRITE NOW FOR FULL DETAILS.
24 HOUR SERVICE

DATABANK

66, Queens Road
Loughborough
Leicestershire LE11 1HD
0509 217671

CHECK!...



With STACK for Anadex 9500 Series

(One of the available sizes of print on 9501 from Apple Graphics Interface card)

NEW from Stack

Anadex DP9500/ DP9501 to Apple interface board WITH GRAPHICS!

STACK COMPUTER SERVICES wish to announce their New Apple—Anadex Printer Interface With Graphics!

- Fully Basic,DOS and Pascal compatable.
- Features Basic tab function in excess of 40 columns.
- Contains 2K of onboard firmware providiing dot for dot reproduction of Apple High Resolution Graphics.
- Normal or reverse graphics printing.
- High Resolution graphics dump of page 1 or 2.
- Optional 2X enlargement of High Resolution picture.
- Text screen dump routine.
- **Ring STACK-APPLE for details!**

Features 9500 Series

- 132, 175 or 220 columns, 120, 150 or 200 characters per second.
- 50-200 lines per minute, bi-directional printing with line scanning logic.
- 650M characters print head life.
- Tractor feed, multiple copy plain paper. 7 x 9, 9 x 9 or 11 x 9 matrix with optional graphics capability.
- Special character sets available as options.
- 6 or 8 lines per inch, selectable.
- 10, 13.3 or 16.7 cpi, selectable.
- Communications control selectable.

DP-9500	DP-9501
£895	**£995**
plus VAT	plus VAT

Please ring Graham Knott or Jeff Orr for other interfacing requirements. Dealer enquiries welcome.

STACK
Computer Services Ltd
290-298 Derby Road, Bootle,
Liverpool L20 8LN.
051-933 5511.

XITAN SYSTEMS LTD

The South's CROMEMCO experts

Need a Hard Disk System with FAST RELIABLE Backup?
Xitan now have the answer with the Z-2H plus DC300 Tape cartridge BACKUP system (S100 controller, drive, psu & software).
The Cartridge BACKUP system is available separately for existing Z-2H users (13.4 Megabyte capacity — 1 Megabyte per 5 minutes).



Utilities/Software for CROMEMCO Systems.
Tired of XFER — Use FCOPY or DFCOPY. Single sided 8" copy in 54 seconds, Double sided 8" copy in 104 seconds, £50.00 ea. Need to build Assembler libraries — try LIBR at £50.00.

CP/M 2.2 and MP/M 1.1 available for System 3 and Z-2H systems.

EASYFORM. For creation/editing of forms on the 3102 VDU with structured Basic. Forms useable from Cobol, Fortran etc. £160.00.

BUSINESS SOFTWARE
CROMEMCO systems — a complete Business system based on the system 3 from CAP-CPP. Phone for an appointment to see it running.

For the smaller customer, we have an integrated Sales, Purchase and Nominal system for the North Star Horizon. Nothing fancy — but installed and running for over 7 months. IT WORKS!
WHATIF! Cash Flow, Accounts budgetting utility. Just released. Incredible value at £95.00.
Also available an Incomplete Records system for the Horizon.



SPECIALS.
Real Time Clock — S100 — 100 microseconds up to 99,999 days £155.00. Hi-Tech S100 PAL colour card, 24 x 40 Prestel format £295.00. Video Vector Fastlib £495.00. Dual Tandon Double/sided 40 track mini-floppy sybsytsem £625.00.

INTEGRATED SPECIALIST SYSTEMS.
MEDIDATA 32,000 patient Doctors' system. Installed & running. Prices from £7500.00.
RETURNED ALE. Run a brewery? Keep track of returned ale and reclaim Excise Duty. Track down production & storage problems. Copes with 10,000 + barrels. Prices from £8500.00.

Xitan Systems also supplies and stocks vdus, printers, NORTH STAR HORIZON computers, Commodore Business Machines PETs, S100 boards, and books. We are here to demonstrate the range of quality microcomputer systems available for use today. Ring up for an appointment now! You'll not be disappointed. We have Osborne's Sales Ledger and Payable Ledger in source form for use on Cromemco System 3 with CBASIC2, and we can offer a customising service on these programs. Additional software includes Microsoft Basic Interpreter and Compilers, Cbasic, Macro80, and CP/M for the North Star Horizon.

Xitan Systems Ltd., 23 Cumberland Place, Southampton SO1 2BB.

Tel: (0703) 38740 **Hours Tue-Sat 9.30 am to 5.30 pm**

MICROCOMPUTERS ETC

For Hardware, Software, Peripherals, Consultancy and Competitive Prices.

Registered business name

PET 2001



from £425

commodore

horised dealers

TRS 80



from £365

Radio Shack Corp.

APPLE II



apple

horised dealers

ORCEROR

rom £730



uthorised dealers

DVANCED YSTEMS



BASIC SYSTEMS

PET 3016 (16K RAM and large keyboard) *	£550.00	PET 2001-8 (PET with 8K memory + integral cassette *	£425.00
PET 3032 (32K RAM and large keyboard) *	£695.00	**PET 3008 (8K)** with large keyboard *	£450.00
		PET C2N External Cassette Deck	£53.00

ACCESSORIES

IEEE/RS232 Serial Interface 'A' Output only	£106.00	IEEE-448/Centronics type parallel Interface	£35.00
IEEE/RS232 Serial Interface 'B' Input/Output	£186.00	IEEE to Pet Cable	£19.00
Programmers Toolkit - 10 powerful new commands for your Pet - plug in ROM chip 8K and 16/32K resp	£75/£55	IEEE to IEEE cable	£24.00
		PETSET 1 16 Channel AD Convertor c.w. all interfacing requirements	£166.00

BASIC SYSTEMS

TRS 80, 4K Level I consisting of Keyboard with 4K memory, Video Unit, Cassette Drive and 240v power supply unit	£365.00	TRS 80, 16K Level II (as above with 16K memory)	£499.00
TRS 80, 4K Level II (as above with Level II Basic)	£425.00	TRS 80, Expansion Interface with 16K RAM	£275.00
		TRS 80, Expansion Interface with 32K RAM	£360.00

ACCESSORIES

TVJ 232 serial interface	£35.00	Radio Shack Phone Modem	£160.00
Centronics Parallel Printer Interface (direct to keyboard)	£40.00	UHF Modulators (encased with leads for 625 lines)	£20.00
TRS 80, Voice Synthesizer	£345.00	RAM upgrade (4 16K, 16 32K, 32 48K) supplied and fitted at our premises (Kit £80.00)	£85.00
TRS Voxbox - speech recognition system	£135.00	S100 interface for TRS 80 (6 slots)	£375.00
TRS 80, Numeric Key Pad supplied and fitted	£49.00	**TRS80 CPU 2 speed mod.**	£26.00

BASIC SYSTEM

Apple II Plus computer – APPLESOFT extended basic in ROM – (16K RAM) - video output £695

ACCESSORIES

Apple black and white modulator for domestic TV	£14.00	Real time clock/calendar card – 1/1000 sec to 388 days with interrupt, software controllable	£128.00
Eurocolor card - provides colour on domestic TV	£79.00	Speechlab - provides voice control for the Apple	£127.00
Parallel Printer Interface Card	£104.00	Supertalker - adds human speech output	£136.00
High Speed Serial (RS232C) Interface Card	£113.00	ALF Music Synthesizer Card	£180.00
Communications Card	£130.00	A1-02 Data Acquisition Card	£180.00
Centronics Card	£130.00	Graphics Tablet	£462.00
Integer Basic Firmware Card	£116.00	AC Line Controller	£270.00
PASCAL language system - includes language card to provide user with PASCAL, PALSOFT & INTEGER BASIC	£299.00	RAM Upgrade (16-32K, 32-48K)	£69.00
		Hobby Prototype Card	£20.00
		Romplus – u/l/c, mixed text/graphics	£105.00

BASIC SYSTEMS

Sorceror (inc UHF Modulator)

16K RAM £690.00 32K RAM £750.00 48K RAM £795.00

ACCESSORIES

Exidy Video Disk Unit (High Resolution monitor with Integral 630K Dual Drive)	£1,690.00	Exidy S100 Unit	£240.00
		Exidy Video Monitor	£240.00
		CP/M on Disk	£145.00

ADVANCED SYSTEMS

TRS 80 Model II with integral 8" floppy disk drive and up to 64K RAM
Expandable up to 3 Megabytes Disk Storage (Available for demonstration – by appointment only) P.O.A.
ACT 800 Systems providing 108K RAM, 46K User RAM, full size screen, high-res graphics. Ultra-fast data access and up to to 4.8 MBytes on-line disk storage P.O.A.

Special Offers!

PET BUSINESS SYSTEM comprising CBM 3032 Micro computer, CBM 3040 Dual Disk Drive, CBM 3022 Tractor Feed Printer and all cables £1799.00

News!

LOWER PRICES FOR PET! Up to £100 Reduction on some items (see above for details)

SUPER PETS ARE HERE!

CBM 8032 - COMPUTER with 80 column screen & business keyboard £895.00

CBM 8050 - Dual Disk Drive giving 950K user storage £895.00

Sorceror Prices Down – for limited period only. **ORDER NOW!**

DISKS

PET	
CBM 3040 (dual drive) 343K User storage *	£695.00
Computhink (dual drive) 400K storage	£895.00
Computhink (dual drive) 800K storage	£1145.00
TRS80	
Shugart drive	£299.00
Micropolis drive	£295.00
Percom FD200 drive 110v	£289.00
Micropolis Dual Drive (394K storage)	£995.00
Corvus Hard Disk (11m8)	£3500.00
APPLE	
Apple Drive – 116K storage 1st drive	£349.00
Apple Drive – 116K storage 2nd drive	£299.00
Corvus Hard Disk (11m8)	£3500.00
SORCEROR	
Exidy - 143K storage	£495.00
Exidy Dual drive (630K storage)	£1195.00
Corvus Hard Disk (11m8)	£3500.00

PRINTERS

PET	
CBM 3022 (80 col with PET graphics – tractor feed) *	* £425.00
TRS80	
TRS 80 Screen Printer I (text + graphics) (110v)	£345.00
New Radio Shack Micro Printer	£245.00
GENERAL	
Teletype 43 KSR Serial (pin or pinch feed, 132 cols)	£875.00
RACAL Binder Printers – truly professional printers for microcomputers – high speed (up to 280 cps), upper/lower case	P.O.A.
OKI - parallel/serial (pin or pinch feed, 40, 80, 132 cols selectable)	£499.00
Centronics 779 parallel (tractor feed, 132 cols)	£825.00
DOLPHIN BD80P tractor printer (125 cps bi-directional, 40, 80 columns – optional 132; u/l case & graphics). Available with Serial, parallel or IEEE interface	£525.00
Centronics Micro Printer (20, 40 80 cols selectable)	£395.00
Heath WH 14 serial (80, 96, 132 cols selectable)	£475.00
QUME daisy wheel printers	P.O.A.
TCM100/MICROHUSH Thermal Printer (40 cols) inc. interface for PET/APPLE	£266.00
SILENT PRINTER for APPLE . allows printing of high res. graphics	£349

ETC.

Diskettes 5¼" (blank) boxed (min order 10) each	from £3
C12 Cassettes (min order 10) each	£0.35p
Ansaback phonemate telephone answering machine voice operated twin cassette	£190.00
Pace EZ PHONE – Cordless Telephone	£225.00
Hitachi Video Monitors 9"/12" resp.	£127/£187
BOOKS – Large range of microcomputer related books and magazines	
TERMINALS	
Pentland V1, 80 char x 24 lines 2 page memory	£580.00
PROGRAMMABLE CALCULATORS. TEXAS INSTRUMENTS. Business Programmable Calculators – complete range. Send for list + prices. (We are authorised TI dealers)	

IF YOU DON'T SEE IT – ASK IF WE HAVE IT

SOFTWARE

PET

PETSOFT authorised dealers - over 160 programmes on ca catalogue
STAGE ONE COMPUTERS S/W dealers – PETAID, Stock
74 Common BASIC Programs on one tape
PETACT Business Software – Sales and Purchase Ledger, Inv
CBM DISK-BASED BUSINESS SOFTWARE
COMWORDPRO II/COMWORDPRO IV powerful word processor
COMSTOCK – STOCK CONTROL – gives complete stock report
COMBIS – BUSINESS INFORMATION SYSTEM – Storage & R of company records
COM ACCOUNTS – Full Financial Business Accounting System Sales, Purchase, Nominal Ledgers
COMPAY – Handles hourly, weekly or monthly paid employees
COMPLANNER – Personal information tool for the busy execut
(We are authorised CBM Business Software Dealers) Send
GD 1001 – Assembler Development System
GD 010 – Lisp Interpretive Language (Artificial intellig
CAR INSURANCE QUOTATIONS – computerised car insura suitable for insurance brokers (TVJ S/W)
MORTGAGE QUOTATIONS – suitable for agents/mortgage
TRS 80
COMAC III SUITE – computerised accounting for TRS 80 (TV
STOCK CONTROL - complete inventory control - recorder
CP/M
CBASIC
FORTRAN includes compiler, relocatable assembler, text ed loader
PASCAL – tomorrow's programming language today
ELECTRIC PENCIL – powerful word processor allows full cu insert/delete, string search, block movement, adjustable justification on cassette
ELECTRIC PENCIL as above – disk version
LOWER CASE MOD KIT ONLY/FITTED for Electric Pencil
DATA MANAGEMENT/REPORT GENERATOR – easily form entry, edit, delete and list of records and retrieves data fo calculation on screen or printer
RSM-2D DISK MONITOR – powerful system manipulates di break routine
ST80D communications software
NEWDOS – TRSDOS with corrections and enhancements
NEWDOS + – as above but with further facilities KBFIX, Renum, Screen to printer in one step, DOS comm BASIC, Level I in II, Superzap, Disassemble, load and sav
LIBRARY 100 – an assortment of 100 programs
SARGON CHESS - 16K Level II - the 1979 Champ Version

APPLE

Microchess 2.0 Chess Disk
U-DRAW II – High Resolution graphics editor. Create a figure t contract etc and store on disk
LISP – programming language suitable for research in artificial
3-MILE ISLAND – Complex disk based game simulating nucle
VISICALC – Instant Visual Calculation – provides a powerful pl tool
APPLE WORD PROCESSOR – Complete text editing, storage (disk based)
LITTLE GENIUS – Comprehensive disk based Apple Soft Tutor

ACT Appleware and MUSE authorised software dealers – Man on cassette and disk. Send for list

SORCEROR many programs available – send for list.
Word Processor Rompac
Development Pac

*** 5% DISCOUNT ALLOWED FOR EDUCATIONAL ESTA**

T&V JOHNSON (MICROCOMPUTERS ETC) LTD

Member of the TV Johnson Group of Companies

Camberley (Head Office)
Johnson House,
Park Street (At Pembroke Broadway),
Camberley, Surrey, GU15 3PN.
☎ (0276) 20446


Oxford
148 Cowley Road, Oxford
OX4 1JJ
☎ (0865) 721461

Bristol
48 Gloucester Road, Bristol
BS7 8BH
☎ (0272) 422061

Directors D
S G
T S
A S

PRICES EXCLUDE VAT, FREIGHT & HANDLING SEND OR PHONE FOR PRICE LIST & BROCHURES
(All prices correct at time of compilation)

NEWSPRINT



Once again, the ubiquitous Guy Kewney offers his unique monthly manifestation of micro news and bric-a-brac.

Intelligence

Don't be deceived by Intel's claim that it is changing its nature in talking about its plans for a 32-bit micro, an incredibly powerful mainframe computer on a chip.

It is true, as the company says, that normally it tries not to talk about future products, and it is also true that it *is* talking about a whole range of future products. What has happened to do this is not a change of attitude, but a shift of power.

My own relationship with Intel has become a love-hate one (I love them, they hate me) because of the vulnerable position the company has forced itself into. In the market, it has been impregnable, coming out with advanced products, getting the biggest share, and leaving Texas Instruments with egg on its face not just once but several times.
In its press relations, the distance Intel has been in front of the competition has made it slightly paranoid about revealing too much, with things getting to the ridiculous stage of an exclusive interview being set up in a London hotel by a top Santa Clara executive, who sat in his bedroom suite and said "no comment" exclusively for an hour.

However it remains true that companies like Intel and IBM cannot keep information truly secret merely by saying no comment. When Motorola, normally number two or three in the micro market, stole a march on Intel with the announcement of plans for the 68000 micro — the big 32-bit micro that looks like a 16-bit micro — Intel's anxious customers approached their supplier and observed that the specification looked a great deal more sophisticated than the Intel 8086. Intel was then compelled to whisper a few secrets behind its hand.

So it was that first, the "8800" was rumoured (it's the basis of Intel's 32-bit microsystem) and second, the unofficial Intel view that the Motorola 68000 was beyond the capabilities of Motorola's technology. This latest rumour backfired. Nobody ever believed Motorola's claims about when the 68000 would be available (nobody seems to believe Intel's claims about the iAPX 432 range, either), but when Intel said that it would be, not just late, but never "because the chip is not viable" people deduced that it was beyond Intel. Intel, they said in the bars, must have tried it and failed. Hence the 'break with tradition' and the willingness to talk about the iAPX (the i stands for intel) 432 and its supporting APX 186 and 286 families.

That willingness doesn't go all that deep. Most of the details released, while very interesting, are more conceptual than factual. The points Intel wants to make are not how many pins, and what voltage, and what clock speed, but first, we can build it and we will, and second, your old software will run on this. Normally, old software claims can be dismissed. There is, for instance, an Intel conversion package for re-writing 8085 code to run on the 8088. The 8088 is an 8086 (16-bit, big memory) with an 8-bit data bus — which means the user of an 8085 can get most of the power of the 8086, without throwing away his memory boards or system buses.

This package, say users who have tried it, is great for converting the sort of assembler code generated by compilers. Run a PL/M compiler, generate 8085 code: or run a Coral compiler, generate 8085 code, and that code can be converted to 8088 with ease and no loss of efficiency. The same does not apply to human generated code because humans tend to be cleverer than compilers. They tend to take advantage of oddities of the code, and no conversion program can really hope to reproduce the function of this sort of assembler writing on the next machine because it won't be aware of what foxy assumptions the writer has made about the condition code and so on.

When one gets to the 32-bit system, the APX 432, the power available makes it largely irrelevant that conversion software may be less efficient. Intel has no intention of providing an assembler for this system — it will provide a high level language, with the chip able to run instructions at a level normally handled by the operating systems on today's 8-bit micros. So Intel strikes a big blow in the credibility stakes, keeps its anxious customers happy, and the micro market can cheerfully ignore the whole thing for another two years. By then memory will be cheap enough for us to use the 8086 and double our memory size (because of the 16-bit words) without crippling the budget. And designers at Ithaca will have produced an APX 432 board for the S100 bus, and nobody will be able to afford it.




A case for £25, to house the best-selling kits or bare boards, is available from Microtype. This is a model 3 of a case which the company made previously; pre-cut main panel for Nascom 1, Ohio Superboard, and UK 101 is available. If, like me, you have moved those stupidly sited 'reset' keys on the Superboard/UK101, the case is available with a blank keyboard panel which you can cut to fit round your own key layout. The flat top will hold a TV set, the base is ribbed so that screws, holding boards down, will not scrape table tops, and there is room for a cooling fan. Details from PO Box 104, Hemel Hempstead, Herts HP2 7QZ.

Bright ideas

There's a great difference between an adult approach to computers ("What is there that I do which a computer could do?") and a childish attitude ("What magic can I do with this Sorcerer?"). I was astonished just how more useful the second approach was when I was one of the judges of the recent *Educational Computing* competition.

By far the most impressive entry (they were all essays or paintings) came from a hybrid mind — David Peard, who won a Video Genie computer for his scheme for computerising a weather station, a station he happens to be building for himself. His idea was simple enough: to be really useful, observations have to be made on a large number of parameters — atmospheric pressure, max and min temperature, air humidity, wind speed and direction — taken at least once a day. Unfortunately, humans don't like doing a lot of boring things regularly every day so he was going to give the job to a computer.

A child would not have had sufficient general knowledge and scientific background to realise that a computerised crocodile, programmed to bite enemy soldiers, was not really feasible (the idea did win a prize). An adult would dismiss the idea of a home weather station as a pointless project because it could never be as accurate as the Met Office... or maybe that isn't quite right, but never mind. A teenager was able to blend adventure and sense and find an application that was both truly innovative and genuinely feasible. Remember this in



The industry has largely grasped, satisfactorily, the fact that I don't like sexist pictures selling goods. So somebody sent in this one, of a cash register used at the Cafe Royal. It's obviously designed to make you so hungry that you buy a cash register. (Some mistake here, surely? — Ed.)

your next system design phase.

Neat ensemble

An American designer has come up with a new system which shows some concern for the human who will use it — by concentrating on the display technology. Mark Underwood, product development manager of a San Diego firm called Integrated Research and Information Systems (Itis, or Irisystems), had noticed the strange fact that most microsystems might be either TV screens, or black boxes.

"The display subsystem of today's microcomputers is very important to users, yet tends to be overlooked by designers. We have tried to package a system which accommodates the different needs that users express," he says. The result is a product called Ensemble 120GX, for which most of the product announcement talks about pixels — points of light on a display screen, and normally mentioned only in describing the matrix of dots used in generating screen characters.

The standard Ensemble is not el cheapo — but then the list is of contents of what "might be easily mistaken for a terminal" is impressive. For your $9796, you get a Pascal Microengine — a powerful 16-bit processor that runs instructions written in P-code rather than clumsy machine code — plus high resolution graphics, plus a video screen, plus a 12-slot box of S100 standard (ie cheap) cards for adding memory, special features and so on. There is a keyboard too, plus a 'big' floppy, plus 128 kbytes of memory, and an alternative Z80 processor to let you run CP/M and all the pre-written applications that come with this operating system. A cheaper version, at $3464, offers only the Z80, one mini disk and a much smaller screen.

Underwood is proudest of the pixel count of the Ensemble: "We believe that the greatest need is for higher resolution black and white graphics. The Ensemble can present a 768 by 480 pixel format, in 8 by 16 pixel characters, some of which can be user-designed." Apparently it can handle colour too. Details on (714) 457 3730, or from 10150 Sorrento Valley Road, Suite 320, San Diego, Ca 92121.

They're coming down

Printers are still much too expensive and there are healthy signs that users are starting to realise it. More importantly, there are signs that the manufacturers are starting to realise it, too.

A recent advertising campaign by Anadex promised, "The waiting is over" for its DP950 printer, which can print 120 characters per line for less than £1000. The advertising campaign, unfortunately, was prepared well in advance of the arrival of the printers themselves from America and it seems from the evidence that the American production people let down the marketing ploy.

Anadex is admitting to problems with the plastic cases, saying that the printers will be getting into peak volume in another two months now that there are sufficient plastic cases to match the mechanisms. Customers tell me that there is a more involved problem: the printer works well enough at its slower speeds, but there is a fault with the handshake signal which causes it to send a 'busy' notification back to a computer only after the computer has sent one more letter than the buffer can hold — so the letter is lost — at high print speeds.

Either way, the problem is being worked on, and no doubt the waiting will be over soon. But the moral behind the tale is an economic one: it shows that a printer maker has realised, perhaps for the first time, that availability is getting to be important.

A computer printer is essentially a very simple mechanism. Compared with a mechanical typewriter — say a good manual one, costing a couple of hundred pounds — it has very few components, almost a hundredth the number in fact. This should make it a lot cheaper, not rather more expensive. The electronics are almost as complex as those in a £10 calculator and the motors are costly only in a relative sense — they are more expensive to make than the battery job that shakes itself to pieces in a £5 massage vibrator, for instance. Shortage of printers allows the makers to sell them for the prices they do. That is caused by relatively low production volume, compared with the volume of, say, the new Smith Corona golf-ball typewriter, which is entirely mechanical, and sells for just over £100. However, Smith Corona (SCM) is itself well aware of the production savings it can make by building electronic typewriters rather than motorised clockwork ones and such products can be expected next year from SCM and from most other alert typewriter makers.


At that point, expect the 'office of the future' merchants with their hand-crafted daisy wheel word processors to start wiping egg off their faces. And expect the cost of computer printers generally to come down like mad.

PROMs news

Programmable permanent memory chips with 8 kbyte capacity are available from Celdis. The number is 74S478, from which one can deduce that they are fast — with a 20 nanosecond access time, according to Celdis. The really important thing about them is the fact that Celdis has them: it points out that there has been a shortage. Details on 0734 582211.

Nas comments

The man who founded Britain's most popular micro, Nascom 1, is now trying to handle America's number two, the Apple II. John Marshall, having handed over the reins of the collapsed version of Nascom to the receiver, is running a components company called Interface. He already has a



The sounds of Space Invaders can drive inveterate players mad; now you can take this infuriating concept to the home, office or train, with a £23 toy. It's called Galaxy Invader, and it comes from Computer Games, tel 01-591 5654.

Commodore PET franchise, he says, plus a Sharp agency, and is trying to get an Apple dealership.

He never meant to get into the computer business: he started the whole Nascom enterprise as a way of getting hold of components cheaply and Interface was part of that plan. "It just happened a bit sooner than I originally hoped," he told me, "but it's what everybody was expecting me to do eventually."

The old employees of Nascom have been dispersed, and the receiver/manager says that the business runs from day to day, supplying computers and making a satisfactory profit, paying its bills on a cash basis.

Several people are interested in buying the company. I could make some enemies and print the names of some who were definitely interested, but there seems little point. Experience of these takeovers shows that the person who finally does the deal is more often than not somebody who didn't know the company was for sale until the day before they signed the forms, and a list of three or four companies known to be wandering around with money for investing would be of interest only to people too stupid not to realise that the money was there. Wait until the deal is concluded before you pay any attention to rumour, no matter how well founded.

In the meantime, don't expect a Nascom 3 for ages. The project exists, but by the time it gets under way as a full-scale development, with funds from the NRDC virtually promised, it will need considerable revision, because the market will have changed.

The new Nascompany won't be set up and running (assuming it ever is) for at least another six months, more likely another 12. It will then have to spend at least a year getting the design right, and it'll be a year after that before production starts. Don't hold your breath waiting.

Rumours

I don't like telling you things of which I know less than I want to but you are bound to hear crazy rumours: that Julian Allason, head of the biggest publisher of PET software, Petsoft, has left ACT, the parent company, to run a magazine called *Printout*; that Richard Pawson, former Editor of *Printout* is joining MicroACT as a software marketeer, and that Petsoft, having dabbled in Appleware, is about to launch Sinclair programs. At the time of writing, all I know about this is that it is all true, but as to why, I have yet to find out.

PET plug-in

Plug-in software can make programming on the PET easier: the latest offering is from Supersoft. An unsolicited review dumped in my 'in' tray reads as follows:

Last month it brought you hi-res PET graphics, this month Supersoft launches a ROM-based set of new features — the Petmaster superchip. I counted 15 utilities, of which the most useful was single key entry of many Basic keywords, and the most useless (or should I say least useful?) a variable cursor flashing speed. I've tried the package and I particularly liked: the repeat feature which allows you to define a delay after which a key will repeat itself at any speed you care to choose; a lower-case/graphics 'toggle' which allows you to switch between the two; line insertion and deletion; deletion of characters on a line up to or from the cursor; retrace which lists the last ten lines executed on demand (it slows the program down by about ten percent); and a shrink routine which removes spaces and remarks from your program if you're tight on space. The two-way scroll facility has its uses but once the image disappears off the screen it cannot be recovered. Post your cheques for £45 + VAT to 28, Burwood Avenue, Eastcote, Pinner, Middlesex or telephone 01-866 3326 for further details.



ACT has launched a mini-floppy disk storage system for the PET, offering 1.6 million characters of storage for £1400 . It looks to be better value per byte than the full-size disk drives it already imports from its US associate company Computhink, which also makes this new mini drive. Presumably the older system will soon show a price adjustment. Details on 021-454 5341.



"Give me the data or I fire!"
You too can hold your system to ransom with a polaroid video screen hood. It gives a hard-copy printout without all the odd reflections that amateur photographers get when they take a snap of the screen. The whole outfit, including camera, hood, and two packs of film is between £150 and £200 depending on hood size. Now, get these hoods outa my office, guys....details on 0727 59191.

Refreshing memories

Memory chips that can refresh their own memories are just starting to appear — Celdis has announced the new Mostek 4816 chip with 2 kbytes of read and write memory — and they are so obviously useful that it seems a mystery as to why it wasn't done before. The answer is that a memory which needs refreshing can do its own refreshing — but needs to know when to do it.

Refreshing is a very simple process: it involves recharging static electricity charges in memory cells. The circuitry takes care of the problem of deciding whether there was or was not a charge in the cell to start with by reading the cell first. Unfortunately, there is a computer in most memory systems, busily reading the memory cells too. Refresh and computer reads have to be done separately, or things get very confused. The trouble is that different micros do their memory reading at different stages in the instruction cycle. A memory designer looks at the clock cycle of the processor, and arranges for refreshments when the memory is off duty. Put another processor into the system, and it will find the memory enjoying light refreshments when there's hard work to be done.

The Mostek 4816 gives the decision (when to refresh) to the system designer. But it is much easier than normal: you just tell the chip 'refresh' and it does it. In the future, the circuitry on the memory chip that bustles around refreshing each cell, will become even brighter. Next year, Motorola promises to have a 64 kbit memory chip which can study the clock cycles of the micro used and deduce from the pattern of pulses what microprocessor it is — and refresh itself accordingly.

In the club

A discount club for micro buyers has been launched, offering members bargains such as 10% off a PET, 20% off disks and so on. The club is called the Computer Club and it's organised by Roger Frampton, a well known figure in the computer world and previously associated with successful promotions and exhibitions.


Against cynical expectations, Frampton thinks that this one will work. Members pay £7.50 for their cards (the rate goes up after September 1) and get discounts from the following: Comma Computers, Microbyte, Compshop, Lion Computer Centre, Cole Associates, Transam Components, London Computer Store, and Hanover Fair Travel. Discount travel is also to be arranged to next year's US exhibition, the NCC, plus Sicob in France. Details on 01-434 3914.

Nascom multi-tasker

"I'm not quite sure what you would use a multi-tasking monitor on a Nascom 1 for, but I've written one. Is

Buy a microcomputer for under £21,000 and you could be on your own!

Unless it's a Commodore PET



Commodore produce Britain's number one microcomputer. But we don't stop there. We also insist on providing comprehensive support throughout our national dealer network.

Our dealers can examine your needs and demonstrate which hardware and software will suit you best. Their trained engineers are always at hand and a 24-hour field maintenance service is available. Your local dealer can tell you more about the following Commodore Services.

The Commodore PET

The Commodore PET computer range covers everything from the self-contained unit at under £500 to complete business systems at under £2,500.

Commodore Business Software and Petpacks

Our software range covers hundreds of applications. Business software includes Sales and Purchase Ledgers, Accounting, Stock Control, Payroll, Word Processing and more. In addition over 50 Petpacks are available covering such titles as Strathclyde Basic Tutorial, Assembler Development System, Statistics, plus our Treasure Trove and Arcade series of games.

Commodore Approved Products

Compatible products of other manufacturers with Commodore's mark of approval are also available.

Commodore Courses

Commodore offer a range of residential training courses and one day seminars. An excellent start. And when you have installed your system the PET User's Club Newsletter can keep you informed of new ideas and latest developments.

LONDON AREA

Adda Computers Ltd, W5. 01-579 5845
Advanced Management Systems, EC2. 01-638 9319
Byteshop Computerland, W1. 01-636 0647
C.S.S. (Business Equipment) Ltd, E8. 01-254 9293
Capital Computer Systems, W1. 01-637 5551
Centralex-London Ltd, SE13. 01-318 4213
Cream Microcomputer Shop, HARROW. 01-863 0833
Da Vinci Computer Shop, EDGWARE, 01-952 0526
L & J Computers, NW9. 01-204 7525
Home and Business Computers, E12. 01-472 5107
Merchant Systems Limited, EC4. 01-353 1464
Metyclean Ltd, SW1. 01-828 2511
Micro Computation, N14. 01-882 5104
Micro Computer Centre, SW14. 01-878 3206
Sumlock Bondain Ltd, EC1. 01-250 0505
Sumlock Bondain Ltd, EC4. 01-626 0487
T.L.C. World Trading Ltd, WC2. 01-839 3894
TOPS TV LTD, SW1. 01-730 1795

HOME COUNTIES

G. M. Marketing, ANDOVER, 790922
HSV Microcomputers, BASINGSTOKE, 62444
MMS Ltd, BEDFORD, 40601
Elex Systems Ltd, BRACKNELL, 52929
DDM Direct Data Marketing Ltd, BRENTWOOD, 229379
Amplicon Micro Systems Ltd, BRIGHTON, 562163
RUF Computers (UK) Ltd, BURGESS HILL, 45211
T & V Johnson (Microcomputers Etc) Ltd, CAMBERLEY, 20446
Cambridge Computer Store, CAMBRIDGE, 65334
Wego Computers Ltd, CATERHAM, 49235
Dataview Ltd, COLCHESTER, 78811
South East Computers Ltd, HASTINGS, 426844
Alpha Business Systems, HERTFORD, 57423
Brent Computer Systems, KINGS LANGLEY, 65056
Isher-Woods Business Systems, LUTON, 416202
South East Computers Ltd, MAIDSTONE, 681263
Micro Facilities Ltd, MIDDLESEX, 01-979 4546
J. R. Ward Computers Ltd, MILTON KEYNES 562850
Sumlock Bondain (East Anglia) Ltd, NORWICH, 26259
T & V Johnson (Microcomputers Etc) Ltd, OXFORD, 721461
H.S.V. Microcomputers, SOUTHAMPTON, 22131
Super-Vision, SOUTHAMPTON, 774023
Xitan Systems Ltd, SOUTHAMPTON, 38740
Stuart R Dean Ltd, SOUTHEND-ON-SEA, 62707
The Computer Room, TUNBRIDGE WELLS, 41645
Orchard Electronics, WALLINGFORD 35529
Petalect Ltd, WOKING, 63901
Oxford Computer Systems, WOODSTOCK, 811976

MIDLANDS AND SOUTH HUMBERSIDE

Byteshop Computerland, BIRMINGHAM, 622 7149
CPS (Data Systems) Ltd, BIRMINGHAM, 707 3866
Camden Electronics, BIRMINGHAM, 773 8240
Computer Services Midlands Ltd, BIRMINGHAM, 382 4171
Catlands (Computers) Ltd, BURTON-ON-TRENT, 812380
Ibek Systems, COVENTRY, 86449
Jondane Associates Ltd, COVENTRY, 664400
Davidson-Richards Ltd, DERBY, 366803
Caddis Computer Systems Ltd, HINCKLEY, 613544
H.B. Computers, KETTERING, 83922
Taylor-Wilson Systems Ltd, KNOWLE, 6192
Machsize Ltd, LEAMINGTON SPA, 312542
Office Computer Techniques Ltd, LEICESTER, 28631
Lowe Electronics, MATLOCK, 2817
Betos (Systems) Ltd, NOTTINGHAM, 48108
Byteshop Computerland, NOTTINGHAM, 40576
Keen Computers Ltd, NOTTINGHAM, 583254
Tekdata Computing, STOKE-ON-TRENT, 813631
Systems Micros, TELFORD, 460214
McDowell Knagg & Associates, WORCESTER, 427077

YORKSHIRE AND NORTH HUMBERSIDE

Ackroyd Typewriter & Adding Machine Co. Ltd, BRADFORD, 31835
Allen Computers, GRIMSBY, 40568
Microware Computers Ltd, HULL, 562107
Microprocessor Services, HULL, 23146
Holdene Ltd, LEEDS, 459459
South Midlands Communications Ltd, LEEDS, 782326
Yorkshire Electronics Services Ltd, MORLEY, 522181
Computer Centre (Sheffield) Ltd, SHEFFIELD, 53519
Electronic Services, SHEFFIELD, 668767
Hallam Computer Systems Ltd, SHEFFIELD, 663125

NORTH EAST

Dyson Instruments, DURHAM, 66937
Currie & Maughan, GATESHEAD, 774540
Wards (Office Supplies) Group, GATESHEAD, 605915
Elfton Ltd, HARTLEPOOL, 61770
Fiddes Marketing Limited, NEWCASTLE, 81517
Newcastle Computer Services, NEWCASTLE, 615325
Format Micro Centre, NEWCASTLE, 21093
Tripont Associated Systems Consultants Ltd, SUNDERLAND, 73310

SOUTH WALES AND WEST COUNTRY

Radan Computational Ltd, BATH, 318483
Computer Corner, BAYSTON HILL, 4250
Bristol Computer Centre, BRISTOL, 23430
C.S.S. (Bristol) Ltd, BRISTOL, 779452
T & V Johnson (Microcomputers Etc) Ltd, BRISTOL, 422061
Sumlock Tabdown Ltd, BRISTOL, 26685
Sigma Systems, CARDIFF, 34869
Office and Business Equipment (Chester) Ltd, DEESIDE, 817277
A.C. Systems, EXETER, 71718
Micro Media Systems, NEWPORT, 59276
J.M. Computer Services Ltd, NEWQUAY, 2863
Devon Computers, PAIGNTON, 526303
J.A.D. Integrated Services, PLYMOUTH 62616
Business Electronics, SOUTHAMPTON, 738248
Computer Supplies (Swansea), SWANSEA, 290047

NORTH WEST AND NORTH WALES

Tharstern Ltd, BURNLEY, 38481
B + B (Computers) Ltd, BOLTON, 26644
Preston Computer Centre, PRESTON, 57684
Catlands (Computers) Ltd, WILMSLOW, 527166

LIVERPOOL

Aughton Microsystems Ltd, LIVERPOOL, 548 7788
B.E.C. Computers, LIVERPOOL, 263 5738
Rockcliff Brothers Ltd, LIVERPOOL, 521 5830

MANCHESTER AREA

Byteshop Computerland, MANCHESTER, 236 4737
Computastore Ltd, MANCHESTER, 832 4761
Cytek (U.K.) Ltd, MANCHESTER, 872 4682
Executive Reprographic Ltd, MANCHESTER, 228 1637
N.S.C. Computer Shops Ltd, MANCHESTER, 832 2269
Sumlock Electronic Services (Manchester) Ltd, MANCHESTER, 834 4233
Professional Computer Services Ltd, OLDHAM, 624 4065
D. Kipping Ltd, SALFORD, 834 6367
Automated Business Equipment Ltd, STOCKPORT, 061-432 0708

SCOTLAND

Holdene Microsystems Ltd, EDINBURGH, 668 2727
Microcentre, EDINBURGH, 556 7354
Aethotrol Consultancy Services, GLASGOW, 641 7758
Byteshop Computerland, GLASGOW, 221 7409
Robox Ltd, GLASGOW, 221 5401
Mac Micro, INVERNESS, 712203
Thistle Computers, KIRKWALL, 3140

IRELAND

Softech Ltd, DUBLIN, 784739
Medical & Scientific Computer Services Ltd, LISBURN, 77533

To: Commodore Information Centre,
360 Euston Road, London W1 3BL. 01-388 5702

PCW D3

Please send me further information about the Commodore PET.

Name _____

Position _____

Address _____

_____

_____

Intended application _____

Do you own a PET? YES ☐ NO ☐

commodore

This list covers dealers participating in our advertising.



The chess-playing computer may have become a little less predictable. Texas Instruments, with the aid of David Levy (international master) has devised a chess playing program for the 994 home computer which has three styles of play: it can be set to play normal, aggressive, or passive chess. Picture shows Levy (at the computer) with six leading chess journalists trying out the new software.

anybody interested?"

At a cost of £10 or less for the programs, Ian Turnbull is prepared to load it into eraseable read-only memory chips for anybody who *is* interested.

"I wrote it for my own interest and it'll handle up to eight separate taksks. It's interrupt driven, and it works on a 'round Robin' basis giving priority to the first task. There's a second scheduler which gives priority to no task, but shares time equally."

The code occupies around 1.5 kbytes in two 2708 EPROM chips, which have to be sent to Turnbull to be 'burnt'. Contact him on Pangbourne (07357) 2618 for instructions of how to wire it in and where to send the chips.

Look Sharp, TI!

Two late challengers to the micro market are arming themselves for the real struggle by adding disk and printer capabilities to their product lines. One is the Japanese Sharp MZ-80K and the other is the struggling Texas Instruments home computer. The Sharp machine was cheap enough for this to be not much more than a useful addition: the prices aren't available yet on its disk and printer, but presumably the same price policy will apply. Paul Streeter has let it be known that prices "will be very competitive" and he's the man in charge so we may take his word with some weight.

The Texas machine may suddenly start selling. Its basic handicap of not being compatible with UK colour television sets is not expected to be resolved until 1981 — word from Bedford is that the central processor chip is being redesigned so that it no longer thinks all televisions use the US standard (NTSC, Never Twice Same Colour) but will be switchable to use the UK and German PAL standard. However, with a £500 disk offering 92 kbytes of useable storage plus the option of adding on two more drives at £340 each, the cost of an entire system becomes comparable with other expanded systems, such as Apple.

It would seem that Texas's original hope (that people who wanted a home computer would need another TV anyway) backfired because the sort of people with that kind of money (wait for it) already had at least one colour television set anyway. Texas' printer, at £269, is aimed smack at the new Apple printer and apart from the fact that it attaches to the Texas machine, not the Apple, will be an important peripheral.

Another important breakthrough for the TI machine can be expected in the late Autumn, when it releases its £30 (including VAT) Personal Records software module. This will operate on one 16 kbyte file of data at a time, loading the entire file into memory and performing all sorts of useful functions (searching, matching, transforming and analysing information) on it. This means that the sort of self-employed businessman who would like to buy one for his children to understand computers, can actually use the thing, and justify putting it on his tax allowances. Currently, Texas describes its 'stance' on the 99/4 as "in test market". It will admit to no figures on sales (they are in the low hundreds in the UK) the peripherals and software may start the ball rolling. Details of Texas products on 0234 67466; of Sharp on 061-969 7131.

Colour board

Picture drawing on a Nascom computer is the feature offered by an add-on board produced by Winchester Technology of Eastleigh, Hants. The product is called the WT625, and it is a board which generates teletext compatible colour — like Ceefax, Oracle and viewdata — for UHF televisions. That gives 13 colours plus features like flashing characters, and 5760 individually addressable pixel points or picture dots.

Support in software comes in the form of a memory chip — a 2708 reprogrammable chip which contains graphics subroutines and which your program can call to perform functions — you can call these from Basic or assembler programs. Examples: a chessman can be defined and then moved around the screen without redefinition or laborious, detailed, code writing.

The board is sold assembled and tested, says Winchester Technology, for a £136 price tag, with a 42 page manual with a hardware description in it, plus details of programming, installation and fault finding. Details on 04215 66916.

Spot spotter

When a disk wears out, it doesn't do so all over its whole surface simultaneously. Instead, one or two spots flake away, causing errors. A program which keeps track of these spots and ensures that the system avoids them has been produced by Lifeboat at a US cost of $80 for systems using the CP/M operating system. Details from New York at 1651 Third Avenue, NY NY 10028, or phone (212) 860 0300.

Ball game

Most IBM 'golf ball' typewriters are not electronically driven; instead a system of magnetic actuators (solenoids) pulls the ball into different positions mechanically. However IBM did produce a printer, the IBM 3982, which used the golf ball, but was driven by electronic pulses and many of these have now appeared on the second-hand market.

In their original second-hand form, they are virtually useless, if cheap. The electronic pulses are not in the familiar ASCII code that most micros know and love and the wires that take the codes are colour coded in an intriguing manner designed to baffle anyone who tries to fiddle with them. Having a manual for the colour codes doesn't help much, according to someone who has done it; he describes the IBM colour coding in a highly technical term: 'a lie.' How harsh.



Chess can be played by the Texas Instruments 99/4 home computer. The graphics are beautiful and the amazing David Levy was a major consultant in the design, so it must have something going for it. The point that will ensure that it really takes off is the four levels of playing skill. On the announcement of the chess package, it was said that the chess game plays in three styles — normal, aggressive, or passive. On the version I saw demonstrated, it also offered a fourth. It plays a strategy called "losing", at its beginner level. Irresistable, but I still didn't manage to beat it.

BASF gives a Good Deal

To an entrepreneur building up his own business, or to a company needing to distribute its data processing, the BASF 7120 gives a good deal.

Our 7120 is basically a stand-alone microprocessor giving high performance at low cost. It's a powerful desk-top computer for around £5,500.

The main features include:

- **Main memory of 64 K bytes**
- **File control system memory of 24K**
- **Dual Z80 microprocessors**
- **Extended BASIC for business applications**
- **CIS COBOL and CIS FORMS 2 for interactive programming**
- **Specially designed keyboard to ease operator interface**
- **Free word processing package.**

The whole deal is offered by BASF, whose computer interests also include supplying media, CPU's, add-on memory and plug-compatible peripherals for large mainframes.

Finally the deal is completed by selected dealers providing sales and technical support where you need. Including Computer Services in Canterbury, Dataforce in Bristol, Dataview in Colchester, Davies & Brown in Shoreham, HB Computers of Kettering and Verles in Birmingham.

For more information and the name of your nearest dealer, please contact: BASF Computers, Haddon House, 2-4 Fitzroy Street, London W1. 01-637 8971. Ext. 30.



BASF

BASF



CPS also supplies software for the PET, including Newsboy, a program (illustrated in use) to ensure that the right customers get the right paper delivered.

As a reward for having cracked the code, reconditioned the printers, and packaged them ready for use by microcomputer users, the company concerned is allowed to charge £960 each for them. As prices go, I feel this must be what the market will stand — much cheaper than the only real alternative of a Spinwriter, but a bit less generally useful (no keyboard) as a typewriter. It can come down if it must. The new machine is available with a PET interface, or an Apple connection, as well as with the standard (RS232) interface. Details from CPS Data Systems, 021-707 3866 or through SBS on 01-250 0178.

Microdigital takeover

Currys, the washing-machine giant, was the first; now hi-fi vendor Laskys has joined the selling-micro-computers-to-the-consumer bandwaggon. Unlike Currys, which is starting totally from scratch, Laskys has taken a short cut by buying Microdigital, the Liverpool micro retailing company (founded by the flamboyant Bruce Everiss) which also publishes something called the *Liverpool Software Gazette.*

Rumours about a possible takeover of Microdigital have been in the air for a while now, with various immense figures being quoted knowingly as the asking price. What Laskys actually paid remains undisclosed; the firm does, however, say that it intends to set up micro-computer departments in its main shops (it has 40 altogether in the UK), and that Bruce Everiss and Graham Jones, both of whom were Microdigital directors, will remain with Laskys, developing and expanding its microcomputer division.

DTS Counting on Abacus

As mentioned in last month's 'Chip Chat', Derek Rowe's company Abacus has been put up for sale and bought... by Data Type Systems.

As is so often the case when a company runs into some sort of difficulty, various stories about the circumstances surrounding the failure are put about by people whose grapes are less than sweet. I'll confine myself, therefore, to saying that it appears that the backer who put up the original £30,000 to start Abacus decided to withdraw from the scene.

The new boss, Gerry Tuffs, won't tell me what Data Type paid for Abacus but I guess it must have been around £50,000.

Data Type offers some hope for the micro industry. I won't make too much of it in case it turns out to be a false dawn, hence the appearance of this gem at the bottom of the story, not at the top: Data Type started out as a terminal maintenance firm. If the company can extend itself into terminals (a new factory in Cwmbran) and intelligent terminals and microcomputers and also shift its maintenance activities into the micro field, it will set a welcome precedent. I hope it makes a lot of money at maintenance, encouraging others to follow suit.

SuperBrain importers

A phone call from Encotel has clarified the sometimes confused question of who exactly imports SuperBrain. We're told the official importers are Encotel (who provided last month's review machine), Sun, Icarus, Computability and G W Computers.

TV adventure

You've read the book, watched the movie, viewed the TV series, and seen the play. Have you played the game? The well known computer game of Adventure has turned into the basis of a plot for a TV series, apparently on Saturday morning on BBC1. If you get to see it, the computer on which the fiendish Argonds make the Tellurians (people from Tellus, or Earth) play is a Hewlett-Packard 9845B desktop computer.

ZX80 software

There are already 10,000 Sinclair ZX80 computers out in customer's hands. The software available is just starting to appear; first with a product is a new company called Econosoft, of 4 The Loont, Winsford, Cheshire CW7 1EU. It has announced a £5 cassette with four games — Simon, a memory test, Mindbender (like Mastermind), Fruit Machine, and Destroyer. There's little point in expecting these programs to be up to the standard of the latest Petsoft offerings at £100 — the machine isn't up to that and neither is the price — but as an improvement on the crude code in the ZX80 manual it must be a bargain. They run on the basic Sinclair, while programs for the expanded 2 kbyte machine will be launched towards the end of the year. Details from Trevor Daniels.

Sound of the times

Your computer can make rude noises for £20 if it's a Compukit UK101 or an Ohio Scientific Superboard II. An independent company, John Mortimer Electronics has launched an add-on called Sound Box. It runs off the computer power supply and comes with a free program on cassette which plays a game with "interesting" sound effects. A kit is available at £15 — I can't establish whether this includes VAT because Mortimer gives no phone number. He's at PO Box 71, Norwich NR6 7JE.

Value for money

"We prefer to sell a lot of software at low prices rather than a little at a high price," says Guy Wilhelmy, managing director of Databank Software Services.

Databank has just launched five new programs on this excellent basis (remember, a program is debugged to a depth directly proportional to the number of people using it). They are two business systems — word processor and Salesman — two maths packages one for graph plotting and statistics, and a crossword game. All run on PET, and on Apple II or ITT 2020. Details on 0509 217671.

A bit of stick

The Editor is coming off his trolley. He has presented me with a press release announcing the 24th Congress of FIPAGO (the federation international of manufacturers of gummed papers, in French, I suppose) in Corsica. He's potty, because, vital though this may be, it already happened in Corsica on May 18 to 21 — plans were made to form a new division to promote the use of flat gummed papers for labels and postage stamps. I shall start a Federation for the Automatic Repetitive Typing of Instructions on Non-Gummed envelopes.



A box to put printers in to keep them quiet may sound like £160 too much to spend until you remember that printers are not as prone to stop typing every five minutes as human typists, and that human typists can make an office into a place unfit for telephone conversation. Boxes for Anadex, Centronics, OKI and other printers have now been joined by the one shown here — for the Qume printers, three models. Details from Power Equipment company, 01-205 0033.

Guy Kewney is the editor of Datalink

YANKEE DOODLES

Tom Williams, our man in Silicon Gulch, reports on the latest US micro marketing dilemmas.

Software dilemma

Here's a puzzle for all who concern themselves with the legitimate use of licensed software — and with the problems that software piracy poses for the industry. Let us suppose there is a business of some kind that has decided to install four or five desktop microcomputers around the office to do word and data processing. The installation comprises stand-alone units, each with its own CPU, RAM and at least one built in floppy disk drive. One of the tasks involved requires that each machine runs the same commercially available software package.

A problem arises when the owner of the business approaches the software vendor. Being a conscientious person, he realizes that quality software is only possible if authors have the proper financial incentive, and that outright piracy of software ultimately harms everyone involved. Besides, it's dishonest.

Now software is generally licenced for use on a single CPU and our hypothetical businessman has four CPUs, possibly in the same room. There's a natural reluctance on his part to purchase four identical copies of the package when he could more easily and cheaply buy one and make copies for each of his stations. The software vendor quite understandably insists that the owner of the business is required to obtain (and pay for) four licences to use the programs.

There the two might remain, locked in eternal and unresolveable conflict until the businessman decides to follow either the dictates of conscience or the purse. Whatever the outcome, the basic question would remain unsolved. But now suppose that the business' expansion plan for the following year includes upgrading the disk storage of the desktop units with a commonly shared hard disk system. Hard disk storage can now be shared by separate CPUs using systems available from Nestar and Corvus; more such devices are under development by various other manufacturers.

When a program is written or purchased it is placed on the hard disk for use by as many of the computers as may need it at the time. We now have the rather ludicrous scenario of the conscientious businessman buying four copies of a program on floppy disk, copying one onto his hard disk for use by the attached CPUs and then carefully storing the four floppies away as backup copies. Such a scene, I submit, will never take place.

When you start using a shared disk storage system of this type, it looks to the user almost like a time shared system. Now if our businessman had purchased, say, an S100 multiuser system with four terminals, I doubt very seriously if any software vendor would have dared suggest that he pay a licence fee for each of the terminals accessing the program. The question is, for the end-user, *what is the difference?*

If there really is no difference from the point of view of the people who ultimately will decide whether or not to purchase a program as a commercial product, then some solution must be found which will render, in the eyes of the user, the relative software expense for the shared disk resource and the timeshared type system to be as equal as their functionality. You are simply not going to find that many businessmen willing to forego their own interests for the sake of conscience in the face of what appears to be a truly inequitable situation.


One possible solution is that more programs for microcomputers be licensed for use at a given 'site' or 'installation' with provision for a multiple use fee — which would be a fixed surcharge. This latter provision, though difficult to enforce, would at least have the appearance of being just. Great moral arguments could be made for paying multiple use fees in order to encourage the development of more and better software; they would no doubt fall on deaf ears — just as do today's pleas against software piracy.

Nontheless, an intransigent attitude on the part of software vendors is not going to help anybody. The only advice I can offer at this point is that it's much easier to induce people to comply voluntarily with a situation if they feel that all are getting equal treatment. That's not to say that they will, but a sure way to make them not to is to give them a feeling of righteous indignation.

OSI's department store experience

There's a vague feeling in the microcomputer industry that there lurks an as yet untapped but incredibly vast mass market awaiting the lucky company that discovers the key to placing a computer in every home. Although this particular grail has not yet been found, there are many knights-errant galumping about in search of it.

One idea has been that if micros were placed in the proper distribution channel — say a large chain of department stores — they would find their way into the home and win mass acceptance. Ohio Scientific Instruments, whose main computer line is concentrated on higher end machines for business, recently completed an experiment in marketing their low-end computers through selected Montgomery Ward stores in the US.




What OSI discovered was that the customers who were interested in microcomputers wanted to know about business applications. Unfortunately the Montgomery Ward sales clerks were not qualified to answer the type of questions these customers kept asking. Most department store personnel are only able to handle concepts at the washing machine and hair dryer level and thus a great many potential sales were lost — admittedly sales to a different type of customer than OSI anticipated it would find in department stores.

Undaunted, the company made an arrangment with Montgomery Ward whereby OSI would establish computer shops in the department stores which would be staffed and run by OSI dealers. This may increase OSI's sales, but it will not reach that magic customer. . . the object of the present quest. There's an enormous difference in perspective between the traditional microcomputer dealer and a retailer on the level of huge department stores. This can be illustrated by the fact that the computer buyer for Sears Roebuck, the largest of all large US department store chains, was heard to remark that Radio Shack was still pursuing a specialised market. From the point of view of the mass retailer that is most certainly true.

It appears there may be a company that has found a key, although it's not saying just what the secret is at this time. Look for the name Microtype within the next year; its first offering is reported to be a very inexpensive typewriter that can be used to begin with as a terminal; later it can be expanded into a full-blown computer. If it happens, remember you read it here first.

ALL ABOUT PET...



TEN TIMES A YEAR **PRINTOUT** PUBLISHES THE LATEST NEWS FROM THE FAST-MOVING WORLD OF THE CBM/PET.


In it you will find authoritative reports on the latest hardware, unbiased program reviews and a wealth of programming hints and listings. Whether you are a complete beginner or a hardened enthusiast, PRINTOUT is for you. Try a copy of the latest issue and see for yourself.

PRINTOUT's hardware and software reviews could save you a small fortune--we never pull our punches, especially about business software.

PRINTOUT also tells you about the latest peripherals--speech synthesisers, voice recognition, high resolution graphics, even colour!

PRINTOUT can help solve your programming problems too; each issue we publish pages of readers questions with answers by our resident panel of PET experts.

PRINTOUT is professionally produced, lavishly illustrated on glossy paper and packed with information. Last issue ran to 40 pages.



PET is the trademark of Commodore

Subscriptions are for a full volume only and start with the first issue of that volume.

PRINTOUT Greenacre, North Street, Theale, Berks RG7 5EX

I enclose: ☐ 95p for the latest issue ☐ £9.50 for one years subscription (UK only)

☐ £14.50 for one years subscription (o'seas) ☐ £10.50 for one years subscription (Eire)

My name is .....

My address is .....

..... Post code .....

PCW 44

A GROWING AWARENESS

Ian Lloyd MP reports on recent debates in Parliament on information technology.

After a great deal of prodding from the backbenches, the Leader of the House has at last agreed to a debate on information technology. Appropriately the week in which it was held started with a first-class presentation on the subject by a GEC team — led by Sir Robert Clayton — to the All-Party Committee. This was the last of a series which has included John Diebold, Professor le Gates (Director of the Information Technology Programme at Harvard), Herbert Grosch, Ferranti, the Post Office, Inmos and Lucas. At the beginning of the parliamentary year these were poorly attended, but interest has grown and some of us find it encouraging that within a fortnight there should have been a half-day debate on Inmos, a full Friday's debate on the general issues, and a front-page article in *The Times* summarising a 'confidential' Labour Party policy statement on the subject. Nothing, of course, remains confidential at Westminster these days and if we put an Information Technology Act on the statute book we shall doubtless find ourselves obliged to hold confidential discussions in secure rooms lined with lead.

The growth of complexity

Though I invariably learn something from every lecture, article or presentation on this subject, during the last few weeks my perspective on information technology has been altered as a result of a series of visits which I have just made to the control rooms at Three Mile Islamd (there is a separate system for each reactor), the operating reactor at Zion, the incredibly realistic simulator at the training school nearby, the new reactor being built at Byron, near Chicago, and the CANDU reactor (heavy water) at Pickering near Toronto. In addition I have visited the control rooms on the Murchison rig in the North Sea and at the Isle of Grain power station in Kent.

All three systems rely heavily on big computers. The computers at Three Mile Island were installed some years ago and although they don't control the detailed operation of the reactor, they do record and monitor virtually everything that happens. I enquired why it was then that, when the operators obviously had difficulty taking in and reacting to the information appearing on several thousand dials (at least), the computer could not be programmed to deal with an 'incident'. The answer was illuminating. The computer, I was told, became swamped with data once something such as the pressure failure at Three Mile Island occurred. It ran several hours behind 'reality' and by the time the print-outs started arriving the instructions and information were irrelevant except for diagnosis. At the peak of such an incident, my guide added, the computer was receiving an input of several million units of information a minute.

Progress may be an illusion, but the simulator control room at Zion had even more powerful hardware and software of conspicuous sophistication and, at least to my impressionable mind, sheer brilliance. All the lessons of Three Mile Island have now been incorporated in the system and the operators, who come from all over the world for training in pressurised water reactor operation, can be placed at a console which even an expert would not be able to distinguish from the real thing. Here every conceivable normal routine and abnormal incident can be simulated and the trainees' responses sharpened and tested. It is an expensive course, well beyond the reach of individuals, but I cannot imagine a better way of achieving the important objectives of safety and efficient operation.

The oil rig in the North Sea and the oil-fired station at Isle of Grain are no less complex and must conform to equally rigorous operating and safety criteria. Doubtless all three systems could be run without computers, but the loss of efficiency would probably be considerable and acceptable safety levels would certainly have to be lowered. Human beings cannot monitor complexity on this scale continuously without great strain.

There are of course, outstanding examples of modern information technology. At the Isle of Grain several hundred analogue inputs and over a thousand digital inputs have to be received, processed and transformed into meaningful information. By any standards these are impressive performances and reveal the high-powered computer at its best. Incidents such as the failure of the NORAD defence computers still encourage some to complain that the computer is a monstrous and dangerous device, but I share Sir Robert Clayton's view that our judgment should really be based on the fact that all the safety procedures worked. Ten further steps would have had to have been taken before any missiles could have been fired. There is, of course, no other way in which we could assess the significance of satellites appearing over the Arctic Circle every few seconds.

There is, equally, no other efficient way of dealing with the information complexity inherent in the operation of a nuclear power station, a North Sea oil rig, or even a conventional oil-fired power station, such as the Isle of Grain, one of whose alternators produces a power output equal to the whole of Battersea. Their complexity is as staggering as the information technology which has been developed to control them.

The information technology debate

Hansard — a product as yet of the old technology of Gutenberg has recorded every word spoken during the debate. It was a fairly broad and useful tour d'horizon but three issues dominated the exchanges. The first was the extent of Government support for and involvement in the industry; some invidious comparisons were made with the United States, France and Japan. The second was whether the cause of information technology would be advanced by the appointment of a Minister with a clear responsibility — such as the position Pierre Aigrain enjoys in France. This was first suggested in a brochure produced by a group which I chaired just before the '79 election and has been strongly endorsed by Kenneth Baker, both at a recent Online Conference and in his speech during the debate. It merits more serious consideration than it appears to have received so far, but I would not support a second-rank appointment at this stage. The subject is too important, the Government machine is still too lethargic and only a man with the drive and authority of a Lord Beaverbrook could match the contribution to the requirement of the hour — as he did when he took Merlin production and repair by the scruff of the neck in the nick of time before the Battle of Britain.

The third issue was the Inland Revenue computer order and the appropriate treatment of ICL in this context. Both points of view were expressed in the debate, but most speakers considered that it would be at best unfortunate and at worst iniquitous if ICL lost the order. We shall doubtless hear more of this issue before it is resolved, but my own view is that the geographical boundaries of the nation state are now a severe handicap to rational thinking and that this is particularly true in the sphere of information technology, which, as I argued in the debate is an industry whose rationale, structure, markets, research and development and competitive challenges are no respecters of frontiers. I wish ICL the best of luck in an important contest, but it is the country's overall growth, performance and standards in the whole field of information technology which must decide the issue.

Readers may buy this relevant copy of Hansard (vol 998 No 211) at 80p from HMSO — Ed

COMMUNICATION

PCW welcomes correspondence from its readers. Be as brief and concise as possible and please add "not for publication" if your comments/questions are to be kept private.
Address letters to: "Communications", Personal Computer World, 14 Rathbone Place, London W1P 1DE.

Get the connection

Being something of a novice to microcomputer systems and to electronics generally I was intrigued in this month's edition of your excellent magazine to notice reference to 7-pin DIN plug, 64-pin Eurocard connector, BNC video socket, and phono plugs, all within the article on the Acorn Atom (p48).

I wonder how many of your other readers are perplexed by the proliferation of connection types available and in use in different applications. Would it be possible for your magazine to produce a guide to connection types (at least the "standard" ones), their normal uses and wiring configurations? (Perhaps as a set of Friends and Enemies in the Face to Face column?!).

Personally and particularly, I would very much like to know what relationship the 7-pin DIN plug to cassette from the Acorn Atom may have to the 5-pin DIN which my music system bears.
Christopher E Mathews, London

What a good idea. Anyone out there an expert on connectors? Perhaps you'd like to tell us all you know. We'd like to hear from you — Ed.

Cut it out

My employer has recently taken delivery of an Apple II with two disk II floppy disk subsystems. Since the manuals state that only one side of the disks can be used I was surprised to find that a disk containing demonstration programs for the Supertalkers peripheral had data recorded on both sides. There were no problems in reaching this data.

On trying to write data to the "back" of an Apple disk I got a message indicating that the disk was write-protected. This was because the write-protected cutout is on the wrong side and an examination of the Supertalker disk showed that it had cutouts on both edges of the disk casing. I carefully cut another write permit cutout opposite the one already on a BASF floppy and found that I could use the second side without any trouble.

It seems to me ridiculous that one side of a floppy should be rendered useless simply through the lack of a hole punched in the disk case.
D Watson
Banchory, Kincardineshire

We definitely do not advise readers to follow Mr Watson's example. Manufacturers test both sides of each disk; if one side is faulty then it's sold as a single-sided disk, using only the good side; so any data recorded on the reverse side of a single-sided disk could be corrupted. Now it's possible that, to satisfy the demand for single-sided disks, some are sold which are fault-free on both sides; however you can't take advantage of this because inside the disk's protective envelope there's a wiper which collects any dust or dirt from the disk's surface as it revolves; inserting the disk the other way round to use the reverse side will, by reversing the disk's rotation, spread the collected dirt over the good side — and then you've really got problems! For the same reason, you shouldn't try using a proper double-sided disk in a drive designed for single-sided disks — Ed.

Atom postscript

We would like to comment on the Acorn Atom review in the July issue of PCW. The fact that you were supplied with a prototype machine and an incomplete manual may explain some of the inaccurate comments made; despite this we think the record should be put straight.

First, we would like to comment on points where the reviewer suggests there are imperfections without apparently having any evidence to support this. For example, he expresses doubt about the Atom's ability to produce a good colour display; in fact we paid particular attention to the display quality and can only judge by the number of favourable comments received that we have achieved our aim to produce a high-quality display.

Again, the reviewer claims, "you will almost certainly have to adjust the vertical hold of your TV set" without saying that he has had this trouble; we have obtained clear displays on a whole range of different makes of domestic TV sets and have not yet found one that needed any adjustment. Again, he states, "I found I had to drive the tape well into overload in order to load programs reliably." It is no oversight that the Atom's tape output overdrives the input of the tape recorder; this was chosen after much experimentation with different makes of recorder, and gives considerably better results than the approach suggested by the reviewer of providing an input with an "adjustable high gain".

Next we would like to reply to the statements that the "memory map is a bit weird" and that the Atom is "spoilt by some basically unsound thinking at the system level"; while the first statement perhaps reveals a lack of understanding, the second is stated as a fact without any support and is untrue. In fact the Atom's memory map is designed in a very orderly way: above 8000H is the graphics memory, ROMs containing the Basic, assembler, and operating system and on-card peripherals. Below 8000H is the system RAM and the Basic text area. It is not true that the 32k memory card can only be fitted by 'wasting 9k'; it is perfectly feasible (by inserting a link on the Atom board) to have a 32k memory card from 0H to 7FFFH with no wastage, and the zero-page memory chips can be moved up to a graphics area. This will result in over 20k of contiguous text space, as well as providing all the workspace and stack memory required by the system. The graphics memory *can* be used as the text space (as on the minimal cost system), but surely this is a bonus and not a disadvantage as implied in the review. Another feature of the system design is that it maintains total compatability with the existing Acorn range, which includes the larger System Three and System Four disk-based systems. The Atom even uses the same I/O vector addresses.

A number of comments were no doubt prompted by the fact that the manual supplied was incomplete — a fact not mentioned in the review. The final version of the manual (available separately for £8, refundable on purchase of an Atom) does have an index, page numbers and a full list of error codes.

The reviewer says that "the only real criticism of the assembler. . . was the inability to comment on individual lines." Comments can be put on individual lines if they are preceded by a backslash. With reference to the floating-point extension; "it's a pity it doesn't support degrees in addition to radians."; the functions RAD and DEG are provided for this purpose and provide conversion from degrees to radians or radians to degrees. "Unfortunately there is no TAB function."; true, but the reviewer failed to mention the COUNT function, which can be used to achieve the same effect. And, with reference to the graphics facilities, "The only criticism is the fact that, in the high resolution mode, the effective display area shrinks noticeably to about two-thirds of its previous size. . ." In fact the display area stays exactly the same; it is simply that the black border is replaced by a white border in the high-resolution modes, thus neatly framing the graphics area. Finally, it should be pointed out that the Atom communications interface uses the IBM standard SDLC protocol, which is not the same as the Cambridge Ring.

Finally, we hope that readers will take the time to visit one of the computer fairs or one of our distributors, and supplement the review with their own judgement.
David Johnson-Davies
Member of the ATOM design group

Thanks for the clarification. As you rightly point out, the documentation did cause a few misunderstandings — Ed.

68XX pleas

Let me first congratulate you for your fine magazine; I confirm this opinion by enclosing my first subscription form.

I have one gripe though. You are missing a column of 68xx micros. Users of 6800/6809/68000 equipment are a relatively small yet very proud pack (after all, *everybody* knows that the 6809 is the best 8-bit micro ever, 68000 is the best 16-bit micro ever, SS50 is the best

bus ever and FLEX the best operating system ever, exception made perhaps for UNIX and its derivative UNIFLEX . . .). You would be surprised at the response you would be getting from us. Besides, in this world of animals, fruits and rubbish bins we are probably one of the few groups still doing serious computing.

In case you go along with this idea, I am ready to offer my support and collaboration, and I think that many other 68xx users would assume the same position. The lack of a 68xx column is a glitch in an otherwise excellent magazine.
Alberto C Moreira, Chalfont St. Peter

We have a secret master-plan to overcome this problem. It'll take us a few more months and then we'd like to consider your offer. Hope last month's 68000 feature will tide you over — Ed.

Algol 68

I have followed with interest the correspondence from Raymond Anderson and Melvyn Anderson concerning Algol 68 for microprocessors. I do not know if possession of this surname is a prerequisite for entering the correspondence, but in any event I should like to offer a few comments of my own.

There is no doubt that Algol 68 offers many programming advantages over Pascal. The only question is whether these extra facilities justify the implementation effort — which will be an order of magnitude greater than for Pascal. Certainly there is little to be gained by going for the older version of Algol (ie Algol 60) unless there is a severe lack of memory space. One gains dynamic arrays in Algol 60 but any possibility of decent data structures or character handling is irretrievably lost.

No, the only way forward is via a language which combines all the good points of Algol 60 and Pascal and throws in a lot of extra goodies as well. Algol 68 fits this bill exactly. However, we have to remember the very potent advantages possessed by Pascal from the point of view of implementation. The very limitations that Algol fanatics find so annoying — the static nature of array bounds, the restricted ways in which pointers can be used and so on — are precisely those which ease the compiler writing task considerably. In addition Pascal can easily be parsed with a class of parsers known in the trade as LR(1). Essentially these allow the compiler to recognise the nature of an incoming Pascal construction simply by knowing the next character in the input stream.

Algol 68 on the other hand is the very devil to parse by such methods, for there are constructions which, in general, require you to look indefinitely far ahead in the input stream before you discover what kind of Algol 68 construction you are dealing with! Equally, the extra facilities offered by 68, such as array slices, free use of pointers and the ability to deliver objects of any type as a result of a procedure do lead to some very knotty run-time problems, and even going to the Algol 68S subset will not completely get rid of them.

Nevertheless, the aim of producing an Algol 68S compiler for microprocessors is a very worthy one. The only generally available 68S compiler known to me at the moment runs on a PDP 11 and produces code only for that machine. A less diffing a full new compiler would be to modify this compiler to be a cross compiler for a range of microprocessors. Unfortunately few personal computer users will have access to a PDP 11. . .
Dr D F Brailsford, Nottingham

ZX80 answers

Recently my father bought a Sinclair ZX80. I have discovered it is a delightful machine, but cannot find two things: how to work the 'timer under program control' (as the adverts put it), and how to display the amount of memory left. The second point I found very irritating as I only have 1k of memory to play with.
Richard King, Bristol

To answer your questions we must first explain how a two-byte value is translated into an integer. In the ZX80 it is necessary to multiply the contents of the second byte by 256 and then add it to the value of the first byte. Having said that, you'll be interested to learn that locations 16414 and 16415 contain the number of frames displayed since the machine was switched on. By PEEKing these addresses and then doing the necessary arithmetic you have the equivalent of a clock. In the UK this count is incremented 50 times per second and in the USA 60 times.

After much study of the Sinclair manual we reckon that locations 16394 and 16395 give the address of the top of the program while 16396 and 16397 mark the bottom of the display file. Once again, by doing the necessary arithmetic and then subtracting the former result from the latter you will then know how much space is left — Ed.

Ripple raspberry

As I am at present engaged in designing and building a PSU, I read the two articles on power supplies in June PCW with considerable interest. A point which I feel should have been mentioned in one or both of these otherwise very good articles is the ripple current rating of the capacitor immediately following the rectifier diodes. As the value of this capacitor increases, so the ripple current is decreased, but so is the time available for the capacitor to recharge during each half cycle. Hence the ripple current through the capacitor rises. A quick calculation for the PSU presented in Derek Chown's article indicates a ripple current of about 11 amps. (for a 6 amp load current). If premature failure of this capacitor is to be avoided, a suitably-rated capacitor must be used.

Now a suggestion for a topic you might wish to explore in future editions. I have been unable to find any designs from EPROM programmers in any text books. Could you run a series on the mechanism of EPROM programming and erasure, and perhaps a design for a programmer for, say, a 2708 EPROM?
A. A. Huntingdon, West Wickham, Kent

We published an article on converting the MK14 (now available cheaply on the secondhand market — see our 'Transaction File' each month (into an EPROM burner in September 1979 (Vol. 2 No. 5) with a follow-up in March this year (Vol. 3 No. 3). — Ed.

School system

We have just read with interest the article entitled 'Pupil Power at Sandbach' in the June issue describing a 'low cost, very flexible system based on radically new lines'.

As an official Ohio Scientific dealer we have been offering a very similar system for over 12 months. This is based on an OSI C2 or C3 'parent' system supporting up to 16 Superboards (or any other system with Basic in ROM and an RS232 port).

At a price of less than £2000 for the 'parent' machine (including twin 8" floppies) and approximately £160 per 'daughter' Superboard, we do not think this system can be bettered on price or performance — and it's available now.

We can, of course, provide further information to any interested parties.
S Hawley, CTS, 1 Higher Calderbrook, Littleborough, Lancs.



"We're trying to get the computer to mal-function so we can start the war".

BENCH TEST

BASF 7120

BASF is one of the largest companies in the world and it manufactures a seemingly endless variety of products. For some time now it has manufactured a range of floppy disk drives and diskettes but the 7100 series is BASF's first venture into the world of complete systems and is aimed quite definitely at the top end of the market. Two models are currently in production and this is the first review ever of either of them. By Mike Dennis.



Rather than design a completely new system from scratch, BASF cast around for a machine that was closest to its own ideas as to how things should be done — the search ended with an American firm called Digilog. With typical Teutonic thoroughness the company injected large sums of money, ideas and engineering expertise and the result of this 'merger' turned into the 7100 series.

Both machines in the range feature the same integrated approach, with all the essential components — such as screen, keyboard and disk storage — being grouped in the one housing, thereby eliminating the usual bird's nest of wires. The two models in the range, the 7110 and 7120, are very similar in specification, the main differences being the addition of an extra disk drive and multi-tasking package in the 7120.

Hardware

The machine is enclosed in a functional and pleasant looking two-tone grey moulded case that measures 21" wide x 13" high x 20" deep. A substantial cast chassis provides support for all the electronics and the total weight is fairly low at around 50lbs; it can be quite easily moved around. Inside, the electronics are mounted on six main boards with at the front the boards for the keyboard and VDU and to the rear, three boards consisting of the disk controller, 64k RAM card and CPU board — mounted horizontally on top of one another. Interconnection between these three is via a 50-way IDP cable and all the boards can be quickly removed for servicing. The bus is BASF's own design.

A substantial power supply completes the complement which has its heatsink located outside at the rear of the case — just as well as it gets pretty hot to the touch (i.e. it's doing its job). All the internal gubbins are kept cool by a fan which on the review sample was a bit 'grumbly'; I suspect that this could be easily remedied. The general standard of internal construction was very professional indeed and I particularly appreciated the ease with which the monitor and disk drive assembly could be hinged and fixed well out of the way to allow easy access for board changing and maintenance.

The system sports twin Z80A processors running at 4 MHz; one is delegated to handle the File Control System on the disk drives, the other looks after the rest. The disk equipment is isolated from the remainder of the system and data is passed between the two by the DMA controller. As can be seen from Figure 1 this also controls access to the display screen — it must be really beavering away to itself while the system is up and running. I judge the whole concept to be quite innovative in the world of micros and as the only ROM in the system is on the disk side; this means that all the available 64k of RAM is available to the user. Admittedly, some of this is needed for storing the Basic interpreter but conversely the set-up also means that the user is not tied to any one operating language — as is usually the case with ROM. Other manufacturers such as Cromemco adopt this approach but BASF scores by keeping all the disk handling elsewhere.

Much use is made of LSI circuits, particularly the Intel range of support chips for the 8080, and I counted about five 8255 peripheral interface chips, one 8251 communication interface and an 8259 interrupt controller. The disk controller, which uses the Western Digital 1791 chip, also has its own 16k of dynamic RAM separate from the main system RAM. Even the VDU card has its own complement of LSI chips and I think I spied another micro — an 8040 — on the keyboard itself.

I found the whole design concept aesthetically very pleasing and devoid of irritating compromises. Indeed the only fly in the ointment was a very annoying high-pitched whistle that seemed to originate from the power supply. It wouldn't have been so bad




Fig 1 BASF 7120 Block Diagram

had it been constant in pitch and intensity but as it fluctuated with the demands placed on the power supply, it was most upsetting. BASF says it is aware of this problem and is looking into it.

Communication with the outside world is via a 15-pin DIN parallel printer socket; this is slightly non-standard as most people tend to stick with '25-pinners'. Two RS232 serial ports are available (although only one is fitted as standard) and there's also an output for an auto-dialler which enables the 7120 to hook up to automatic calling equipment (I hear British Telecom approval is still being sought). Small DIP switches at the rear enable the baud rate, character length and parity to be selected for the serial ports. Two other user-controls are provided for adjusting the screen brightness/contrast and the internal loudspeaker volume — which is perhaps just as well as the chirps it emits remind me of a strangled chicken!

The keyboard is comprehensive — indeed it has a plethora of facilities. The keys have a very silky action and all except the ESC key (which is easily confused with shift until you get used to it) fall easily to hand. The Qwerty keyboard has both shift lock and caps lock — the latter is very useful as only letters are shifted, as the name suggests. Function keys are provided by using the top row of keys in conjunction with the FUNCTION key. There are a total of 26 function keys but as 13 of them necessitate the use of shift, they aren't as convenient to operate as dedicated ones would be.

The on-screen editing is one of the best that I have seen. Fourteen keys are used and both lines and characters can be inserted, deleted and altered at will. The screen can be cleared completely, to the end of a line or to the end of the screen from the current cursor position. More important, perhaps, is the added convenience that these controls can be used at virtually any time during program development. The cursor can be moved in any direction and all of the keys can be emulated by suitable control characters from Basic.

The operating system or OIM is a separate software module and it provides the interface between keyboard, screen and program. The basic principle that it works on is that all lines normally must have an SOM (start of text) and EOM (end of text marker). Everything within these two markers is interpreted by the software and processed. If you type in a Basic statement such as: 100 PRINT "Now is the time for all good min" then all you have to do to correct the error on the last word and re-enter the line is to cursor up and along to the offending character, change it and then hit ENTER; the OIM automatically looks back over previous characters until it finds the SOM and then reads in the line until it hits EOM. It's a difficult concept to put over and probably sounds more complicated than it really is. However, providing you remember to hit EOM and ENTER (which is virtually one continuous action as they are adjacent to each other) then it all works exceedingly well. Indeed I soon found the system a joy to use, my happiness marred only by the slowness at which the interpreter checked out the later).

A separate numeric keypad is sensibly provided to the right of the edit/enter keys and the final feature of the keyboard are the seven MODE keys at the extreme right. These are used in conjunction with the screen highlighting. Again they are very flexible in their approach and many features are available such as reverse video, reduced intensity, underlining or flashing or any combination of these that you may require. These features can also be selected from Basic and together with another facility they enable the formatting of the screen to be carried out very easily.

This other facility is the 'protected' field feature whereby the entire screen can be set to protected — and then selected windows defined into which data can be put. The basic technique might be to define the screen as fully protected, having typed in messages such as Name, Address etc and then to open windows opposite these headers. If the windows are opened only so wide, say seven characters, then only seven characters will be allowed to be entered in the gap. This, plus a little bit of Basic, effectively formats your data fields for you because once the program is running, the cursor only appears in these windows and can be moved from window to window by use of the TAB key. Only when ENTER is pressed will the data be committed to the rest of the program and hence alterations to the data can be very easily handled with the minimum of fuss and bother. Yet another advantage of the protected field is that when you retrieve a long string of data from the disk and print it to the screen, the OIM automatically puts the correct number of characters into each window for you — which again is very convenient.

Screen layouts can either be effected from Basic statements or generated by a utility program called FORMGEN which allows you to 'draw' the screen layout in free-form and then to save it away to disk for use by other programs.

These facilities are usually enabled

Basic Commands:

ABS	INT	LEN	SGN
RND			
ASCII	RIGHT	MID	LEFT
LDROP	RDROP	RPAD	LPAD
LTRIM	RTRIM	FIND	COUNT
TRANSLATE	CHAR	CHARIN	CHARRDY
PRINT	TAB	INPUT LINE	INPUT
PRINTA$: "###"		POKE	PEEK
IF..THEN	IF.AND.THEN	IF..THEN..ELSE	
FOR..NEXT	GOTO	CALL	GOSUB
ON..GOTO	ON..GOSUB	DISABLE	ENABLE
RUN	STOP	CHAIN	END
COMMON	FUNCTION	CONT	
SYS.WIDTH	SYS.DIGITS	SYS.BREAKCHK	
SYS.BREAK	SYS.ERRLIMIT	SYS.ERRTRAP	
SYS.ERRLINE	SYS.TRACE	SYS.SPACE	
SYS.LEVEL	SYS.LENGTH	SYS.PLENGTH	
SYS.RAMTOP			

Absolute disk operators:

NEW	NEWI	CLOSE	OPEN
SECURE	READ	READ NEXT	WRITE
REPLACE	DELETE	SORT	ERASE
POSITION	STEP FORWARD	STEP BACKWARD	
INITIALIZE		COPY DISK	MOVE FILE
ATTRIBUTE		CHANGE FILE	STATUS
DIAGNOSTICS			REORGANISE FILE

and in MATHLIB:

EXP	LOG	^	SQRT
SIN	COS	MOD	TAN
ASIN	ACOS		ATAN

by outputting a non-printing control character before the word or character to be highlighted; this can be a problem because one character slot is used for this control character. Usually this is effectively hidden by a space but should that not be possible, the 7120 provides the facility whereby special bytes can be poked into the highlight port. Individual characters can then be highlighted — or not — by the setting of their respective most significant bits . . . another example of the flexibility built into this machine.

Graphics are supported and although limited in their capability to producing box outlines, vertical and horizontal lines, they are nevertheless very useful aids in producing a decent screen layout. These graphics are contiguous in a 10 x 12 character slot although the normal letters etc are displayed in a 7 x 11 format. Both upper and lower case characters are available and are very well formed. The screen itself is 12", green and of high-resolution; the format of 80 x 24 characters gives a rock steady, crisp display.

Storage

Three 5" disk drives (two on the 7110) provide the on-line storage. They are, not surprisingly, made by BASF, single sided/double density and offer approx 162 kbytes per drive. The maximum current capacity of this system is therefore limited to a little under 500 kbytes — which for some applications won't be enough and is therefore rather disappointing. Micropolis manage to squeeze 315 kbytes onto their single sided/double density drives but whether or not they are any more or less reliable than BASF drives, I wouldn't like to say. The saving grace with the 7120 is that a 5 Mbyte hard disk drive will soon replace two of the floppies; that'll leave the third, suitably upgraded to 318k capacity, for backing up, which will then make the 7120 a very potent system. Further expansion is planned with a separate small box of twin 5 Mbyte fixed disks to increase the capacity even further.

System memory map

Because of the novel approach of the 7120, it's worth spending a bit of time looking at the memory map — see Figure 2. The bottom 40 kbytes of system RAM can be accessed by the disk system but not vice versa. System control and status words are passed between the two by a 'mailbox' and I shall explain just how useful this is later on. Other special features are the communications emulators, multi-tasking executive and spooler program areas.

This particular multi-tasking executive is not to be confused with multi-user systems (although BASF say that this is under development and that all future software and systems will be compatible with that currently available). Instead, this MTX comes into its own when the 7120 is being operated in a system for which it is especially suited — i.e. a terminal capable of being easily connected to a main-frame or mini computer but with extensive off-line computing powers of its own. Enter the spooler module and the communications emulators, for these mean that you can configure the MTX to keep the system on-line to your mainframe, while printing out address labels, in between interrogating the 7120 for your latest sales analyses. . . This concept should be attractive to a number of users and will probably give one or two other manufacturers some potentially nasty headaches. A real-time clock facility is built into MTX together with protective time-out facilities that prevent the system from being 'hung' because of external events not happening; all this still leaves quite a generous 35 kbytes of RAM for Basic program storage.

System utilities

Perhaps one of the most significant utilities is the fact that the 7120 supports ISAM. What, you may ask, is that? Well, ISAM or Indexed Sequential Access Method is a powerful way of accessing and manipulating data in files with the speed of random access but coupled with the space-saving features associated with sequential filing. There are many ways of implementing ISAM files but the way that the 7120 does it is essentially based on just one key (although with a bit of jiggery-pokery I guess that it should be possible to key across several fields). It may not be as powerful as some other ISAMs but let's face it, very few micros support ISAM at all so more power to BASF's elbow.

The other form of file handling is called sequential; really though, it's a form of random-access as the record length must be specified and individual records can be accessed. With ISAM, records can be of variable length and can cross sector boundaries; with 'sequential' files this cannot happen. Since the sectors are 930 bytes long, this theoretically places an upper limit on the size of 'sequential' records. However, in practice this probably won't be a problem and I suspect that most applications will end up using ISAM. What's a little more disturbing about this 930 byte chunk is that the DOS will squeeze in as many records to a sector as possible; if your record size is 466 bytes, you'll effectively halve the available storage as the other 464 bytes in each sector will be wasted.

The catalog function of the BOS (BASF Operating System) is an apology and, unfortunately, one of the worst that I've seen. The basic command is a bit cumbersome (you have to type in PRINT STATUS (":1") which will give you the catalog for drive 1. The catalog contents are printed out one after the other along the line and will overflow from one line to the next — even in the middle of a file name. No indication is provided as to whether files are programs, data or Jimmy Young recipes! I suppose we should be grateful that they put commas in between the file names. True, you can ask for a PRINT STATUS on a specific file name, but it's all unnecessarily clumsy.

Another minor point is that you are never sure whether quotes are needed or not. For instance, they are used in the PRINT STATUS command but not in RUN UTILMENU: 1 — which conveniently brings me to a very nice package, for here lies all that is most useful to the serious programmer. The usual facilities such as delete files, copy disks and re-organise ISAM files are here and there are also other utilities that link two BASF machines together — for data transfer under MTX, for example. DINF is very useful for displaying more information about the specific files and DIG will let you display the contents of files right down to track and sector level. There's a bit too much chaining between individual elements in the utilities — and some minor bugs — but generally they are very versatile; I particularly appreciated XREF which can print out all the line numbers in a Basic program that use GOTO and where each variable is used and where there are any ON ERROR lines. This facility is of great use when debugging other people's programs — your programs, of course, are so well documented that you won't need it(!).

The disk access times, although nothing spectacular, are nevertheless quite acceptable and it's perhaps unfortunate that our existing tests fail to provide any method for demonstrating the access and speed advantage when using ISAM. As can be seen from Table 1, the random access in both directions is very evenly matched and where the tests show a perhaps longer time than normal, it should be borne in mind that unless specified, the BOS will verify after each write; therefore many of these timings are for 100 write and read operations.

Error handling is exceptional and can either be effectively carried out at the system level or from the Basic interpreter. SYS.TRACE can be carried out at eight different levels of complexity and even goes right down to machine code level.

The sheer number of facilities in the 7120 are almost mind-blowing in their flexibility and versatility and I've only really just scratched the surface. I haven't even begun to discuss the absolute disk operators that allow manipulation directly at the track and sector level because, unfortunately, that would take too long.

TECHNICAL SPECIFICATION

CPU:	Z80A running at 4 MHz; real time clock
Memory:	64k dynamic RAM
Keyboard:	60 keys. Qwerty, 14 edit/cursor, numeric keypad, mode switches, function keys.
Screen:	80 x 24 green 12" high-res screen
Cassette:	n/a
Disks:	Three 162 kbyte single-sided, double-density BASF 5" drives, ISAM and random access supported.
Disk controller:	4 MHz Z80A, 16k dynamic RAM, 8k ROM
Languages:	Basic, Cobol, communication emulators, multi-tasking, spooler.
Ports:	1 parallel, 1 RS232 (+1 opt. extra)

Software

Two languages are supported at the moment. The first is CIS-Cobol from Micro-Focus and also included is an ingenious program suite called FORMS-2. Basically, this allows you to 'draw' screen layouts, lines and headers etc and even print out the screen so that you can see what the final result looks like on paper. Input fields can be defined and when you are happy with the result, FORMS-2 will generate all the necessary Cobol statements for you — and without any errors! This is a facility that most Cobol programmers should definitely find appealing.

Time did not permit me to delve too far into CIS-Cobol and so I pass onto the Basic interpreter.

Basic

Here again there are one or two surprises. The first thing you notice is a definite pause after hitting EOM while the interpreter checks your syntax. After a while I began to get annoyed at the rather pedestrian rate of this procedure. . . although I'm not a trained typist I still found myself waiting for the machine, which is wrong. But other people don't find this a problem and so maybe it's just me. Any errors found are reported with the appropriate error code and line number, although no indication is provided as to where along the line the error occurred. I counted nearly 100 available error codes, got most of them while I was familiarising myself with the machine, and subsequently settled down to Error 523 which means UNKNOWN STATEMENT (which is very similar to the ubiquitous SYNTAX ERROR).

Actually I think that the 7120 provides a very fair and creditable attempt at decent error-reporting and one that is all too lacking in some other systems; once I remembered to enter EOM at the end of a line, most of my errors seemed to vanish.

Remember the "mail-box"? Well, if you make a Basic line 10 W$ = WRITE FILE etc. . . then W$ will return with the appropriate error code (if any) from the BOS. Your Basic program can then interrogate W$ and you can therefore very easily route your error handling routines as appropriate by simple "IF W$<>0 THEN. . .".

Most Basic statements are present, with some exceptions and a few good additions. Missing is VAL and STR because K$=1 (yes, no quotes) then PRINT K$/4 will give .25. K can be converted to K$ by using a bit of syntax that I personally found a little clumsy. You can't have multi-dimensional arrays of any sort, which may be a disadvantage to some. Interesting additions are TRANSLATE which can, for example, effectively convert a mixture of lower and upper case letters into one or the other — very useful for input handling; the DROP commands will lose the specified number of characters from the appropriate end, PAD will increase a string to a specified length with a specified character (e.g. space) and TRIM will remove extraneous spaces. All three can either be carried out from the left or the right. PEEK and POKE can be either hex or decimal and one extra feature is that POKE ("@0CF0", "This is a string") will poke these letters into memory starting at address 0CF0. Another string handling feature that I liked was that Print 18*&"M" will print a string of 18 Ms, which is quite handy. PRINT USING is supported but the German comma and decimal point mean different things to us over here! As a consequence results aren't always quite what you'd expect them to be and although these difficulties can be got round with a bit of extra coding, it could be improved.

LISTING is also excellent as the system will only print one screenful at a time and prompt you at the bottom as to how many lines are left to go. Since the prompt is inside SOM and EOM markers and starts off with list, it's simplicity itself to use the screen editing controls to alter the line numbers at will, whereupon ENTER will execute your wishes — certainly, one of the best listings I've seen. Full chaining is possible and no variables are cleared between chains unless the COMMON statement is used to effectively free up memory that might be wasted on unused variables. Chaining can also request program execution to commence at a specified line number and also which lines of the old program are to be deleted. Yet another interesting feature is that if you alter or enter a program without saving it, any subsequent action such as a request for RUN will initiate the response "NO SAVE??" and wait for your reply. This may appeal to some but again, I personally found this feature a trifle annoying as I'm sufficiently big-headed to believe that I don't need a cocky computer reminding me all the time — even though on the odd occasion it may be right!

The Benchmark timings reveal one or two problem areas. The first thing I noticed was a pause of about one second while the MTX girds up its loins to respond to your request to run. This is of no real consequence as once the program is running properly, then this delay is over and done with at an early stage; I would, however, have liked to have seen whether this delay was apparent when MTX was running other tasks. The main point is that one second should be deducted from each of the Benchmark timings to reflect this. Table II shows the various timings and, surprisingly, at BM3 they really take a dive. This is due to the divide and multiply functions which each add about ten seconds to the total time taken for this particular test. After that the Benchmarks settle down to a sort of plateau and begin to look quite favourable when compared with some of the competition. Before BM8 could be run, MATHLIB had to be loaded. This is usually a one-time exercise as it remains in memory unless CLEAR is executed. However, the execution time of BM8 with this package is excruciatingly slow and BASF is currently looking at ways of improving it.

Since the accuracy of the system can be altered with the SYS.DIGIT command (it defaults to 12), execution time will depend on the figure selected. Unfortunately, increasing the number of digits didn't always improve the accuracy and so there isn't a real opportunity for a trade-off in speed versus accuracy. For example, sin(0.785398163) yields 0.707106779066 with 30 digit accuracy but 0.707106781187 with 12 digit accuracy. The true answer is $1/\sqrt{2}$ and the figure achieved with 12 digit accuracy is better than that achieved with 30 digits. As far as business users are concerned I doubt very much whether these fine distinctions will be of any great import but they may be to scientific circles or those with a mathematical bent. One additional feature of MATHLIB is that the three inverse trig functions (ARCSIN, ARCCOS and ARCTAN) are provided but all trig functions are in radians only and there is no direct conversion.

Reading through Basic programs was a little difficult at first, partly due to the strangeness of some of the Basic commands and also because of the quite large number of CALLs to sub-routines within the system itself. This is quite a useful technique for designing programs. Write them in Basic first and then debug them using Basic. Then, whereever possible and only if the system allows it, replace some of the Basic lines with equivalent machine code or assembler routines to speed things up. The sheer versatility of the 7120 makes it eminently suitable for this particular method of working.

There are other useful little features such as the fact that you can't delete the whole program in one go but have to type CLEAR instead, which is a

BENCHMARKS (timings in seconds)

BM1	2.4
BM2	7.0
BM3	35.0
BM4	36.5
BM5	39.0
BM6	50.0
BM7	63.0
BM8	114.0

Table 2

DISK TIMINGS	RAND/SEQ.	ISAM
2	50	70
3	Table 1 (in seconds)	71
4	30	34
5	26	34

Prices

System	
BASF 7120 with 64K + 24K	£5,155 + VAT
BASF 7110 with 64K + 24K	£4275 + VAT
Additional RS232 Port	£250 + VAT
BASF 7153 120 CRS Matrix Printer	£1671 + VAT
Software	
BASF Extended Business Basic	£150 per system
CIS-Cobol (including Forms 2)	£500 per system
2780 Emulator	£320 per system
3275 Emulator	£540 per system
Formgen (Screen/Formatter)	£250 one payment only

System prices include a range of utilities as well as a text editor, an assembler and a word processor. The system is supported by a six month parts and labour guarantee.

HEWLETT PACKARD
HP85



CONTACT YOUR LOCAL DEALER

Anglo-American Computing
9 Coventry Road
Coleshill
Warks
0675 65396

Automated Business Equipment
Mersey House
Heaton Mersey Industrial Estate
Battersea Road
Heaton Mersey
Stockport
Manchester (061 432) 0708

Business & Electronic Machines
7 Castle Street
Edinburgh
Edinburgh (031 226) 4294

Central Southern Calculators
12 Wokingham Road
Reading
Berks
Reading (0734) 61492

Decimac Business Machines
Decimal House
Thomas Lane
Bristol
Bristol (0272) 294591

Euro-Calc Ltd
128-132 Curtain Road
London EC2
01-729 4555

Holdene Ltd
10 Blenheim Terrace
Leeds
Leeds (0532) 459459

Office Machinery Engineering
73 London Road
Brighton
E. Sussex
Brighton (0273) 689682

Rockliff Brothers
Systems Centre
2 Rumford Street
Liverpool (051 521) 5830


Robox Limited
Unit 4
Anderston Shopping Centre
Glasgow
Glasgow (041 221) 5401

Sumlock Bondain Ltd
15 Clerkenwell Close
London EC1
01-250 0505

Sumlock Services
Epic House
Charles Street
Leicester
Leicester (0533) 29673

Taylor Wilson Ltd
Oakfield House
Station Road
Dorridge
Solihull
W. Midlands
Knowle (056 45) 6192

This is a list of dealers participating in Associated Advertising and not a full list.



character within quotes. However, because there is no key on the keyboard that will generate these characters directly, you must press the escape key (taking you out of the mode in which control characters are normally displayed), then REVERSE, then the appropriate letter — which may be shifted. No doubt it will seem very natural after a few years, but it would be so much easier if Commodore had provided a control key.

Returning now to the subject of garbage collection — one characteristic of Microsoft Basic is its dynamic storage of strings. Each time a string varaible is redefined it's rewritten elsewhere in memory, the previous representation becoming redundant. When the memory available for strings is exhausted, program execution halts while a 'garbage collection' routine disposes of the redundant strings and gathers together those that are still valid. At worst garbage collection now takes less than a second, against 20 minutes (in an extreme case) with earlier PET Basics. A slight disadvantage is that each string variable now takes up two additional bytes which are used for a vector pointing from the string storage area to the variable table. Each element in a string array now uses five bytes in addition to the length of the string, and for string variables the overhead is nine bytes. Another disadvantage is that creating a new non-array variable now takes up to half a second because the whole of the array table must be moved up — the secret is to mention each variable before setting up the arrays. String operations seem to be slightly faster overall by about 10%. However Benchmark timings, which don't test string handling, give identical timings to those for the new ROM PET.

Potential use

The CBM 8032 is a convenient computer, easily transportable and sturdy, the only essential add-on being the cassette deck or the disk drive. The Basic includes all the common mathematical functions and, while not as comprehensive as most disk Basics it is faster than average. The 80-column screen is ideal for business use and, though the 8032 may be more difficult to program than many machines, this will not affect the vast majority of business users as there are sure to be plenty of packages available.

Whether this new model will be bought for use in schools, colleges and the home is more questionable. The screen handling functions are impressive, but hard to use, and most of the graphics characters are inaccessible from the keyboard. The recommended price is £200 more than that of the 32k PET and more than twice that of an 8k machine with a built-in cassette. Commodore has aimed the 8000 series at the business market and it looks to have a good chance of achieving its objective. Because the 8032 is this year's model, a particular sector of the personal market will rush to buy but, at present prices, the existing range should have plenty of mileage left in it yet.

Compatibility

If you are thinking of upgrading from your existing PET, it won't be too difficult to modify existing software. Most of page zero is virtually unchanged and, while routines in ROM have been shuffled around, the majority perform exactly the same functions. Games programmers should note that the values stored in locations 151 and 166 have changed — they are no longer keyboard values, but garbled ASCII.

The 'window' facility makes it easy to simulate a 40-column screen, although programs that poke the screen will need changes as it now occupies RAM addresses 32768 to 34767.

Machine code programs that call Basic routines or use the second cassette buffer will need rewriting but most others will run without modification. The 'merge' technique can still be used to load subroutines or utility programs, although it founders if a line which lists more than 80 characters (including line number) is included.

To summarise, conversion of new ROM programs for the 8032 will be fairly easy, in many cases easier than converting between old and new ROM PETs.

Documentation

Two manuals were supplied with the review machine — a Users' Guide and a preliminary Basic/DOS manual. The users' guide is a good introduction to the mysteries of computer operation; as well as covering the physical controls, it describes all the command functions necessary for successful machine operation.

The preliminary manual was exactly that. Essentially written for Commodore dealers, it assumes a fair degree of prior knowledge. We hope that the version supplied to users of the 8032 is more comprehensive, though in this respect Commodore's track record is not enviable. Even this dealer's manual leaves out such useful information as the fact that auto-repeat can be disabled and that the length of the keyboard buffer can be altered. A good start, but serious programmers will need more, much more.


Conclusions

Commodore set out to widen its influence on the business market and without doubt it will succeed with the model 8032 which looks, feels and behaves like a business computer. Programmers used to the PET will find the 8032 an irritating machine to work with but no doubt they'll learn to love it. Let's face it — they'll have to.

The gaps in the memory map give hints of greater things to come — we hope it's not too long before Commodore extends the system software to make up for the odd weaknesses in the present version.

Finally, whether or not you're a businessman, if you require a display of more than 40 columns then you must put the 8032 on your shortlist of possible machines.

Memory map



Benchtest timings (in seconds)

BM1	1.7
BM2	10.0
BM3	18.4
BM4	20.3
BM5	21.9
BM6	32.4
BM7	51.0
BM8	11.9

At a glance

FIRST IMPRESSIONS	
Looks	****
Setting up	*****
Ease of use	*****
HIGH LEVEL LANGUAGES	
Basic	***
PACKAGES	Being planned
PERFORMANCE	
Processor	***
Cassette	****
Disk	***
EXPANSION	
Memory	*
Cassettes	****
Disk	*
Bus	****
COMPATABILITY	
Hardware	*
Software	**
DOCUMENTATION	***
VALUE FOR MONEY	***

***** excellent
**** v. good
*** good
** fair
* poor

BASIC BASIC

The problem with Basic is that there are so many mutually incompatible versions around that transferring a program from one machine to another can often be quite difficult. Mike Parr suggests a way of presenting programs so that they can be easily implemented by users of any machine.

Welcome to the world of 'Microsoft' Basic! On flicking through the pages of PCW you've probably seen many systems which claim to run a version of Microsoft Basic — e.g. Tandy Level II, PET, UK 101, C2—4P, Apple, Nascom 2, RML 380Z and Sorcerer. You could be forgiven for thinking that programs are easily transferred between these machines. The fact is though that a considerable amount of rewriting may be required. For example:

```
10 IF A=B THEN X=INSTR(L$,"A")
ELSE GOTO 50
```

will happily run on a Tandy but not, for example, on a PET. The latter machine cannot handle either the ELSE or the INSTR functions.

Bearing in mind that a PCW program might be typed in and edited by people as diverse as typists, businessmen or teachers then the problem of compatibility is a major one. There have been various approaches aimed at facilitating program 'portability', including the use of a 'universal' assembler-type language, which is easy to adapt for any machine, and even rigorous high-level language definition, such as Algol 68. It would be nice to say that Pascal allows machine-independent software but, even here, it seems that dialects are going to differ. Already we see Transam and UCSD compilers being based on different standards.

However, all is not lost — the different versions of Microsoft Basic are sufficiently similar to enable you, with a bit of care, to write programs that run on any system with little or no modification.

There are four main areas where portability problems occur — statements, data types, functions and input/output. I shall now examine each of these in turn.

Statements

The following statements occur in almost all Microsoft implementations: GOTO, IF. . .THEN, END, STOP, LET (or just plain =), FOR. . .TO. . .STEP, NEXT, DEF FN(numeric only), DIM, REM, GOSUB, RETURN, PRINT, INPUT, READ, DATA, RESTORE, CLEAR, ON. . .GOTO, ON. . . GOSUB and, finally, a colon may be used to separate statements.

It's clear that you can achieve maximum program portability by restricting your published programs to the above Microsoft subset. It will, of course, mean that some of your routines may not be as elegant as you might like but then again it does ensure that your efforts reach as wide an audience as possible.

Before moving on to data types I shall illustrate a few of the more common Basic functions which I have had to leave out of the subset:

```
10 IF A=B THEN PRINT C ELSE STOP
20 IF C=D, PRINT E
```

LINEINPUT, which reads a complete line of text, including spaces, commas and quotes into a single string variable. Believe it or not, this too is absent from many systems.

File OPEN and CLOSE is missing as well, because some systems don't have data files, and PEEK, POKE and USR are definitely out of the question as they are the very essence of machine dependency. Finally, CLEAR is similar on most machines but not identical, so it must also be banned.

Apart from the statements themselves there's the question of line lengths. PET for example is 80 characters, while UK 101 is 71 (yes, 71!), and Altair is 255.

The moral is clear. . . when it comes to statements keep the lines short and work as far as possible within the subset.

Data types

The second aspect of portability concerns data types. Microsoft Basic includes floating point numbers, strings of up to 255 characters, arrays of either type with no limit on the number of elements or dimensions and where only the first two letters of a variable name are significant.

On some systems, other variable types are allowed. An integer, for example, is sometimes defined by following its name with a % character thus:

```
20 I%=I%—1
```

Tandy and Altair have a more powerful system, including a set of statements like DEFINT I—N, which automatically causes all variables starting with the letters I to N to be treated as integers. In many programs, leaving out any special integer use has no serious effect (unless memory happens to be very tight). Finally, I should mention accuracy. Most hobbyist programs don't rely on high numerical accuracy, which is just as well since many systems have only 6 or 7 digits of precision. In general I would suggest that you stick to single precision floating point numbers unless memory size and arithmetic precision are particularly important to your application.

Input/Output

The remaining (and most involved) area deals with data-file I/O and memory-mapped graphics. The suggested approach is to use subroutines for primitive functions, commented in such a way that the average user (given reasonable system documentation) can amend them to fit any computer. As an examply, consider memory-mapped graphics, instead of just writing:

```
10 POKE 16300+Y*40+X , 65
```

you could write:

```
10 C=65 : GOSUB 2000
```

then:

```
2000 REM PLOT CHAR C AT X,Y.
(0,0 IS TOP LEFT)
2010 POKE 16300+Y*40+X , C
2030 RETURN
```

. . . with the result that the user only needs to alter the subroutine, not dozens of POKES throughout the program. Ideally you would also incorporate checks on the ranges of X and Y, as screen sizes vary between machines.

Looking now at file I/O, PET and Tandy users may be amazed to learn that many systems have no provision for cassette data files, other than resorting to PEEK,POKE and USR facilities. On most disk systems however, typical statements are:

ASC, CHR$, LEFT$, LEN, MID$, RIGHT$, STR$ VAL.

The main omission here is the useful

INSTR string searching function, which is missing from many systems. For complete compatibility, one can use a subroutine which performs a similar function (albeit slower) but, if you must use it, avoid the nested form:

```
10 A$=LEFT$(L$,INSTR(L$ , "A"))
```

as the PET user may be replacing INSTR by GOSUB, and would prefer:

```
10 P=INSTR(L$ , "A")
20 A$=LEFT$(L$ ,P)
```

this being much easier to edit.

Finally, most systems include the FRE function, used with either a numeric or string argument. This is fine, but bear in mind that, as with CLEAR, certain assumptions about free space may be machine-dependent (for example, one might use FRE to determine the maximum subscript for a numeric array — however, don't assume that all systems use the same number of bytes to store each array element).

Standard Functions

All Microsoft systems have these numeric functions:
ABS, ATN, COS, EXP, INT, LOG, RND, SGN, SIN, SQR, TAN, TAB.

They also have the logical functions (actually operators) of AND, OR and NOT which treat their operands as 16-bit two's complement integers. The 16-bit number, consisting of all ones, is regarded as logical TRUE, (its value being —1).

The only major difference between the built-in functions concerns RND. Most machines will produce a value between 0 and 1 whereas Tandy, for example, will give a value between 1 and n. To make such a program more portable, you should only assume the presence of random numbers from 0 to 1, and modify the result using a scale factor and the INT function.

Character functions include:
OPEN, CLOSE, PRINT#1, INPUT#1, LINEINPUT#1

. . . together with the EOF(N) function, which returns a 'true' value if there is no more information in file number N. As an example, one could list a file on the VDU by:

```
10 REM OPEN FILE CALLED JIM
FOR INPUT AS UNIT 1
20 OPEN "JIM", I , 1
30 IF EOF(1) THEN CLOSE 1 :END
40 LINEINPUT#1, L$:PRINT L$:
GOTO 30
```

In fact, very few cassette systems could handle this (reasonable) program. PET and Tandy machines, for example, have no LINEINPUT and the Nascom 2 and Sorcerer can't even read text from tape, as data is only allowed to be in the form of numeric arrays.

A further problem exists concerning motor control. Examining cassette handling on 'good' systems such as PET and Tandy, one sees that the task of tape I/O consists of:

Output	Input
Start motor	Start motor
Wait (and transmit 'null' chars.)	Ignore 'null' characters.
Transmit line.	Read line.
Stop motor.	Stop motor.

On a machine with no cassette motor control, problems will arise when trying to run this type of program:
1. Read data from tape.
2. Process data.
3. Goto step 1.

If step 2. involves lengthy calculations,the cassette (which is still running) may be in the middle of the next data line before the program is ready to read from it. Once again, the approach to take is to write all machine-dependent software in commented subroutines, which provide the primitive operations of reading and writing complete lines of text. Output is straightforward, except for the proviso that, if no motor control exists, sufficient 'null' characters must be used to enable the program that will eventually use the data to "keep up":

```
4000 REM. L$ TO FILE
4010 PRINT#1, L$
4020 RETURN
```

The UK101 user, for example, may replace this by a routine to transmit 'null' characters for a second or two, then to transmit L$ character by character.

The file input routine is the equivalent of:

```
5000 REM. READ LINE TO L$
5010 LINEINPUT#1,L$
5020 RETURN
```

. . . where the PET user may replace 5010 by a loop using GET to build up L$, and Nascom 2 and Sorcerer users might use CLOAD, converting the input numeric array to a character string in L$. Obviously, the input and output routines should be compatible in the sense that strings transmitted to and read back from file should appear identical.

Additionally, one requires an end-of-file test, and an easy machine-dependent solution is to denote the end with a special peculiar line such as "/+/+". If this is adopted, the EOF() function is not required, and the 'higher-level' input routine becomes:

```
6000 REM LINE TO L$. SET EF TO
—1 ON EOF
6010 EF=0 : GOSUB 5000
6020 IF L$="/+/+" THEN EF= —1
6030 RETURN
```

To complete the I/O routines, we require open and close facilities for our files:

```
7000 REM. OPEN OUTPUT FILE
7010 PRINT"PRESS RECORD AND
PLAY, THEN ENTER ANY CHARAC-
TER":INPUT L$
7020 RETURN
8000 REM. OPEN INPUT FILE
8010 PRINT "PRESS PLAY , THEN
ENTER ANY CHARACTER": INPUT
L$
8020 RETURN
(If you have an 'open' statement, insert
it at 7005 and 8005)
9000 REM. CLOSE INPUT FILE
9010 RETURN
(The PET user may insert CLOSE at
9005)
1000 REM. CLOSE OUTPUT FILE
10010 L$="/+/+" : GOSUB 4000
10020 RETURN
(Again, if you have a CLOSE, place it
at 10015)
```

These routines assume no named files — though modification would be trivial if you have such luxuries — and one file device only (a cassette deck perhaps). In common with the 'subset' approach, only the minimum facilities are assumed.

To summarise I/O, the benefits of this method appear when you attempt to transfer programs between machines with widely differing I/O methods. Finally, if you think that these routines preclude numeric I/O, it's no trouble to use the built-in conversion functions, so instead of:

```
10 PRINT#1,N
```

you may write:

```
10 L$=VAL$(N): GOSUB 4000
```

Conclusions

With a little forethought and a bit more typing, portable software is possible. It must be admitted that some defy portability — some flashy graphics could give problems, and memory size may be significant in large programs. However, there's no reason why the remainder should not see much wider use once a Microsoft subset has been followed.

Example

To illustrate what I mean here's a useful example that conforms as near as possible to the 'rules' that I've proposed. The program is an interactive data-file editor for any single-cassette system, illustrating the use of a subset, and the file I/O routines. The data lines are read into a large text array T$(), and may then be edited by the following commands, typed in response to "C?".

Back — by a specified number of lines.
Forwards — by a specified number of lines.
List — as Forwards, but display lines.
Delete — delete current line, and move to next one.
Insert — insert a new line after the current one.
Replace — replace the current line by a new line.
SAVE — save the edited text on cassette.
Search — search for a line containing a specified string.
Top — move back to 'top' of file.

(Only the initial, capital letters of the command should be used.) The commands relate to the current line, usually the last line displayed. e.g. to move forward 3 lines:
F is typed in response to C?
FOR? is printed by the program.
3 is entered by user.

To actually use the program, load it from its own cassette, then place the data tape in the recorder, ensuring that it is rewound. Type "Y" in response to the 'existing file' question, and perform the edits. Before typing SAVE, either rewind the data tape, or load a fresh one (thus giving you a back-up copy). To create a new file, type "N" instead of "Y".

The program occupies around 2200 bytes thus leaving, in an 8k system, some 6000 bytes for text (about 200 lines of 30 characters). On your system, alter line 20 to clear your maximum string space, estimate your average line length, and dimension T$() to the maximum possible number of lines.

If your data doesn't have commas or leading spaces, INPUT#1 can be used in place of LINEINPUT#1. For those with no cassette motor control, only a very short delay is needed in routine 8000, as the lines are rapidly read and stored in TS(). In fact, the cassette control on PET and Tandy, involving a delay of several seconds, is a disadvantage in this type of input.

GOTO page 124 for Listing

The 3rd Personal Computer World Show

It's the show you can't afford to miss! The 3rd Personal Computer World show takes place on 4-6 September at the Cunard International Hotel, London. And what a show it's going to be! A bumper collection of all the latest hardware, software, peripherals, accessories and books; special stands for parents and teachers interested in learning how to spread computer literacy among the young, one from a school and one from Young Computer World; MICRO UK, a three-day series of seminars, conferences and 'meet the expert' discussions; and the first official World Microcomputer Chess Championship.

For full details of the show's opening hours and admission prices see page 82. For details of MICRO UK, see pages 12 and 13. And for an introduction to the chess contest by our resident microchess expert Kevin O'Connell, see page 60. Meanwhile, here's our stand-by-stand guide to all exhibitors who had confirmed their bookings when we went to press.

Don't forget to call in at the PCW stand where you can buy T-shirts, badges, back numbers and binders, and where, when they're not bar-propping or hiding, the PCW editorial team will be on hand.

SEE YOU AT THE SHOW!

ACT **B30**
66-68 Hagley Road
Edgbaston
Birmingham
B16 8PF
021-455 8585

Appleware
Britain's best range of Apple software is there for you to try on the Appleware stand, some of the products appearing for the first time. Look out for the latest version of the award-winning VisiCalc program, Tiny Pascal, Talking Disk and the amazing Apple Invaders program. They are on sale direct from the stand, some at specially reduced prices.

Petsoft
Petsoft are offering a new range of low-cost ready-to-run business programs covering ten key applications. Word Processing, Payroll, Ledgers, Stock Control and Mailing List packages will be on sale direct from the stand.

VisiCalc, the award winning forecasting package, and the superb Programmers Toolkit plug-in ROM chip are also there for you to try.

Petsoft also offer the widest range of Educational, Scientific and Games programs.

CCS MICROHIRE/ MICROSALES **B8**
7 The Arcade
Letchworth
Herts
04626 73301

CCS will be launching its Data Manager package for the Apple II and PET. This is a modular data handling system for incorporation into programs, handling five files (can be expanded or reduced), and which takes care of all file processing including computer-guided definition and storage of file descriptions for as many files as the user requires.

The company will be demonstrating and selling its range of software and hardware packages, including stock accountint, word processing, modelling and scheduling for the ABC-80, Apple II and PET machines.

CHROMASONIC ELECTRONICS **B34**
56 Fortis Green Road
Muswell Hill
London N10 3HN
01-883 3705/2289

Details not known at time of going to press.

COMP SHOP **A3**
14 Station Road
New Barnet
Herts EN5 1QW
01-441 2922

Comp Shop's range of stock includes the TRS-80 Models I and II, Apple II, Compukit UK101 and PET, together with various peripherals. At the time of going to press, Comp Shop was promising unusually special offers on all its products, which carry a full one-year warranty.

COMPUTABITS LTD **B13**
PO Box 13
Yeovil
Somerset
0935 26522

Nick Hampshire, writer of *The Pet Revealed*, will be at the show selling his book and his latest product — a library of PET subroutines. Routines include input validation, screen formatting, plotting, sorting, various file access methods and a number of general utilities. All these are supplied on a 3040 format disk.

THE COMPUTER BOOKSHOP **A14**
Temple House
43-48 New Street
Birmingham B2 4LH
021-643 4577

Computer Bookshop is a trade distributor of books and training courses supporting the UK microelectronics and personal computer industries and is the sole UK distributor of Sybex books. New titles this summer include *Programming the Z8000* and *6502 Games*, both by Sybex. Among the 250 titles on display will be new books from well-known computer publishers such as Sams, Addison Wesley and Hayden, plus a range new to Computer Bookshop from TABS. Computer Bookshop also hopes to have some of the new books coming out from British publishing houses.

CREATIVE COMPUTING **B72**
PO Box 789-M
Morristown NJ07960
USA
(201) 540 0445

Creative Computing is a leading US publisher of magazines, books and software for personal computers. *Creative Computing* magazine publishes practical applications for home, school and small business, evaluations of the newest computers, peripherals and software, games, book reviews and fiction. *S-100 Microsystems* magazine is designed for the serious user of S100 bus systems. Books from Creative Computing Press include the popular *Basic Computer Games* and *More Basic Games*, copies of which will be autographed by editor David Ahl at the show. The Sensational Software line includes cassettes and floppy disks for Apple, PET, TRS-80, Sol, Sorcerer and CP/M systems.

DATAC LTD **B36/B57**
Tudor Road
Altrincham
Cheshire
WA14 5TN
061 941 2361/2

Datac Limited "The Printer People" will be showing a substantial part of their large range of digital printer units, including mechanisms, electronic interfaces, and complete packaged units. Also on display will be a new range of Philips high-resolution C.R.T. monitors, which Datac are distributing in the U.K.

Of particular interest will be the following brand-new printer products: The Centronics 737 80-132 column impact printer featuring 9-needle printhead and proportional spacing.

The DMI-40P free-standing terminal version of the DMI-40 40-column impact matrix printer mechanism.
A new serial input version of the well-established 20/40 column 410 serial printers.



3D DIGITAL DESIGN & DEVELOPMENT **B35**
43 Grafton Way
London W1P 5LA
01-387 7388

3D specialises in microprocessor interfacing for industrial, medical and educational applications and will quote for custom interfacing packages which include both hardware and software.
On show will be some micros plus a fast data acquisition system (40,000 samples per second) and a 12-bit analogue-to-digital converter for the PET.

FACIT DATA PRODUCTS **B58**
Maidstone Road
Rochester
Kent
0634 401721

Data products will be showing an interesting and extensive range of printers. The new Facit 4520 is a low-cost, high quality matrix printer which prints bidirectionally, in a high-quality 9 x 7 matrix character font. The Facit IPS 5000, also brand new, has 150 cps printing speed and operates a 9 x 9 dot matrix with true descenders, guaranteeing clear-cut printouts.

Showing for the first time in the UK will be the Facit 4542, a matrix printer with impressive capabilities. It can print in 2 colours, and has a 14 x 9 dot matrix, allowing it to produce graphics as well as very high quality printout.

GALATREK ENGINEERING **A15**
Scotland Street
Llanrwst
Gwynedd LL26 0AL
North Wales
0492 640311

This company will be showing a new range of constant voltage transformers in ratings up to 5 kVA. Representing an innovative development based on the established ferro-resonant saturable reactor technique, they offer output stabilisation to ±1%, attenuation of high voltage transients and power back-up to 1 cycle duration in case of transient supply breaks. At the same time, size, weight and cost have all been reduced; they are thus well suited to providing the clean mains input necessary for maximum operating reliability of small computer systems. Other related devices will also be shown, and Galatrek will also be providing clean power supplies for contestants in the first World Microcomputer Chess Championship,

GRAHAM-DORIAN SOFTWARE SYSTEMS **A17**
17 The Gallop
Yateley
Camberley
Surrey
0252 874790

Terodec (Microsystems) Ltd has combined with Graham-Dorian Enterprises Inc to form Graham-Dorian Software Systems. Terodec's range of microcomputers includes the TMZ-80 and Delta Products DPS64 range. Both machines have hard disk/multi user expansion capability. Graham Dorian's software products are among the most detailed packages on the market today. These are currently 15 packages each fully documented, including source code and easily understood operator instructions. GDSS is the European distributor for Compiler System's CBASIC-2 and MicroPro's WordStar, DataStar and MailMerge. Operating Systems Software include CP/M for the Tandy TRS-80 Models I and II.

A J HARDING (MOLIMERX) **B19**
28 Collington Avenue
Bexhill-on-Sea
East Sussex
0424 220391

This company specialises in the supply of software for the TRS-80, both Model I and Model II. Mr Harding and his staff will be available to demonstrate any of the Model I software, including the new Microsoft utilities such as the Basic compiler and the Editor/Assembler Plus. A broad selection of other utilities, business software and games will also be available. You will be able to buy software at the stand, together with the line of accessories which Molimerx carries, such as disks, special formula tapes for the TRS-80, its well-known green screen and books.

HOUGHTON COUNTY PRIMARY SCHOOL **B40**
Houghton
Huntingdon
Cambs
0480 63398

Houghton County Primary School, Huntingdon, Cambridgeshire was one of the first schools in the country to buy a microcomputer of its own. Since January 1980, Don Walton has been developing software for computer assisted learning in a wide range of subjects, with children aged 4½ to 11 years old. Every child and teacher in the school is an enthusiastic user of their Commodore PET and although most of them are not able to program, Don Walton has implemented a pilot project to teach the elements of Basic to his top class of 11 year old children with some success.

As a result of this experience Don and the headmaster of the school Keith Luton are well able to answer questions on the problems facing a primary school wishing to introduce a microcomputer.

INTERACTIVE DATA SYSTEMS **B23**
14 Buckman Close
Greenleys
Milton Keynes MK12 6AB
0908 313997

Interactive Data Systems will exhibit its range of UK-made S100 boards, including Z80-based CPU boards, memory boards, double-density floppy disk controllers and analogue and parallel I/O boards, together with motherboards, power supplies and Saracen mainframes. Also on show will be the first showing of IDS's new low-cost VDU. A full, professional standard VDU housed in a very attractive structural foam case. The unit features 24 rows of 80 characters, 96-character ASCII set plus 128 graphics characters, reverse video, underlining, flashing characters and half-tone background.

INTEX DATALOG LTD **B67-B50**
Eaglescliffe Industrial Estate
Eaglescliffe
Stockton-on-Tees
Cleveland
0642 781193

Datalog is primarily a shop window for a range of popular microcomputers and accessories, being an authorised dealer for the PET, Apple and Nascom machines and a main dealer for Computhink products. The company also handles a range of printers and sundry items such as cassette tapes, diskettes, paper and dustcovers. Datalog intends to expand its activities, keeping abreast of current developments in the microcomputer field to consolidate its already established position.

KANSAS CITY SYSTEMS **B6**
Unit 3
Sutton Spring Wood
Chesterfield
0246 850357

KCS specialises in quality software for the Tandy TRS-80 and the comparable Video Genie. The introduction this year of Level IV Basic resulted in "virtually a new computer", such is its extra exclusive facilities, commands and utilities. The company also sells Video Genie hardware at a discount price.

KINGSTON COMPUTERS LTD **B45/24**
Scarborough House
Scarborough Road
Bridlington
North Yorkshire
0262 73036

Details not known at time of going to press.

KOBRA MICROSYSTEMS LTD **B10**
14 Broadway
West Ealing
London W13 0SR
01-579 5845

A new low cost multiuser system for the Commodore PET will be demonstrated by Kobra Microsystems, a subsidiary of Adda Computers. Called MU-PET, it allows up to eight PETs to access one Commodore disk and share a printer. The hardware connects via the PET IEEE bus and has been designed so that each PET thinks that the disk is its own and no program changes are necessary. MU-PET, costs £595 + VAT for a three-user system and has been officially approved as a PET peripheral by Commodore UK.

L P ENTERPRISES **A1**
8-11 Cambridge House
Cambridge Road
Barking, Essex IG11 8NT
01-591 6511

L P Enterprises is the longest-established UK company selling microcomputer books, magazines and software to the public, dealers and OEMs. It imports the best available from the USA and will be showing the bulk of its product ranges, most of which will be on sale at the show. Software demonstrations will take place at regular intervals and professional help will be available for business and educational users as well as for hobbyists.

LITTLE GENIUS **B4**
Suite 504
Albany House
324 Regent Street
London, W1
01-580 6361

Details not known at time of going to press.

LONDON COMPUTER CENTRE LTD **A11**
43 Grafton Way
London W1P 5LA
01-388 5721

London Computer Centre specialises in daisy wheel and dot matrix printers and will launch a new, full-width daisy wheel printer for under £1000. Also on display will be TRS-80 Models I and II and SuperBrain computers. Word processing, accounts, ledgers, payroll and other software will be demonstrated to support the above hardware.

LOWE ELECTRONICS LTD **A18**
Bentley Bridge
Chesterfield Road
Matlock
Derbyshire DE4 5LE
0629 2817

Lowe Electronics distributes the Video Genie and will be exhibiting the system together with its new range of peripherals which includes an expansion box, disk drives, RAM card, sound box and various interfaces, all as competitively priced as the system itself. With these peripherals, the Video Genie 'comes of age'.

MICROMARK **B62**
Publicity House
Ravenscroft Road
Henley on Thames
Oxon, RG9 2DH
04912 77926

Details not known at time of going to press.

MICROTREND **B21/B2**
PO Box 51
Pately Bridge
Harrogate
N. Yorkshire
HG3 5DP
0423 711878

Microtrend will demonstrate packages from its Professional Software range and 'work station' products to run under CP/M on 8080/8085/Z80-based systems; these latter include word-processing and inter-system communications packages. Microtrend will also exhibit additions to its Popular Software range, including the new chess program 'Gambiet/80' which will compete in the first world Microcomputer Chess Championship.

MIND YOUR OWN BUSINESS **B70**
106 Church Road
London SE19 2UB
01-771 3614

Mind Your Own Business is a monthly magazine read by 40,000 businessmen which explains in a practical and non-technical manner how to choose and use modern office equipment to improve business efficiency and manage information. Subjects covered include word processing, small business systems, facsimile, microfilm, telex, speech and digital exchange systems, communications, dictation, copying and many other subjects of importance to those responsible for the efficient running of both large and small businesses.

MINE OF INFORMATION LTD **B61**
1 Francis Avenue
St Albans AL3 6BL
0727 52801

The company was formed in 1977 as consultants, publishers and booksellers in the microcomputing field. Today MoI is one of Britain's foremost microcomputer booksellers. The emphasis is on quality: books are selected by an experienced computer consultant on the basis of accuracy, relevance and value for money. MoI will exhibit the latest selection of microcomputer books for perusal and purchase. MoI is independent of any other organisation and is therefore free to choose or reject each title from each publisher, depending solely on the merits of the book itself.



NEWTONS LABORATORIES **B9**
123 Wandsworth High St
London SW18
01-870 4248

Details not known at time of going to press.

OXFORD COMPUTING LTD **B53**
48 Crown Street
Reading, Berks
0734 661054

Oxford Computing Ltd is a new company formed to launch a major breakthrough in positional intensifiers. The OCL DataPad 1 is an entirely British innovation which enables data entry into virtually every micro and minicomputer and some mainframes without using a keyboard. It eliminates the need for trained operators and overcomes the problem of delivery in data entry. The device also has a very comprehensive graphics plotting capability, enabling graphics to be produced instantly, also without a keyboard.

PAKENORTH LTD **B51**
600 Kingston Road
London SW20 8DN
01-543 4477

Pakenorth specialises in producing tailored software for most micros and minis. Packages for the PET and Sharp MZ-80K which will be demonstrated at the show include payroll, general ledger, costing and an interactive database management system for users who wish to produce their own tailored systems without writing programs. Sharp MZ-80K hardware is also available, including floppy disk drives and printers, and a complete small MZ-80K-based small business system will be on sale.

PERSONAL COMPUTERS LTD **B20**
194/200 Bishopsgate
London
EC2M 4NR
01-626 8121

Personal Computers intends to show Apple III, financial planning and word processing software for Apple II, together with a new 80 character card and alpha numeric keypad. Also on display will be their own word processor, Format 80. A range of printers will be on the stand, including Qume 5/45 RO, Paper Tiger, TCM 100/200 and the Centronics 730.

A number of new interfaces will be on show, including a parallel/serial card and the Super Sound Generator.
A specialist will be on hand to

demonstrate the Apple graphics tablet and the well-received plotter and plotting software. The Sharp MZ-80K will be on display with its recently announced disks and printer.

PLUS BUSINESS SYSTEMS **A9**
88 High Street
Slough
Berks
Slough 38319

Details not known at time of going to press.

RESEARCH MACHINES LTD **B42**
Mill Street
Botley Road
Oxford
0865 49791

RML will display its Z80A-based 380Z microcomputer in various configurations. Disk systems include dual double-sided mini drives and twin 8" double-sided drives. One system will display the RML High Resolution Colour Graphics option. Recent and future developments include a 16-channel, 10-bit A/D board, a full IEEE 488 implementation for scientific users, a 40/80 character VDU board and a multi-access system.

SCIENCE OF CAMBRIDGE LTD **A10**
6 Kings Parade
Cambridge
Cambs CB2 1SN
0223 311488

The highly-acclaimed Sinclair ZX80 will be featured on the company's stand. Extremely portable, measuring 8 x 6 x 1½ inches, and weighing 12 ounces, the ZX80 is intended for use at home, work, college or school. To ensure maximum flexibility of use, the ZX80 may be plugged directly into the aerial socket of any domestic colour or black and white TV. A conventional home cassette player is used to store programs.

THE SOFTWAREHOUSE **A7**
146 Oxford Street
London W1
01-637 1587

Come and see the widest selection of business, games and educational software in Europe. Our personal and after sales services are second to none.

ST COMMERCIAL SYSTEMS LTD **B12**
24 Ranelagh Road
London W5 5RJ
01-840 1926

STCS specialises in the sale and support of systems based on the Intertec Super-Brain with the OKI Microline 80 for normal printing and the NEC Spinwriter for letter-quality printing at 55 cps. Application packages include word processing, interactive data entry and full accounting systems.



TANDY CORPORATION **B16, 18, 25, 27, 29, 31**
Bilston Road
Wednesbury
Staffs
WS10 7JN
021-556 6101
01-236 9424

The TRS-80 is the world's best selling microcomputer. It's not hard to see why. It's an attractively packaged, user-orientated unit having a detachable keyboard and the sort of features you'd expect with a £2000 plus price tag. The TRS-80 range has found uses in a wide range of settings, including homes, small businesses, schools and colleges. The system being modular can be expanded to deal with changing or developing user needs.

TANGERINE COMPUTER SYSTEMS LTD **B39**
Forehill Works
Forehill
Cambs
0353 3633

Tangerine is a British-owned, young company which produces British-designed microcomputers. The Microtan system has been designed to satisfy the needs of both personal and business users. On show will be the Microtan 63 System, based on the 6502 microprocessor, a fully expandable and powerful microcomputer which uses the 10k extended Microsoft Basic. Peripheral modules include Bulk I/O, Ceefax-compatible, high definition colour graphics, 40k RAM on a single board Tanex expansion module, IEEE Interface, Tandos controller and drives, mini racks and system racks.

TRANSAM COMPONENTS LTD **B14/B33**
59/61 Theobalds Road
London WC1
01-402 8137

Transam will be exhibiting its latest computer system — the Tuscan S100. This innovative product is an economical single board computer with integral S100 expansion capability and is available with system monitor (Z80A), resident Basic, resident Pascal or CP/M compatible 5¼" or 8" double density drives. In kit or assembled form, this system offers unique flexibility and potential to any computer user in any section of microcomputing today. The complete unit including two 5¼" drives is housed in a single case with hinged lid.

Also on show will be a range of TCL software products including TCL Pascal.

VERO ELECTRONICS LTD **B3**
Industrial Estate
Chandlers Ford
Hampshire
04215 62829

Having been in electronics for the last 20 years, Vero now boasts a wide range of products for both the electronics hobbyist and research/development engineers involved with micro-electronics. They have products ranging from solderless breadboards (Verobloc) to complete 19" racking systems.

On show will be the latest range of Microboards, Backplanes, keyboard enclosures and, from Verosystems, a range of British-made wire wrapping tools and accessories.

VLASAK ELECTRONICS LTD **A6**
Thames Building
Dedmere Road
Marlow, Bucks SL7 1PB
06284 74789


An new item on show on the Vlasak stand will be a large-capacity disk drive unit for the Apple II, offering one megabyte of plug-in-and-go on-line storage. Vlasak's range of Apple II software will be demonstrated, including a fully integrated ledger system and a payroll package. Vlasak will also show items from its range of computer accessories, including customised stationery and an inexpensive word processing printer.

JOHN WILEY AND SONS LTD **B28**
Baffins Lane
Chichester
West Sussex PO19 1UD
0243 784531

The company is a major publisher in the applied science and technology field, with a range of quality books — written by leading figures in the industry — covering computer applications and techniques which caters for the requirements of the data processing professional. The special demands of people wishing to become familiar for the first time with the many aspects of personal computing are met by carefully written texts covering most of the major systems, programs and equipment in use today.

ZENITH DATA SYSTEMS **B43, B26**
Bristol Road
Gloucester GL2 6EE
0452 29451

Following the success of last year's PCW show, Zenith Data Systems is exhibiting its comprehensive range of computing hardware. Zenith is one of the largest producers of micro-based equipment in the world; its stand is a must for the more serious-minded distributor/OEM. Backed by a billion-dollar company, Zenith's continued success is assured with a forward development programme second to none in the industry today.



WORLD MICROCOMPUTER CHESS CHAMPIONSHIP

To set the scene for the first World Microcomputer Chess Championship at the 3rd Personal Computer World Show, Kevin O'Connell takes a light-hearted look at chess and computers.

In the beginning

Man's dreams of flying not only anticipated the aeroplane, they also predated his dreams of chess computers. However, as early as 1770 a chess machine had appeared. That was The Turk — a life-sized figure, dressed as a Turk, seated behind a chest that was about four feet long, two feet wide and three feet high. It was one of the sensations of the day, for it played very good chess and defeated all comers.

Even IBM was a somewhat unknown quantity in the late eighteenth century and The Turk's audience naturally suspected that a man, or perhaps a child prodigy, was concealed in the contraption. When confronted with such natural scepticism, the gifted inventor, Baron von Kempelen, would open the front of the cabinet to reveal a mass of cogs and levers. He would repeat the process at the back and hold up a lighted candle so that the audience could see right through the machinery. A door in the back of the human figure would also be opened, revealing still more machinery. The only conclusion left to the spectators was that the machine was genuine or, like the reaction which computers elicit from so many people today, that it was all done by magic. But of course the cabinet had been constructed in such a way that a man could be hidden inside it. The machine's various owners, including Johan Maelzel, better known as purveyor of ear trumpets to Beethoven, took care to employ some of the strongest (and smallest!) chess players of the day and The Turk was rarely defeated.

Other chess automata followed, most of them straight copies of The Turk, until the first genuine chess playing machine appeared at the turn of the nineteenth and twentieth centuries. This apparatus was rather limited and could play only with king and rook against king, a mere three pieces out of the full complement of 32. But this ingenious invention of Torres y Quevedo, head of the Laboratorio de Automatica in Madrid, naturally excited great interest when exhibited in Spain and France in the early years of this century. This fascinating precursor of today's computer chess machines can be seen in the museum at the Polytechnic in Madrid.



"Now let me see you shake hands!"

There followed Zuse, Shannon et al. To avoid unnecessary duplication, I refer you, for the early development of computer chess, to my article in the July issue of PCW.

The last decade

The image of chess among the general public has changed. Once it used to be regarded as a slow-moving game, played by grey-bearded men at cobweb-covered tables. However, photographs, news reports and TV programmes showing top players in track-suits doing weight-training to build up their stamina, big money prizes and the advent of computer chess machines have changed all that. The cognoscenti have always known, that chess, despite its deceptive outward appearance, is a game of great tension and enormous speed. The Germans call it a *Denksport* (thinking sport) and it's rapidly coming to be regarded as just that by more and more people around the world!

To master chess completely is an exceptionally difficult task and only a handful of humans have ever gained such proficiency. As programming skills improve and programs get closer to the goal of joining that select band of chess players who can claim such a degree of mastery, so the world gets nearer to the point of being able to use computer power to solve other, more pressing, problems — such long-range planning and, perhaps, the creation of real artificial intelligence.

The first World Microcomputer Chess Championship this month ushers in a new decade that follows ten years of often frantic progress in the field of computer chess.

The very first chess tournament for computer programs was held in New York in 1970 as part of the annual conference of the Association for Computing Machinery. Then six programs took part, all but one of them clearly playing weaker chess than virtually any of the 20 or so chess machines that have come on the market in the last three years. The following year, 1971, saw the second machine versus machine event in Chicago. At that time there was a new product on the market, made by Intel, called a 4004 — the first of

the microprocessors.

Improved microprocessors followed and more and better mainframe computers and chess programs. The last two years of the decade opened with the very first chess tournament for micros. These little babies then promptly went on to compete against (and sometimes beat) their big elder brothers, — machines which used chess programs 20 or 30 times the size. One of the programs expected to play in the 3rd World Computer Championship later this month in Linz, Austria, uses no less than two megabytes of RAM. Despite the ever-increasing capacity of micros and the steadily falling cost of them, that kind of memory space will remain out of the reach of all but the most affluent of micro programmers for some time to come. Therefore, they have to make up for the deficiency in memory by finding superior evaluation functions (for an outline of evaluation functions and their use see 'Computer Games' — the series by David Levy that's currently running in this magazine).

Here, an analogy with the development of top-flight human chess skill is not inappropriate — I have yet to hear of any candidate for the world championship undergoing brain surgery to have more neurons inserted! The human way is a two-part process. First any aspiring player must learn to calculate as accurately and as quickly as possible. The second more important and more difficult task is, having once acquired a primitive evaluation function, to refine it to the stage where it will give an accurate assessment of any position which may arise either on the chess board itself, or in the course of his analysis from that position.

The evaluation function is also the most important and most difficult part of any chess program. However, it's one where the micro programmer is at little or no disadvantage to the mainframe machine player with almost unlimited memory space to play with. Several programs now have evaluation functions which permit them to play quite good chess, using a total memory space of only 8—12k. Although it's impossible to define any theoretical requirements, it seems unlikely that more than 64k should be required to produce, if not a world champion, at least a machine of world-class playing ability. Perhaps one or more of the competitors in the World Microcomputer Championship will have cracked some, if not all, of the problems associated with producing such an evaluation function. We'll soon see.

FIDE

GENS UNA SUMUS

Ideas and recognition

Greater availability of computing power, more people writing chess programs, greater cross-fertilisation of ideas — all these things can only speed the appearance of a really top-class program.

If you have any good ideas about how to improve chess programs, drop me a line, or come and discuss them at the show. I'll be able to spread the glad tidings to those who are chasing after the $ 50,000 offered by the Dutch software house of Volmac for a program to beat the 79-year-old former world champion Dr Max Euwe, and the $ 100,000 Fredkin Foundation prize to the first program to gain the title of World Chess Champion

It's only to be expected that these tempting cash prizes will lead to increased effort on the part of programmers. They may also have an even more important benefit — that of increasing the already considerable prestige attached to computer chess. Recognition is probably a prerequisite of prestige and it's therefore especially important that the World Chess Federation (FIDE) has this year recognised and granted its auspices to the two most important computer chess competitions: the World Computer Championship and the World Microcomputer Championship. As 'real' chess players continue to take a greater and greater interest in computer chess we can expect two benefits to accrue: top-class players will become increasingly available for consultation — which should help programmers to increase greatly the sophistication of their evaluation functions — and the wider recognition, implying greater prestige, should help to increase still further the cash incentives being offered to anyone who can make a breakthrough in the field.



Boos and giggles not out of place in normally silent game

Thus ran the headline to a recent magazine article about a chess game in which costumed actors took the place of wooden chessmen.

At most chess tournaments silence is the rule because the players have to concentrate. Obviously no amount of talking, giggling or even cat-calling is likely to disturb the players if they are all machines. That is one of the best things about a computer chess tournament — everyone is free to chat, laugh and generally enjoy themselves.

Come along to the tournament on Thursday, Friday and Saturday. It will be fun. You can delight in the anguished looks on the faces of the programmers whose programs stumble into disastrous errors. You may chuckle at any machine failures, although this is not recommended procedure if you happen to be in the immediate vicinity of the aggrieved owner. Chess is a game to enjoy and you will be able to revel in it at the first World Microcomputer Chess Championship.

MAELZEL'S EXHIBITION,

No. 29, St. James's Street.

The Automaton



Chess Player

Being returned from *Edinburgh* and *Liverpool*, where (giving the Pawn and Move) it baffled all Competition, in upwards of 200 Games, although opposed by ALL THE BEST PLAYERS.

Has opened its Second Campaign,

WITH THE ADDITION OF THE

AUTOMATON TRUMPETER,

AND THE

Conflagration of Moscow,

In which Mr. M. has endeavoured to combine the ARTS of DESIGN, MECHANISM, and MUSIC, so as produce, by a novel Imitation of Nature, a perfect Fac Simile of the real Scene. The View is from an elevated Station on the Fortress of the *Kremlin*, at the Moment when the Inhabitants are evacuating the Capital of the Czars, and the Head of the French Columns commences it Entry. The gradual Progress of the Fire, the hurrying Bustle of the Fugitives, the Eagerness of the Invaders, and the Din of warlike Sounds, will tend to impress the Spectator with a true Idea of a Scene which baffles all Powers of Description.

The MORNING EXHIBITIONS begin at 1 and 3 o'Clock, and the EVENING EXHIBITION at 8 precisely, when GAMES will be played AGAINST ANY OPPONENT, to whom the double Advantage of A PAWN AND THE MOVE WILL BE GIVEN.

Admission 2s.6d. Children 1s.6d. each.

☞ Each Exhibition lasts One Hour. Should a Game not be finished in that Time, the Party will be at Liberty to take it down with a View to its being resumed at another Opportunity.

Mr. M. begs leave to announce that the ORCHESTRION, the AUTOMATON TRUMPETER, the CONFLAGRATION OF MOSCOW, and the Patent for the METRONOMES, are to be disposed of.

W. GLINDON, Printer, RUPERT STREET, Haymarket.



Keenstar

Now the sky's the limit!

Keenstar. A great new range of exciting products that will enable you to exploit your micro to the maximum. Our reputation as one of the country's leading microcomputer consultants and supplier of leading brands is enhanced still further by this latest addition to our extensive range of micros, peripherals, software and services.

Micros such as Apple, Pet, North Star Horizon and Sharp. Fast and reliable printers from Annadex and Quom. Bespoke and packaged software. And a level of service second to none. From single applications to expandable systems. From full system design through installation, commissioning and staff training to outstanding after-sales-service.

Send off for the new Keenstar catalogue and you will see over 200 interface boards, special applications software and associated products. All designed to let you take the lid off computing. Why go elsewhere when you'll find all you need to build your microsystem under one roof. It's a roof to us, but with the advent of Keenstar there's no ceiling to your system! While you're waiting for your catalogue just browse through the tiny fraction of what is available listed below. Now that Keenstar's arrived you can really let your imagination loose.

S100 HARDWARE

K 20001 N	450ns static RAM Board	241.13
K 20002 N	300ns static RAM Board	269.50
K 20003 N	200ns static RAM Board	275.00
K 20004 N	2200 Mainframe	295.00
K 20005 N	Wire Wrap Board	30.00
K 20006 N	Solder Tail Board	30.00
K 20007 N	Extender Board	30.00
K 20008 N	8080 CPU Assembled	180.00
K 20009 N	Z-80 CPU Assembled	220.00
K 20010 N	Memory Mapped Video Interface	160.00
K 20011 N	I/O Mapped Video Interface	180.00
K 20012 N	80 x 24 Video Interface (2MHz)	295.00
K 20013 N	80 x 24 Video Interface (4MHz)	330.00
K 20014 N	80 x 51 Upgrade (2MHz)	70.00
K 20015 N	80 x 51 Upgrade (2MHz)	70.00
K 20016 N	Parallel I/O Interface	110.00
K 20017 N	2P + 2S I/O Interface	175.00
K 20018 N	Music Synthesiser (4)	220.00
K 20019 N	Prototyping Board	65.00
K 20023 N	2708/2716 EPROM Programmer	180.00
K 20024 N	4K 1702 EPROM Board	110.00
K 20025 N	16K 2708 EPROM Board	130.00
K 20026 N	Active Terminator	55.00
K 20027 N	15 Slot Motherboard	140.00
K 20028 N	Extender Board	30.00

APPLE HARDWARE

K 11502 A	Sony Colour TV. S/colour	349.00
K 21001 A	ROM/PROM Board	65.00
K 21002 A	Programmable Timer	130.00
K 21003 A	BCD Analogue to Digital	120.00
K 21005 A	Wire Wrap	20.00
K 21006 A	Solder Tail Board	20.00
K 21007 A	Extender	20.00
K 21008 A	Etch Board	20.00
K 21009 A	Asynchronous serial card	130.00
K 21010 A	Synchronous serial card	130.00
K 21011 A	P.i.a.	110.00
K 21012 A	Arithmetic Processor	280.00
K 21013 A	Lower Case Adaptor	55.00
K 21014 A	Apple Serial/Parallel Interface	130.00

NORTH STAR SOFTWARE

K 02001 O	Word Star	255.00
K 02002 O	Wordmaster	75.00
K 02003 O	Supersort I	125.00
K 02004 O	Supersort II	105.00
K 02005 O	Supersort III	75.00
K 02006 O	Whatsit? (N. Star)	95.00
K 02007 O	Whatsit? (CP/M)	125.00
K 02008 O	CP/M	95.00

PET SOFTWARE

K 03001 O	6502 Assembler	20.00
K 03002 O	Microchess	15.00
K 03004 O	Gammon Gambler	15.00
K 03005 O	Time Trek	15.00
K 03006 O	Graphics Pak	15.00
K 03007 O	Stimulating Simulations	15.00
K 03008 O	Bridge Partner	15.00

PRINTERS

K 01030 P	Anadex DP 8000	575.00
K 1083 P	Qume 45 RO	2280.00

APPLE BUSINESS SOFTWARE

K 01137 B	Visi Calc	95.00
K 01176 B	Desktop Plan	95.00
K 01182 B	CCA Data Management	95.00
K 01183 B	Whatsit?	99.00
K 01186 B	Easy Writer – Original	95.00
K 01885 B	Easy Writer Pro	180.00

TERMINALS

K 11711 T	Cifer (Wordstar terminal)	1150.00

APPLE SOFTWARE

K 01136 S	Apple-Pip (disc Doctor-Apple)	95.00
K 01138 S	Microchess	15.00
K 01138 S	Warlords (tape)	7.00
K 01139 S	Bridge Challenger	15.00
K 01178 S	Checker King	15.00
K 01179 S	Gammon Gambler	15.00
K 01180 S	Bridge Partner	15.00
K 01181 S	Stimulating Simulations	10.00
K 01184 S	Apple-Doc	20.00

5b the Poultry, Nottingham NG1 2HW
tel: 0602 583254
telex: 37297 (keenco)

28 Lower Addiscombe Road
Croydon CR0 6AA
tel: 01-680 4646

CRA COMPUTER RETAILERS ASSOCIATION

Keen Computers

Please rush me the new Keenstar catalogue.

Name_____

Position_____

Organisation_____

Address_____

_____

_____

PCW SEPT.

CHECKOUT

HI-TECH S100 COLOUR VDU BOARD

Stephen Withers examines a British colour VDU board for S100 systems.

Introduction


The Hi-tech VDU board is a memory-mapped device which generates a colour display when used with a colour TV or monitor. Since it's teletext compatible it produces 24 rows of 40 characters and has a limited graphics capability. It's designed for use in S100 systems and is available in three versions — giving the choice of UHF, video or RGB outputs. This Checkout describes the UHF version, although most of the comments made will apply equally to the other two.

Hardware

All the circuitry is socketed and mounted on a single fibreglass PCB. It appears to have been carefully designed with no sign of the bodges that are to be seen on some circuit boards. Figure 1 is a block diagram of the circuit's functions.

To the processor the VDU board appears as a chunk of RAM plus an output port. As the display shows 24x40 characters, you might expect the board to occupy the best part of a 1k block of memory — if you did, wrong again! For 'historical reasons' (that's the history of teletext) it takes up 2k, the difference being made up of 24 unused locations at the end of each screen row, plus a further 512 after the bottom row. Figure 2 makes this arrangement clearer. Apart from the 'wasted' kilobyte of memory space, the non-contiguous mapping used means the driver software must be more complicated to achieve a given result.

DIL switches are provided to locate the board on any 2k boundary in the processor's address space, a much neater method than soldered jumpers. The same method is used to select the output port, which is used to control the mode of output to the TV; the red, green and blue outputs may be independently inhibited or the display may be switched to double height, with either the top or bottom 12 lines being shown, or in single height mode it's possible to display background colours



Hi-tech's S100 colour VDU board in front of the display it produces.




Fig 1 Block Diagram

COPYRIGHT SEPTEMBER 1979

HI-TECH ELECTRONICS

only.

Since switching between these modes is instantaneous, the way is clear for a wide range of displays. For instance, in double height mode, alternative frames of an animated display could be written into the two halves of the screen, with a crisp switch from one frame to the next.

The display uses the ISO-7 character set, which is basically ASCII with a few modifications, such as the provision of a £ symbol and the fractions ¼, ½, ¾. In graphics mode there are 64 symbols on a 2 by 3 grid. This makes it possible to plot to a resolution of 78 by 72 — not 80 by 72, as one character position will be occupied by the 'hold graphics' control character. This is probably the greatest limitation of the teletext format: each mode change, such as specifying a new colour or flashing characters, takes up a character position and is only effective for that line. Take a look at a Prestel frame and you'll see what I mean.

The number of available symbols is further enhanced by the choice of continuous or separated graphics. The former is the normal state, where the graphic character with all six cells 'on' occupies the whole character space. The alternative mode slightly shrinks each cell, revealing some of the background (Fig 3).

The colour VDU board gives a pleasant display on the TV screen. As you may know, a TV picture is split into two fields, the even numbered lines in one, and the odds in the other. Most displays feed the same information to both fields, halving the effective resolution. The Hi-tech board differs by producing an interlaced signal, which results in smoother, clearer characteristics. My subjective impression is of characters which are somehow denser than normal.

The colours available (foreground and background, alphanumeric or graphic) are red, green, blue, magenta, cyan and white. Black is the default background colour, and by setting the output port correctly it is possible to obtain black characters on a limited number of background colours. In case that's not enough for you, there's more to come. As ISO-7 is a seven-bit code, and the display uses eight-bit memory there is a spare bit. Hi-tech have used this to provide an alternative colour set on a character-by-character basis. If the most significant bit of a character is set, the colours become brown, lime, lemon, navy, purple, aquamarine, and white respectively. Apart from the general usefulness of extra colours, this additional set allows two adjacent characters to be in different colours. Admittedly this only allows one alternative colour, but that's often preferable to a blank space on the screen where a control character is used.

All in all, I calculate that there are over 215,000 combinations of symbol, colour, size and 'flashiness'. If you are still unsatisifed, I give up!

Software

Listings are provided of four Basic programs which exercise the board in various ways. For example, one displays horizontal bars in randomly selected colours. A 'proper' VDU driver (DRIV 6.7 is supplied; this sets the VDU board as the main console output device and offers most of the features of a conventional VDU — including erase page, cursor up, down, left, and right, and scroll or page mode.

The hex listing of DRIV 6.7 is of limited usefulnesss as it's been assembled for use with the Exidy Sorcerer, but other versions are available for the North Star Horizon and the Vector MZ. The availability




Fig 2. Memory map of screen in 2k, at B000

of the source code on CP/M disk caters for other machines.

Since our board was purchased for use as an auxilliary output device for a North Star Horizon, I wrote a driver routine which was compatible with CP/M Fortran (currently the most frequently used language on the machine). The basic function of any such driver is to keep track of the memory location corresponding to the current screen position, and then stuff the ISO-7 code of the next character into that location. Of course, it's not quite that simple — certain control characters need special handling (e.g. carriage return), and many of these characters are needed to control the mode of display. It's probably best to follow the example of DRIV 6.7 and prefix control characters that must be passed to the board with ESCAPE.

You'll certainly need some kind of driver, as the alternative is to POKE everything into place, which is not very elegant, and leads to confusion. If you plan to make extensive use of the graphics characters, it would make life very much easier if you wrote a driver which would plot points on 'graphics' coordinates, and perhaps draw the best line between two specified points. If you do, why not share it with the rest of us? (I plan to offer my Fortran driver to the UK CP/M Users' Group.)


Hi-tech also sells a program which facilitates the use of a computer fitted with one of its VDU boards as an in-house viewdata system. This allows the storage of 170 frames, complete with routing information, on a single North Star diskette. If a suitable modem is available, Prestel pages may be captured, stored and edited locally for future use. The system may also be used as an editing terminal for information providers.

Documentation


A 32-page manual is supplied with the device. Installation is one of the first topics covered — very sensible, as few of us have the patience to wade through reams of paper having received a new toy! The booklet then goes on to explain some of the theory behind the workings of the device, and how to adjust the TV and the board for optimum performance — although our board needed no adjustment.

Appendices include tables of the character set and details of the control character set and details of the control characters, decimal/hex/binary conversion, the S100 pin definition and explanation and listing of DRIV 6.7.

Figure 3



This diagram shows the same graphics character in (a) contiguous, and (b) separated modes.



Use of the spare bit generates these non-standard colours.

Photo by Mike Harlow

The presentation of the manual is adequate, being the usual 'duplicated typescript plus comb binder'. This is better than using staples — here at least the manual lies flat when opened — but cardboard covers would have made it more durable. Still, these things cost money, and the price is already high enough. What's important is that the manual is organised in a sensible way and contains all the information you're likely to need (except for the source code of DRIV 6.7 which is available on request.)

Conclusions

The Hi-tech colour VDU board works well if you are prepared to accept the limitations of the teletext format. I've seen the video output version connected to a Barco colour monitor, and the result was absolutely beautiful. The TV version, though naturally less spectacular, is capable of giving good results when the set is correctly adjusted. The availability of viewdata software is a strong selling point.

My main reservation is the £295 + VAT price. There seem to be few functional differences between this product and the Acorn VDU board (for instance they both use the SAA 5050 character generator), yet the latter is less than half the price of Hi-tech's offering. I must admit that I've not seen the Acorn in action so perhaps this comparison is slightly unfair. In any case the 'overhead' of the S100 system must be considered (size of PCB, the voltage regulators, etc).

If you own an S100 system and want colour output, then apart from using an expensive colour terminal you have a choice between the Hi-tech VDU and the Cromemco Dazzler (which is also cheaper than the Hi-tech board, but I have heard conflicting reports as to its suitability for use with PAL TV sets). The big advantages of Hi-tech's product are that it may be used in conjunction with an in-house viewdata system software; it will be compatible with the Hi-tech Teletext Aquisition Unit (currently under development); and that it's made in Britain.

INTEX DATALOG LTD
COMPUTERS

Visit our stand No. B67, 50 The 1st Personal Computer Show Sept 4-6 Cleveland International Hotel

LATEST!

MICROPAY—200 the complete Payroll System for PET

Micropay-200 is a complete payroll System designed to run on a COMMODORE 32K PET microcomputer, interfaced to dual floppy disk drives and a printer.

The System provides:

1. Weekly/monthly payslips
2. Summary page of all payments and deductions that month
3. Summary page of all payments and deductions for the tax year to date
4. Weekly/monthly cash analysis slip for all cash payments made
5. Monthly summary of all payments and deductions
6. Year end summary of all payments and deductions

The System copes with:

1. Up to 200 current employees, plus end of the year details of up to a further 400 ex-employees who have left during the year
2. Suffix L,H,P,V and T cumulative and Week 1 Codes
3. Prefix D and prefix F, BR and NT codes
4. All necessary alterations concerned with changes in income tax rates, band widths and personal allowances
5. National Insurance Contributions at rates A, B and C for contracted out employees and at rates D and E for non-contracted out employees
6. All necessary alterations concerned with changes in N.I. contribution rates and earnings limits
7. Up to 5 user-definable wage rates for each employee, plus the normal hourly rate
8. Holiday pay — including a check on the amount of holiday taken in the year
9. Up to a total of 5 user-definable additions/additions/deductions to the before/after tax pay
10. Changing an employee from one N.I. rate to another and backdating such a change
11. Job costing and analysis

For Full Specification write to:—
Intex Datalog Limited,
Department PCW-0980,
Eaglescliffe Industrial Estate,
Eaglescliffe,
Cleveland, TS16 0PN.

Telephone
Eaglescliffe (0642) 781193
Telex: 58252

Intex

SUPERBRAIN from SUN

THE GROUP WITH A WEALTH OF HARDWARE AND SOFTWARE EXPERIENCE IN THE COMPUTER INDUSTRY

NOW WITH

- TWO QUAD DENSITY FLOPPIES (788K)

OR TWO DOUBLE DENSITY FLOPPIES (320K

- TWIN Z80A MICROPROCESSORS
- 64K RAM
- CP/M OPERATING SYSTEM
- M BASIC FORTRAN PASCAL COBOL
- UP TO 90 MBYTE HARD DISK OPTION
- WORDSTAR WITH MAILING CAPABILITY
- INTEGRATED BUSINESS PACKAGES



REMEMBER, as major distributors we provide our dealers with:

"NO QUIBBLE" WARRANTY
FULL SUPPORT SERVICE
COMPEITITIVE MAINTENANCE AGREEMENTS
IN HOUSE SOFTWARE DIVISION

DEALER ENQUIRIES WELCOME

SUN COMPUTING SERVICES LTD

Write or phone for the name and address of your nearest dealer:
138 Chalmers Way, North Feltham Trading Estate,
Feltham, Middlesex. Tel: 01-751 6695
Telex 8954428 SUNCOMG

SUPERBRAIN is a registered trade mark of Intertec Data Systems.

Can your business, research project or teaching laboratory be made more efficient? Yes. Today's users demand complete, high performance micro computer systems. Expandable to meet future needs and with software capable of immediate application.

The North Star Horizon is the answer. A cleverly balanced configuration: Z80A processor with 12 slot S100 chassis, one parallel and two serial interface ports. Now with double or quad capacity too.

The compact design gives you value for money and economy of space. The Horizon will not break your bank or your desk top.

Quick delivery and nationwide service are only part of the attraction. Add to this the wealth of software available, including the well known CP/M, and you can see why the Horizon has already sold in thousands.

The reason for its success is simple.

The North Star Horizon reflects your needs.

NorthStar

For technical specification and details of your nearest dealer contact Britain's leading North Star Supplier.

comart

PO Box 2, St. Neots, Cambridgeshire.
Tel: (0480) 215005. Telex: 32514.
COMART G.

North Star Horizon reflects a new age in computing

Unique in concept—the home computer that grows as you do!

The Acorn Atom

£120

plus VAT and p&p

Special features include

* FULL SIZED KEYBOARD
* ASSEMBLER AND BASIC
* TOP QUALITY MOULDED CASE
* HIGH RESOLUTION COLOUR GRAPHICS*

* optional




Also available ready-built **£150** plus VAT and p&p

● The picture shows mixed graphics and characters in three colours

The Acorn Atom is a definitive personal computer. Simple to build, simple to operate. A powerful, full facility computer with all the features you would expect.

Just connect the assembled computer to any domestic TV and power source and you are ready to begin. (Power requirement: 8V at 800mA). There is an ATOM power unit available – see the coupon below.



FREE MANUAL

Free with every ATOM, kit or built, is a computer manual. The first section explains and teaches you BASIC, the language that most personal computers and the ATOM operate in. The instructions are simple and learning quickly becomes a pleasure. You'll soon be writing your own programs. The second section is a reference manual giving a full description of the ATOM's facilities and how to use them. Both sections are fully illustrated with example programs.

The standard ATOM includes:

HARDWARE

● Full-sized QWERTY keyboard ● 6502 Microprocessor ● Rugged injection-moulded case ● 2K RAM ● 8K HYPER-ROM ● 23 integrated circuits and sockets ● Audio cassette interface ● UHF TV output ● Full assembly instructions

SOFTWARE

● 32-bit arithmetic (±2,000,000,000) ● High speed execution ● 43 standard/extended BASIC commands ● Variable length strings (up to 256 characters) ● String manipulation functions ● 27 x 32 bit integer variables ● 27 additional arrays ● Random number function ● PUT and GET byte ● WAIT command for timing ● DO-UNTIL construction ● Logical operators (AND, OR, EX-OR) ● Link to machine – code routines ● PLOT commands, DRAW and MOVE

The ATOM modular concept

The ATOM has been designed to grow with you. As you build confidence and knowledge you can add more components. For instance the next stage might be to increase the ROM and RAM on the basic ATOM from 8K + 2K to 12K + 12K respectively. This will give you a direct printer drive, floating point mathematics, scientific and trigonometric functions, high resolution graphics.

From there you can expand indefinitely. Acorn have produced an enormous range of compatible PCB's which can be added to your original computer. For instance:

● A module to give red, green and blue colour signals ● Teletext VDU card (for Prestel and Ceefax information) ● An in-board connector for a communications loop interface – any number of ATOMs may be linked to each other – or to a master system with mass storage/hard copy facility ● Floppy disk controller card. For details of these and other additions write to the address below.

ACORN COMPUTER **4a Market Hill, CAMBRIDGE CB2 3NJ**

Your ACORN ATOM may qualify as a business expense. To order complete the coupon below and post to Acorn Computer for delivery within 28 days. Return as received within 14 days for full money refund if not completely satisfied. **All components are guaranteed with full service/repair facility available.**

Please send me the following items:

Quantity	Item		Item price inc. VAT+p&p	TOTALS
	ATOM KIT – 8K ROM + 2K RAM (MIN)		@ £140.00	
	ATOM ASSEMBLED–8K ROM+2K RAM (MIN)		@ £174.50	
	ATOM KIT – 12K ROM + 12K RAM (MAX)		@ £255.00	
	ATOM ASSEMBLED–12K ROM+12K RAM (MAX)		@ £289.50	
	1K RAM SETS		@ £11.22	
	4K FLOATING POINT ROM (inc in 12K Version)		@ £23.30	
	PRINTER DRIVE	6522 VIA	@ £10.35	
	(inc in 12K version)	LS244 Buffer	@ £3.17	
	MAINS POWER SUPPLY (1.3 amps)		@ £10.20	
			TOTAL	

To: Acorn Computer Ltd., 4a Market Hill, CAMBRIDGE CB2 3NJ

I enclose cheque/postal order for £ _____

Please debit my Access/Barclaycard No. _____

Signature _____

Name (Please print) _____


Address _____

_____

Telephone No. _____

Registered No: 1403810. VAT No: 215 400 220

PCW/9/80



SECRETS OF SYSTEMS ANALYSIS

Lyn Antill presents this country's first serious attempt to enable prospective computer users and micro specialists to bridge the gulf of misunderstanding that undoubtedly exists between then. The aim of this series is to enable users to analyse their own problems so that both sides are able to work constructively together towards successful system implementations.

PART 1: IN THE BEGINNING

Whether or not you find the following series of articles relevant will depend primarily on why you are interested in micros. The pure hobbyist who just wants to try things out on the machine, or the electronics wizard whose delight is in soldering bits of equipment together, may feel it covers an area too far removed from their own. They may reason, in particular, that systems analysis is work, not pleasure, and would not be moved by any tale I might tell them about the intellectual satisfaction to be derived from designing and implementing a system that actually does something that needs to be done. They probably haven't read beyond the title anyway!

At the other end of the spectrum from the hobbyist there's the person using the micro because he has to. He might find it a chore — or even a nightmare — but he has a problem which can only be solved with the aid of a micro; he must therefore come to terms with the machine. For such a reader, the series should act as a guide through the stages of implementation of a computer system — from the definition of the problem in the first place to the monitoring of the working solution.

Most readers of the magazine would probably place themselves somewhere in the middle ground, using a micro for both profit and pleasure. They will, I hope, find some things of interest and use to them in the series. Teachers and students should note that, although I shall not be covering an entire conventional systems analysis syllabus — because not all is appropriate to micros — nevertheless I shall be taking in a very good part of it.

I'm using the term 'Systems Analysis' in its broadest sense, to cover the whole area of activity between the user on the one side and the manufacturer, salesman and programmer on the other. (Sometimes the title is restricted to the investigation of the needs of the user, excluding the aspects of systems design and implementation.) The main areas to be covered are:

Definition of the user's requirements
The design of a computerised solution
Selection of hardware and program packages
Getting someone to write programs for you
Testing a system
Getting a system running
Maintenance of a system

As the series is aimed at the user with little knowledge of computers, I have tried to avoid jargon. However, after many years of dealing with users in other professions and trades it has become clear to me that we are all aware of other people's jargon, though seldom of our own. . . and that there is no such thing as plain English. Not that I think

jargon is a wholly bad thing, for it represents a useful form of shorthand. It's just that technical terms in computing are notoriously elastic as to precise meanings (not least because manufacturers find it easier to come up with new terms rather than new products). The worst misunderstandings often occur when you *think* you understand, simply because you are using the same term with a different connotation.

No systems analyst worth his salt ever embarks on a systems design without asking the question "WHY?" several times over — "Why use a computer?" "Why write this program?" etc. Therefore I start off by asking "Why systems analysis?".

Many of my programmer friends assure me that "It's all common sense" and apart from the standard (and perhaps cynical) riposte that common sense isn't all that common, my retort would be to look at a few situations where people have dived in at the deep end (either by going straight out and buying machines, or by writing programs) and then see where this approach has led them.

I start with the true saga of Mr Bloggs' Garage, for it illustrates very well the difference of approach required when purchasing a computer as against any other similarly priced gadget. Mr Bloggs had a stock control problem which will be dismally familiar to most shopkeepers, and he made the very reasonable (and I imagine correct) decision that the stock control could be combined with the accounting, and the whole thing handled most efficiently with the aid of a micro. Indeed, it's quite likely that a successful solution could have been implemented on the very machine he bought. Sadly this was not to be. Here is a letter that Mr Bloggs wrote to PCW recently; all I've changed is the names — to protect the innocent:

As a motor accessory retailer we first considered the idea of using a computer to control our stock two years ago. This was because we had approximately three thousand different lines, many of which were stocked as one-off items. We thought that if we introduced the computer whilst having only the one outlet, by the time we expanded the system would be streamlined.

Our stock control system was rather irregular in that it required each item to be noted down at the point of sale. Needless to say, we didn't always have time to make a note of the item sold thus the item would be permanently out of stock. With stock such as oil filters it required two or three hours work comparing actual quantities against an ideal stock level book, the differences being the order for the following day. Stock orders were done this way twice weekly. We hoped that by using a computer we could cut out a great deal of this type of laborious work.

The original concept was to code all the stock in the shop. At the point of sale the assistant would key into the cash register the item code and the price. Then when a stock order was needed the item code and price would be fed into the computer from the audit roll. The computer would then analyse the information and produce an order sheet for each supplier. These could then be despatched by post or taken to the cash and carry. As goods were received they would be entered into the computer to keep quantities in stock up to date. At the same time the cost price of the goods would be keyed in if different from that held in the record. The computer would automatically calculate the new retail and trade price, producing a list of all such amendments. Meanwhile stocks would be sold at the last price until the amendment sheet arrived.

With these ideas in mind we purchased a TRS-80 Level I. We were told that the Tandy would do everything we wanted of it but that we would need to purchase additional equipment at a further cost of approximately one thousand pounds. If we found that the Tandy was incapable of doing what we required we could return it up to a period of three months. We were lead to believe that by using the instruction manual we would be able to program the computer ourselves within the same period.

"...when tested, the program failed to work."

Eight weeks later we were still only half way through the manual when we realised that we wouldn't be able to write the program ourselves. Hence we contacted a chap who wanted to write programs for the Tandy machine. He had not yet bought his own computer so we purchased the rest of the equipment costing approximately three thousand pounds.

After several weeks the programmer said that he had finished but, when tested, the program failed to work. After repeated attempts to correct the faults and many weeks later we were still no nearer to having the system installed. We took a copy to Tandy to ask them if it would ever work. They said that in trying to correct the faults further errors were being created and that it would be best for us if we found someone who was more familiar with the TRS-80.

We then contacted a software house which dealt specifically with the Tandy but they were unable to help us as they were busy for several months. They put us in touch with a gentleman who agreed to write the program for us with a few modifications. Instead of using a conventional cash register and then having to enter the information manually into the computer from the audit roll, he suggested we use the computer in the first instance. Thus the information would be stored on a disk until run against the main program which would analyse the data and clear the disk at the same time.

He then wrote a program which kept track of sales. Each sale would be registered under an operator key, a V.A.T. category, and whether it was a cash or cheque sale. Refunds were to be dealt with in the same way but amount would be deducted off the corresponding V.A.T. category. The program allowed us to keep records of deposits, surcharges and monies paid out of the cash register. At the end of the day an X total or Z total could be used to cash up and a new disk would be inserted for the next day. The disk would store all the information so, when fed through the master program, would produce stock orders etc. This first part of the system worked very well when installed.

We found after an extensive period of use that the staff were unhappy with the system. The main reason for this was that the computer could absorb information much faster than the operator could key it in. Speed is essential when serving customers especially on our busiest days when customers are not prepared to wait. The staff found that they were having to concentrate more on what they were keying into the computer than on the parts they were supplying. Instead of speeding up the process at the point of sale the computer was causing confusion. This was especially noticeable when a deposit or surcharge was being taken as it required details to be keyed in as opposed to a code number. This had been designed to prevent having to write out the details on paper and then register it in the till as we had previously been compelled to do. Basically, instead of simplifying our procedures it made them overcomplicated. This, combined with a cash flow problem, decided us on selling what we considered to be our only expendable asset. Now all experimentation with computers has ceased we cannot say whether or not the system as a whole would have worked being as we never had chance to test the stock control side of the system. We have, however, come to the conclusion that using the computer in the manner as described above is far too complicated for our needs and that the conventional cash register that we have purchased operates at a much faster rate and has proved to be reliable and efficient.

So what went wrong? There's no reason to suppose that Mr Bloggs was unintelligent. . . he simply had no way of knowing quite what was involved.

Microcomputers come in a price range comparable to that of domestic appliances or family cars; unfortunately, although I don't need to do much more than look at my bank balance and the sort of motoring I do to make a reasonable car purchase, I can't make a reasonable computer purchase in the same way.

Part of the reason is that I'm not really all that ignorant about cars — I see them going past me every day, I've driven thousands of miles in them, and I'm bombarded with advertisements and press and TV articles concerning their vices and virtues. Another part of the answer is that I know how to use a car — I've had more lessons than I care to count, and learnt from my husband's criticisms and my own observations of my performance. The final part of the answer is that cars all perform the same *function* (i.e. they get you from one place to another) the only difference between them being such variables as the speed at which they get you there, the amount of luggage they permit you to take with you, the likelihood of your breaking down en route. . . or the envy they provoke in your neighbours. When you buy a car, you are only really choosing between the *attributes* of the various models. The same applies to

almost every gadget you ever buy — they all have fixed functions. A computer, on the other hand, offers a totally new experience in that you are also able to choose the *functions* that it is to perform.

So the first difficulty that confronts the potential user is that of defining exactly the function(s) the micro is to perform. The second hurdle is that of communicating these requirements to the salesman who supplies the hardware (the machinery), or the programmer who provides the software (the machine's instructions). Already therefore we have two distinct stages in the systems analysis — deciding what is to be done, and specifying it in a way that other people can follow.

Was Mr Bloggs deliberately misled by the salesman into believing that he would be able to write his own programs after studying the manual? — or was he over-confident of his abilities and under-appreciative of the problems that lay ahead? Just as there are people who regularly spend time doing their own car servicing, on the other hand, most of us lack the skill or experience or time or interest and simply take our cars to the garage. We pay more, and are never quite sure how well the work has been done. . . but we learn to live with the situation.

It's a useful analogy, for the level of skill required to get a micro to perform a specific function is broadly comparable to that required for servicing a car. Some car jobs are more complex than others — as are some programs. A person lacking in experience can only find out by trial and error whether the problem he's trying to solve is simple or complex. He'll know it's complex when he fails to solve it! Had the programs Mr Bloggs required turned out to be simple ones, he might well have succeeded in programming them himself. . . as he might also have done if he had had the time and interest to play around with the machine before getting down to business.

There are plenty of horror stories about 'cowboys' in the motor trade, and micro programming must also have its fair share. But the best programmer in the world will still be unable to present you with good working programs that do what's needed, if you have failed to give him a sound specification of the functions you want the computer to perform.

This is why in any large computer installation there are two types of people (other than the user) involved in the creation of any computer system: the analysts who find out — and specify — what the system must do, and the programmers who work out how it can be done in terms of computer programs. Of course, it's not as clear cut as that, and in fact there's a large grey area in-between the two jobs. Indeed there's a continuous translation between the user, the analyst and the programmer, the number of people involved depending upon the complexity of the work. With a microcomputer system, there's usually only the user and the programmer. The analyst/designer function must be shared between them.

Now, the chances are the average user has no real idea what is involved in systems analysis, and he is tempted to rely on the technical expertise of the programmer. Problem: . . . the trouble is many of the people who write programs for micros have little real knowledge of systems analysis either — perhaps because they are youngsters only just starting out, perhaps because their primary interest is in the machine rather than its uses. Formal training in systems analysis is harder to come by than training in programming and many lower level courses gloss over it or worse, leave it out altogether. It's also certain that, at best, programmers will have only two years experience of the machine they are programming. . . that's about how long these machines have been around. Some programmers will have had previous experience of other small machines, some will have 'come down' from big machines.

I shall have more to say in a later article about how to recognise a good programmer when you see one, or even a good analyst/programmer. At this stage though, I simply want to point out that just because someone knows more about micros than you do, don't automatically believe that he's going to be able to design you a satisfactory computer system. It's something you'll have to work at together.

My own early experiences as a programmer are probably typical: after taking an Arts degree, I joined Burroughs as a trainee programmer, took a one week course on the language, wrote a couple of programs to someone else's specification — and was then sent along to my first customer! I quickly realised that I didn't understand any of the names of the jobs I was required to do, let alone what they entailed. Fortunately, I had the presence of mind to ask for a practical demonstration of the work — before being written-off as a complete idiot. We started all over again, the customer going through all the stages, and me turning them into program instructions. Had my boss not picked an easy job for me to begin on, or had I tried to bluff an understanding of general ledgers, or had the user been less patient and careful in his explanations, that program would never have got off the ground.

"...the average user has no real idea what is involved in systems analysis."

It's conventional to start teaching the subject of systems analysis with an overview of the various stages in the implementation of a computer system — feasibility study, analysis, design, purchase of equipment, programming, testing, changeover and maintenance. This is basically the path the series will be following. The general approach remains the same whether you are dealing with a PET or an IBM 370. The differences lie in the relative complexity caused by the number of jobs and people involved (and the communication problem that may ensue) and the degree of specialisation called for. Systems analysis on a micro can be much less formal than on a mainframe and so, perhaps, often more fun.

I would like to complete this introduction by covering one of the stages in an implementation which is frequently skipped over by teachers and practitioners alike. . . one I call 'terms of reference'. A large company with its own DP department will be quite careful, when setting up major projects, to spell out in advance what jobs are to be computerised, and how much they are willing to spend. Unfortunately, as Mr Bloggs found out, it's easy to approach a problem with a strong idea that 'it ought to be computerised', without really knowing what 'it' is, or how much money is available.

To illustrate, another true story, or at least the gist of it, as told to me by the analyst concerned. A small business, I'll call it Smiths, had just been taken over by a larger firm who were very enthusiastic about computers. They saw that Smiths' books were in a bit of a muddle, and decided that the remedy would be a particular ledger posting package; Smiths' only book-keeper was therefore sent on a training course. As a concession, the parent company sent in an analyst to help them through the changeover. The analyst observed the piles of unposted bills etc., but refrained from comment.

He asked the supervisor to show him how each type of bill/payment was processed from the time it was received. The system seemed to be thorough and well thought out, and he was puzzled as to why it failed to work in practice. They had a standard NCR accounting machine which was slow and noisy, but quite adequate for the volumes being dealt with. It was only when he asked to see that actual posting process that he got a clue as to the real problem. The book-keeper was away on the course and no-one else know how to work the machine. It turned out that she also doubled as relief telephonist and general dogsbody and often had to leave the posting on one side where it inevitably got into a muddle. The supervisor, and everyone else in the office, knew that this was the problem — but no-one had felt brave enough to point this out to the boss, let alone to the firm who had taken them over.

So there was the answer, they didn't need a swish new microcomputer system, they needed a book-keeper who was allowed to concentrate on keeping the books! Unfortunately, there was nothing the analyst could do about it. The decision to buy the new system had been made before he was even called in. His terms of reference had been to help Smiths change over to the new system, and this he went on to do to the best of his ability. Of course if the bills were still left lying on the desk because the operator had to jump up and man the switchboard, then they wouldn't get posted to the micro any more than they would have been to the NCR machine, and all that money and effort would appear to have been wasted. The analyst had been given the wrong terms of reference.

Back again with Mr Bloggs and his garage, he knew very well he had a problem with his stock control. He felt sure the problem lay in the analysing of the data, and that a micro would make a much better job of this. Perhaps

GOTO page 124

Apple Price List

Product Code	Description	Retail Price (£)
	HARDWARE	
A2S1016P	APPLE 16K VIDEO OUTPUT ONLY	695.00
A2M0003	DISC DRIVE WITHOUT CONTROLLER	299.00
A2M0004	DISC DRIVE WITH CONTROLLER	349.00
A2M0016	16K ADD ON RAM	69.00
	CARDS & ACCESSORIES	
A2B0001	PROTOTYPE/HOBBY CARD	15.00
A2B0002	PARALLEL PRINTER INTERFACE CARD	104.00
A2B0003	COMMUNICATIONS CARD	130.00
A2B0005	HIGH SPEED SERIAL INTERFACE CARD	113.00
A2B0006	PASCAL LANGUAGE SYSTEM	299.00
A2B0007	CENTRONICS CARD	130.00
A2B0009	APPLESOFT FIRMWARE CARD	116.00
A2B0010	INTEGER CARD	116.00
MHP-X003	MOUNTAIN HARDWARE CLOCK/CALENDAR CARD	160.00
MHP-X006	MOUNTAIN HARDWARE SUPERTALKER	171.00
MHP-X007	MOUNTAIN HARDWARE ROM PLUS BOARD	116.00
MHP-X015	MOUNTAIN HARDWARE ROMWRITER	101.00
E2B100	EUROCOLOUR CARD	79.00
E2B101	APPLE BLACK & WHITE MODULATOR	14.00
E2B102	A1-02 DATA ACQUISITION CARD	180.00
10-5-16	ALF MUSIC SYNTHESIZER CARD	142.00
10-5-17	ALF TIMING MODE INPUT BOARD	14.00
13-3-2	ALF ALBUM MUSIC DISKETTE NUMBER ONE	12.00
13-3-4	ALF ALBUM MUSIC DISKETTE NUMBER TWO	12.00
13-5-5	ALF ALBUM MUSIC DISKETTE CHRISTMAS	12.00
A2M0015	HEURISTICS SPEECH LAB	122.00
A2M0019	PROGRAMMERS AID 1	27.00
A2M0027	AUTO START ROM PACK	38.00
A2M0029	GRAPHICS TABLET	462.00
E2B104	HEURISTICS CONTROLLER 70	52.00
E2B105	HEURISTICS SPEECHLINK 2000	160.00
E2B107	IEEE INTERFACE	212.00
	SOFTWARE	
A2D0005	CONTRIBUTED SOFTWARE VOLS 3-5	60.00
A2D0006	CONTRIBUTED SOFTWARE VOLS 1-2	27.00
A2D0009	MICROCHESS 2.0 CHESS DISK	15.00
A2D0010	DISC UTILITY PACK	15.00
A2D0012	APPLE BUSINESS CONTROLLER PROGRAM	340.00
A2D0013	APPLE POST PROGRAM	27.00
A2D0018	APPLE BOWLING DISCETTE	9.00
A2D0025	APPLE CASHIER PROGRAM	194.00
A2D0026	APPLE WORD PROCESSING PROGRAM	42.00
A2T0013	MICROCHESS 2.0 CHESS CASSETTE	15.00
E2D001	VISICALC DISC & BOOK COMPLETE	95.00

	DOCUMENTATION	
A2L001A	APPLE II REFERENCE MANUAL	11.00
A2L0002	6502 HARDWARE MANUAL	9.00
A2L0003	6502 SOFTWARE MANUAL	9.00
A2L0005	APPLE II BASIC PROGRAM MANUAL	6.00
A2L0006	APPLE II REFERENCE MANUAL	6.00
A2L0012	DOS 3.2 MANUAL	6.00
A2L0018	APPLE II BASIC TUTORIAL MANUAL	6.00
	GENERAL ACCESSORIES	
A2D0000	(10) BLANK APPLE DISCETTES	32.40
A2M0009	VINYL CARRYING CASE	16.00
AD/LB	MINI DISC LIBRARY BOX	2.64
MD5172	DISCOFLEX FILING CASE—MINI	12.64
APP1	APPLE DESK TWO TIER	145.00
APP2	PRINTER TABLE	92.00
APPLETEL	APPLETEL SYSTEM	595.00
DUST/APP	DUSTCOVER FOR APPLE II	5.35
E2B013	APPLEJUICE RESERVE POWER SUPPLY	148.00
	PRINTERS & ACCESSORIES	
A2M0034	SILENTYPE 80 COLUMN GRAPHICS PRINTER	349.00
A2C0001	10 ROLLS OF THERMAL PAPER FOR SILENTYPE PRINTER	28.00
HUSH100/A	MICROHUSH 100 PRINTER C/W APPLE INTERFACE	266.00
HUSHPAP	16 ROLLS THERMAL PAPER 80FT LONG	22.00
HUSHPAP/E	2 ROLLS THERMAL PAPER 80FT LONG	5.00
TIGER/G	PAPER TIGER PRINTER WITH GRAPHICS OPTION	598.00
TIGER/C	CONNECTOR CABLE FOR TIGER PRINTER	9.00
TIGER/D	GRAPHICS SOFTWARE FOR TIGER PRINTER	20.00
TIGER/P	TIGER PAPER 2,000 SHEETS 11" x 9½" S/PART	35.92
TI810	TEXAS OMNI 810 PRINTER	1450.00
LP5	PAPER 2000 SHEETS 11" x 15" S/PART	14.06
LP9	PAPER 3000 SHEETS 8" x 12" S/PART	14.85
	VIDEO MONITORS	
VM129	12" BLACK AND WHITE VIDEO MONITOR	189.00
VM910	9" BLACK AND WHITE VIDEO MONITOR	127.00
VM906	9" HIGH RESOLUTION BLACK AND WHITE VIDEO MONITOR	148.00
VM/C	CABLE FOR VIDEO MONITOR	9.00

Prices exclusive of carriage and VAT and are correct at time of going to press. Available from Apple Dealers all over the UK—for your nearest please contact Microsense Computers.
Dealer/OEM enquiries welcome.



microsense computers limited
Finway Road, Hemel Hempstead, Herts HP2 7PS
Tel (0442) 48151 and 41191
Telex: 825554 DATEFF G

SOLE UK DISTRIBUTOR
apple® computer

®Apple is a trade mark of Apple Computer Inc., Cupertino, C.A., USA

COMPUTER ANSWERS



Each month Sheridan Williams and his panel of consultants answer readers questions. Topics may be hardware — from kits to mainframes, or software — from differential equations and statistics to file handling or sorting; the choice is yours. Send your questions direct to Sheridan Williams at 35 St Julians Road, St. Albans Herts.

Touchy technology

I know that mainframe computer installations are always air-conditioned. Would this also benefit my micro? Are there any other similar special conditions that are desirable for microcomputers?
K McGregor, Dundee.

Your question reminds me of the (true) story of one of the smaller mini-computers. Being aware of the air-conditioning needs you mention, the manufacturer was asked if its machine needed any special conditions or surroundings. "Just a normal office environment" was the answer. Came the day that the Installation Engineer arrived to size up the computer's future location, prior to delivery. "You can't put it in here!" he said, "With a South aspect" . . . "And where's the air-conditioning?"

When they thrust the bit about "just a normal office environment" in front of him, he said "but you must realise that we are an American Company!"

There was a happy ending, for it turned out that the air-conditioning was only partly for temperature control, it's other main function was to hold down dust levels. The machine was put in a room on the other side of the building — with a North aspect — the carpet was removed and all was well.

Now all this has two lessons for us microcomputer users. Firstly, that precise temperature control is not vital. What is important is to make sure that all the parts of the system are at the same temperature before use; that not only means *not* blasting a fan heater at the keyboard and expecting it to warm through instantly, it also includes all other parts of the system — tapes, disks, etc. Preferably, they should all have been in the same room for at least half an hour before use . . . longer if possible.

The other thing about temperature is the need to stop parts of the system suffering from their own manufactured heat. If the unit incorporates a cooling fan you should have no trouble (except during heat-waves!) but if it does not, then overheating — especially during long sessions — may account for inexplicable problems. The answer is to provide some kind of cooling fan yourself.

Why was the carpet taken up? Well, that particular system had hard disks (the removeable type), and these are very sensitive to dust. Floppy disks are not so affected, while tape will probably be quite happy in the average home environment. Also, carpets are breeders of static electricity and that's something which will cause errors if it gets near any kind of computer. One solution is to have a special 'anti-static' mat by the machine. Another is to have a convenient water-pipe or other electrical 'earth' by your computer (*don't* use the earth pin of a plug). Just touch this as you come up to your machine, and most static problems will be removed.

Probably the biggest environmental problem with microcomputers is interference through the electricity mains. This takes two common forms. Firstly, there can be voltage fluctuations, not only due to variations in the supply voltage (these are usually small, and slow to change), but also because some fairly large unit on the same circuit has just switched itself on or off. Deep freezes and ovens are well-known culprits.

The second form is even worse in terms of what it can do, especially if you have a program actually running at the time. This is the so-called 'mains spike', a sudden, brief, sharp increase (or sometimes decrease) in the voltage. These are also often caused by equipment being turned on, or more often, off. Fluorescent lamps are one of the main sources. Not only can this kind of interference travel down the mains lead, — it can also travel short distances through the air — as a magnetic field. So try to keep your equipment away from sources of 'spikes', and fit 'mains filter' units in the power lead if you are still troubled by them. Differing microcomputers are affected to varying extents, depending on the amount of built-in mains filtering they have.

One last point. Keep all your tapes and disks well out of the way of magnetic fields, whether from actual magnets, passing vacuum cleaner motors, or even screw drivers (which have a curious tendency to become quite strongly magnetised all on their own!). One of the best solutions is to keep them in a steel filing cabinet or cupboard . . . even a biscuit tin might do very well, always providing they don't make them out of aluminium these days!

P McIlmoyle

Letdown

I was delighted to see a games program called 'Sweeper' in the June issue of PCW. At last, I thought, a short program that will allow me to analyse and understand PEEKs and POKEs on my PET. After copying the program and running it I found that it didn't work. Have you any clues as to what the PEEKs and POKEs are doing so that I may correct the error? (I have a 32k PET.) E J Aston, Stafford.

First of all, it's not so much an error, more a difference between the new and old ROMs. Replace the 547 by a 151 *(or 166 — Ed.)* in line 370. In many respects PEEK and POKE are the most powerful commands in Basic. Each command looks at or alters a specific memory location. There are three general areas of interest that concern a PET owner. The first 1024 bytes of RAM, the display RAM from locations 32768 to 33767, and the peripheral interface and ROM above 59000. In the following notes I will refer only to 'new ROM' PETs — 'old ROM' figures are in brackets if they are different.

One of the major tasks performed by the 'sweeper' program is to scan the keyboard to see if a key is being held down; note the difference between this and the GET command. The GET command will only detect if a key has been pressed, not whether or not it's being held down. A two digit code unique to each key is stored in location 151(515) whenever a key is depressed. If no key is depressed, location 151 is set to 255. You'll need a table of values for each key before they can be used sensibly, but having explained what this location does then you should be able to write a program to produce this table for yourself. That ought to sort out your immediate problem. In 'Sweeper' — line 300 decodes the depressed key — for example if a one is pressed PEEK(151) returns a 26, D%(26) has the value 39 in line 300 so we add 39 to the last position of the cursor which moves it just short of one whole line further on. Perhaps you'd better read on a little further before you try to understand that bit.

Nothing to do with the program, but information about the 'shift' key is held in location 152(516), it being a 1 when pressed and a 0 when not. Locations 32768-33767 hold the screen contents, not in ASCII but in PET ASCII; POKE 32768, 1 will put an 'A' in the top left hand corner of the screen. Try 10 POKE 32768+INT(RND(1)*960), INT(RND(1)*255+1):GOTO 10.

There are two locations above 59000 that are of special interest — POKE 59468, 14 which produces a character set with upper & lower case and POKE 59468,12 which reverts to normal mode. POKE 59409,52 turns off the display and POKE 59409,60 will turn it on again. The difference between this and the 'clear screen' key is that the latter destroys the screen contents. Finally I suggest you, read *The PET Revealed* for any further information on the subject.

But whats it all for?

I am considering buying a small personal computer, paying no more than £200. Possibilities are the 'Acorn Atom', the 'Microtan 65' and the 'Nascom 1'. I learn far better by seeing and doing, rather than by reading, so my use of the machine would basically be for personal details/information/budgeting, etc — plus games. Obviously use would not be limited to these, but I am a little bemused as to what you can actually do with a computer, especially the machines mentioned. Can you help?
B P Gower, Basildon.

Well, someone had to finally get around to asking the $ 64,000 question, "just what can you do with a microcomputer?"

For the person with enough interest to learn about them (and who has at least one ready application) many uses will soon emerge. Give a computer free to each family, and most would sit around gathering dust (and they're too big to make good paper


SHARP BY MAIL



SHARP MZ-80K

20K RAM	**£459.50**
32K RAM	**£529.00**
36K RAM	**£539.00**
48K RAM	**£575.00**

Inc. basic tape and manual



SHARP MZ 80 P3
Line printer 80 Col.
100 c.p.s. **£517.00**



SHARP MZ 80 FD
Disc Drive Twin discs–double sided
70K bytes per side **£779.00**

SHARP MZ 80 I/O
Expansion Board interfaces
Printer and Disc Drive to the MZ 80K **£99.00**


SYSTEM PRICES

MZ 80K–36K RAM + MZ 80 P3 + MZ 80 FD + MZ 80 I/O **£1839.00**	MZ 80K–48K RAM + MZ 80 P3 + MZ 80 FD + MZ 80 I/O **£1875.00**

All machines and Peripherals tested prior to dispatch.

MACHINE LANUGAGE TAPE & MANUAL	**£21.95**
ASSEMBLER TAPES & MANUAL	**£42.00**
BEM C15 TAPES 10 FOR	**£5.95**
50 FOR	**£26.95**

SHARP PC 1211 **NEW**
Hand held computer–
1K Ram. Basic language.
Alpha-numeric keyboard–
24 character display
£89.95



SHARP CE 121
Tape interface **£13.95**

ADD 15% V.A.T. **ALL MACHINES GUARANTEED 12 MONTHS**

BEM BUSINESS & ELECTRONIC MACHINES
7 Castle St, Edinburgh EH2 3BB Tel 031-226 5454

ORDER FORM from NAME _____
ADDRESS _____

QUANTITY	DESCRIPTION	PRICE
	Carriage FREE over £100 (add £2 if under)	
I enclose my *cheque/charge my Access/ Trustcard/ Barclaycard/ Visa No. _____	ADD 15% V.A.T.	
Signature _____	TOTAL	

CARD HOLDERS 'PHONE YOUR ORDER –24 HOUR SERVICE. *Delete as applicable

weights!). But give one to the right person, and it will be kept really busy.

Just think through some of the fairly recent questions that have been answered in this column: an application in timing orienteering contests, keeping track of the competitors in pony trials, 'number crunching' for scientific work, and word processing, as well as the more usual book-keeping, invoicing, and stock control. Perhaps too the majority of the small machines are used quite extensively for games playing — partly just for the fun of it (and why not?), but also with educational bonus of getting children interested in maths.

One of the most constructive uses for these machines is in teaching people about computing, an area of expertise in which the country is crying out for more skilled people. Like you, I find that practical application is by far the best way of learning about computing. In fact 'hands-on' is widely regarded by computer professionals as being an essential aspect of effective learning. It most certainly speeds up the process.

There are a number of different areas of computing that you can investigate with machines of the type you mention. You can learn to program in a 'high-level' language such as Basic and from there you can go on to tackle assembler language and machine code. In fact, if you start with the simplest of machines you will have to begin with machine code, and work up to a high level language as you up-grade the computer to include an interpreter. However, I would strongly urge you to start with at least a 'tiny Basic'; it's quite enough to begin programming with Basic — grasping the fundamental ideas of logic, flow charts, and so on — without having to struggle with machine code as well.

If you buy your computer as a kit, then you can also learn about how computers are constructed, and how they work. A word of caution though — if you don't know anything about electronics, and soldering, then perhaps a kit is not the right approach for you. That said, however, I do know of at least one person who very successfully built a kit without previous practice of such skills.

These are a few of the things you can do with personal computers. If you keep an eye on the magazines (especially PCW!) you will soon learn of many more.
P McIlmoyle

Post analysis

Perhaps you could throw some light on the topic of 'information retrieval'. Basically what I require is to split my customers into geographical areas so that I may analyse results and plan delivery schedules using these areas.
J Baxter, Hythe

I feel that your choice of scheme will probably greatly affect the ease of use of your final system; as such, a fair amount of thought ought to go into the design. You could choose to use the Ordnance Survey grid system; or areas bounded by counties and towns; or even a quadrant of latitude and longitude! I think, though, the best solution would be the Post Office postcode system. It's come in for a lot of stick over the years, but it's bound to succeed in an age of computerised sorting. It has numerous advantages for large and small businesses, and from what I can see it has few, if any, disadvantages. Here are some advantages:

1. Every address in the UK is postcoded, and all new addresses are quickly added. Sets of directories are given free to businesses and reference is therefore easy.
2. Postcode boundaries are based on ease of access and distribution, rather than by other more arbitrary means.
3. Different sized reference units are available, from large areas right down to a few addresses.
4. It's meaningful to other organisations, and two-way exchange is made easier between companies using the postcode system.
5. Space is at a premium in computers and postcodes are compact. They are both shorter and more precise than most existing references and can be used as a key to generate full addresses.
6. As the system already exists you are saving the cost of devising your own in-house alternative.

The postcode system is being used by such large companies as Schweppes Ltd and Cadbury Typhoo Ltd. The Post Office offers many services, booklets and maps — they also offer micro-fiche and magnetic tape files covering the whole country. In addition they will generate postcodes for all addresses that you already have on file, or will supply Ordnance Survey grid references for postcodes. There are also lists of post towns and sectors.

I must admit to being shocked at the price quoted for the above mentioned magnetic tape — £5000; given that they needed to produce the file anyway for their own use, I would have thought that £100 would have covered costs. I'm not aware, at the present time, whether the data would fit onto an 8" floppy disk and whether they envisage offering the file on such a medium.

I feel that post codes could help a small business because, even if the company only operates within limited boundaries, the subdivisions of the postcode will allow small enough areas to manage;

for example the code MK42 9WA is broken down as follows: MK refers to one of 120 post-code areas (Milton Keynes in this case) MK42 is an area divided by carefully chosen units called districts (there are 2700 districts); each district is divided into smaller areas (MK42 9) called sectors — there are 8900 sectors; finally the complete postcode pinpoints one street, or part of a street, or in some cases a whole company. There are 1.5 million postcodes in the country.

I've referenced a good deal of this information from the booklet *Using Postcodes in Business Systems.* This and further details can be obtained from Cledwyn Davies or Kathy Buckley, Postcode Marketing Section, Postal Headquarters, St Martin's-le-Grand, London EC1A 1HQ Tel: 01-432 1620.
SW

Into the unknown

With regard to the Sinclair ZX80 and the Acorn Atom: (1) Would it be possible for a user to construct a printer interface for the ZX80 that's currently on the market? Which printers would be suitable?
(2) What is the significance of the statement that the Acorn Atom printer drive consists of a 6522 and a pair of LS244 buffers? Which printers would be suitable?
(3) Would the fact that the ZX80 has a Z80 type CPU rather than the Atom's 6502 give the ZX80 any great advantage so far as the user is concerned?
L Wood, Bourne End.

I never fail to be amazed by what some people get up to! However, I shall assume in this case you mean an average user, without specialist electronic expertise, but with the ability to follow instructions carefully — and who can solder well.

Taking that as our basis, then I think I must answer 'no' to your first question. The ZX80 is indeed ingenious in offering the facilities it does — in a compact unit, and at a low price. However, this is achieved at the expense of a number of non-standard (perhaps I should say 'innovative') features. These combine to make the interfacing of a standard model of printer a difficult matter.

For a start, virtually all printers (apart from IBM ones, and Telex printers) use the ASCII character code. The ZX80 does not. That means you would have to use a lot of the ZX80 memory to contain a code translation program — or have another micro between it and the printer do to the job!

Secondly, the I/O routines make more than one use of some areas of memory (hence) the screen blanks out during keyboard input and program running) . . . therefore I/O routines are also non-standard.

And finally you need to buffer the bus lines before really contemplating connecting anything to them. I'm sure someone will soon prove me over-pessimistic by letting us know how they've attached a printer to a ZX80; for the rest of us it's a question of waiting for the special Sinclair printer to become available.

Turning to your second point, the whole I/O system of the Atom is much more like those we are used to, and there should be little real difficulty in interfacing a range of printers through the buffered interface. Apart from the ubiquitous Teletypes, you could consider printers such as those from Anadex, Centronics or Paper Tiger.

On your third question once again the answer really hinges around 'who is the user'. If you are only working in Basic (or some other high-level language) then there is really no noticeable difference in principle between machines using 6502s and those using Z80s. In fact, other things, such as the particular implementation of Basic used with your machine, will cause the most marked differences. The one that might show up is speed, and then only if the Z80 is a Z80A being run at a full 4 MHz. Even then, I sometimes wonder if a difference in speed of that order is significant to the typical amateur user.

Where the differences do show up is in machine code, or assembler language programming. Even then, while the Z80 has a more powerful instruction set, there are those programmers who prefer to work with 6502 assembler language. So, to sum up, the type of micro-processor used is unlikely to be significant in choosing between the Acorn Atom and the ZX80.
P McIlmoyle

Program puzzle

I've seen expressions like X=A AND 127 in programs and I can't work out what they are. Can you help? H Elliott, London.

You will need to know a little about binary and machine code to actually understand their purpose rather than just what it is they do. Essentially the statement above chops off the left-most bit of an 8-bit byte. The operators AND, OR and NOT are called logical operators. If Ø represents 'false' and 1 (on some Basics -1) represents 'true' then here is a table for the most commonly used operators:

A	B	A AND B	A OR B	A EQV B	A XOR B
Ø	Ø	Ø	Ø	1	Ø
Ø	1	Ø	1	Ø	1
1	Ø	Ø	1	Ø	1
1	1	1	1	1	Ø

There are others like NAND, NOR and IMP, but not many Basics support these. So, to answer your question; 127 in 8-bit binary is Ø1111111 and, if A has the value 1ØØØ1111, then X=ØØØØ1111. The expression you gave could be replaced by IF A>127 THEN A=A-128. You can try PRINT 143 AND 127 in the direct mode. Be warned, however some Basics do not support logical operators in arithmetic expressions.
SW

Routine suggestion

Can you suggest a routine for calculating the number of days between two given dates, either in the same year, or more cleverly, between different years.
L N Parlett, Bridport
The following program works, but you must have previously validated the dates; so, provided they are legal, this will work for any two dates between 1/3/1901 and 28/2/2400. (Can you see why it won't work outside this range?)

The year should be input in full. Some versions of Basic represent logical 'true' as a -1, some as 1. If you try PRINT 2<3 in direct mode and get -1 printed then use the bottom symbols; if you get 1 then use the top ones.
SW


```
10 INPUT "FROM";D1,M1,Y1
20 INPUT "   TO";D2,M2,Y2
30 A=INT(365.25*(Y1-(M1<3)))+INT(30.6*(M1+1-(M1<3)*12))+D1
40 B=INT(365.25*(Y2-(M2<3)))+INT(30.6*(M2+1-(M2<3)*12))+D2
50 PRINT ABS(B-A),"Days"
```

PET display link

We have an 8k and a 32k PET and would like to link one of them to a large television set for classroom display. Can you please tell me what equipment is needed and how the connection is made.
G Cattanch, Tyne and Wear.

It's easy to attach an extra screen to the PET and I'm sure that your physics department will be able to make up the following circuit.


Fortunately the three video signals which go to the internal display are taken to contacts on the user port edge connector. The signals are: vertical sync, horizontal sync, and video–appearing at 9, 10, and 2 respectively. It's possible to combine these signals to drive a monitor or television set. The circuit shown is one that I've used successfully between a PET and my television. The horizontal sync pulse is shortened and inverted and combined with the vertical sync. The video signal is also inverted and added to this, to provide the composite video signal. A standard modulator module is used to give the necessary UHF output for a standard television set. The vertical hold will need some adjustment as the PET field scan runs at 60 Hz (American) rather than our 50 Hz.
Mark Wratten



EXTERNAL TELEVISION/MONITOR INTERFACE FOR THE COMMODORE PET

Hewlett-Packard's personal computer. It works like a big computer, only it's yours.

AVAILABLE NOW



Hewlett-Packard's HP-85 personal computer puts full, professional computing power wherever you need it. On your desk. In the lab. At home. Anywhere. With all the conveniences of an easy-to-use, all-in-one computer system.

It's everything you'd expect from Hewlett-Packard.

Built into a single package about the size of an electric typewriter are a video display, high-speed printer, magnetic tape unit, operating system and keyboard. What's more, when slipped into its carrying case, the HP-85 is about as easy to carry as your attaché case.



A complete, compact system ... that's yours.

In fact, it's downright friendly. And exceptionally versatile, too. With a large selection of available peripherals and software.

The HP-85. Hewlett-Packard's personal computer.

Designed for the needs of engineering, scientific and financial professionals.

Stop press. New plug-in HP-IB interface module now available (to IEEE Standard 488-1978) plus three plug-in ROMs for input/output, plotter/printer control, and matrix maths.

HEWLETT PACKARD

Ask your nearest dealer for an HP-85 demonstration!

Aberdeen: Tyseal Typewriter Services. *Belfast:* Cardiac Services. *Birmingham:* Anglo American Computing; Taylor Wilson Systems. *Bournemouth:* South Coast Business Machines. *Brighton:* Office Machinery Engineering. *Bristol:* Decimal Business Machines. *Cambridge:* Cambridge Computer Store. *Chelmsford:* Automatic & Electronic Calculators. *Dublin:* Abacus Systems. *Edinburgh:* Business & Electronic Machines; Holdene Ltd. *Glasgow:* Robox Ltd. *Leeds:* Holdene Ltd. *Leicester:* Sumlock Services. *Liverpool:* Rockliff Brothers. *London:* Automatic & Electronic Calculators; Euro-Calc; Sumlock-Bondain. *Manchester:* Automated Business Equipment; Holdene Ltd. *Reading:* CSE Computers. *Southampton:* South Coast Business Machines. *Wallingford:* Midas Advisory Services. *Watford:* Automatic & Electronic Calculators. *Woking:* Petalect Electronics Services. *Worthing:* Office Machinery Engineering.

PCW SUBSET

In a letter printed in the May issue of PCW readers were asked to submit Z80 general purpose routines to defined standards — for critical scrutiny and comparison with work done by others. The aim was to finish up with a valuable set of top quality routines that anyone could use. Several people said they liked the idea. . . even more important, some actually wrote in with suggestions. So the idea still lives and Alan Toothill tells how it has been shaped and where it moves on to from here.

8080 Compatibility

There was quite some support for forcing Z80 routines to be compatible with the 8080 and 8085 processors. No IX and IY registers! No relative jumps! No alternate register set! No block moves! Let's just collect the best routines the Z80 can execute, they said, and if they happen to be 8080 compatible, simply mention the fact in the documentation. Your Z80 routines that can be made compatible with the 8080, by changing a few instructions, may be changed and offered separately as 8080 datasheets.

Passing parameters

The original rules suggested that registers HL, DE, IX and IY be used as pointers to RAM and that registers B and BC be used to pass single and double byte counts.

It seems everyone has their own approach to passing parameters. I liked this one, adapted from the method used by PL/M, sent over from Holland by Ian Wilson:

— A single parameter is passed in BC (word) or C (byte).
— Two parameters are passed in BC (first) and DE (second) or C and E for bytes.
— A single result is returned in HL (word) or A (byte).
— Where a result may or may not be returned, the carry flag may be used as a status indicator.
— If more than two input parameters are passed, these are pushed onto the stack.

On balance, it's best to have no rules about passing parameters but rather to ensure that the documentation clearly shows what is done about this. Those with a system of their own can then adapt the routines to conform to their own standards.

Ian Wilson is against parameters embedded in the main program, following the CALL. Since he does show how we can access them, I quote him again:

Accessing these parameters is messy and inefficient with the Z80 architecture, especially when the called routine has no 'free' registers. The best I can do is something like this:

```
UGH:  EX (SP),HL  ; save HL & get
                  ; argument list
                  ; address in HL
      PUSH HL     ; save that, too
      INC  HL     ; point HL past
        :
        :
      INC  HL     ; end of arguments
      EX (SP),HL  ; return address
                  ; onto stack
                  ; arg list address to
                  ; HL
        / / /     ; body of routine
        / / /     ; stack has original
        / / /     ; HL
                  ; followed by
                  ; return address
EXIT: POP HL      ; return address
      EX (SP),HL  ; restore original
                  ; HL
      RET         ; phew!
```

You must admit that the extra coding needed in the routine is a bit much for the average byte-miser to stomach. On the other hand, routines with their parameters following the CALL can be easy to use. Those who rate ease of use higher than memory space will stick with them.

Routines with or without parameters after the CALL will be accepted. If the system you don't like is presented, you can have fun converting it to the other.

PROMable code

There was general agreement that routines shouldn't alter their own code — so that they can be put into some form of read only memory, if required.

Local RAM

The suggestion that the stack be used for any local RAM needed was not so well received.

Before we consider this, here is an important point about its use, put by R. J. Chance of Birmingham University:

If the stack pointer does not delimit the used RAM area, data could be overwritten by interrupt return addresses etc. Thus:

```
PUSH HL
LD HL,—2
ADD HL,SP   ;(HL), (HL+1) =
   SCRATCH
```

is not allowed.

The system might go:

```
PUSH HL
LD HL,—2
ADD HL,SP
LD SP,HL    ;(HL),(HL+1) = SCRATCH
; rest of
; subroutine
LD HL,2
ADD HL,SP
LD SP,HL
POP HL
RET
```

This clearly illustrates the penalty, in extra bytes of code, for having this system of allocating RAM only as needed and releasing it when it's no longer required. The penalty might seem excessive if only small areas of work space have to be provided.

An alternative is to dedicate to the routine an area in RAM not accessible by any other code. This might well take less RAM than the extra code (ROM?) needed to handle the stack; however, these dedicated areas would need careful mapping or labelling.

Re-entrant code

Having an area of RAM reserved exclusively for a particular routine wouldn't do if the routine were to be interrupted by some other code that called the same routine. In this case, the second time the routine was called it would also use the reserved RAM area and corrupt it for when execution of the original routine was resumed. Using the stack as local RAM avoids this problem.

Many of you might not be at the stage yet of switching control between programs running, in different time slots, over the same period. But some are doing this now and everyone is likely to want to do this some time in the future. So general purpose routines should allow for re-entrant code where possible.

Relocatable code

How much we want code that will function in any location without re-assembly, depends on whether or not we have an assembler.

With an assembler that requires a displacement with a relative jump, there's a case for absolute jumps. They are less error prone and the labels they use are unaffected by the deletion and insertion of code.

Even so, there's something very satisfying about code that functions regardless of where it's placed and, because it fits everybody's circumstances, must be preferred for general purpose routines.

New recommendations

Having been fairly taken to task for trying to impose rigid rules, we've now chosen to have two classes of routine, the class to be declared in the documentation.

Class 1 routines will be re-entrant, relocatable and will not be self-modifying.

The recommendations for these have been put most succinctly by R J



Write: Dator Mark Ltd. / Fox Oak / Seven Hills Road / Walton-on-Thames / Surrey kt 124 dg

L & J COMPUTERS

3 CRUNDALE AVENUE, KINGSBURY NW9 9PJ 01-204 7525

THE "PET" SPECIALISTS

NEW LOW, LOW 'PET' PRICES!!

Pet 8K (large keys)	£420
Pet 16K	£499
Pet 32K	£630

Ext. cassette decks (+ counter) £55
PET Friction Feed printers £350

TRY US! YOU WILL NOT BE DISAPPOINTED

AVAILABLE FROM STOCK

Printers	Disc Drives	Sundries
PET 3023	PET 3040	Tool kits: library cases
PET 3022	Compu 400K	Disks: C12 cassettes
Centronic 779	Compu 800K	Paper (roll & tractor feed)
Spinwriter	Interfaces	Labels: Dust covers

WE ARE NOW TAKING ORDERS FOR THE

NEW 8000 SERIES CBM's

FOR AUGUST DELIVERY.

8032 *(80 col. screen: new keyboard)*	£895
8050 *(974 K/Bytes: new DOS)*	£895

(Sae for details: Demonstrations NOW)



COMPLETE SYSTEMS FROM £1700!!

THE ESTIMATES WE SUPPLY & INSTALL ARE COMPLETE ESTIMATES GIVEN FREE WITH NO HIDDEN EXTRAS: FULL BACK-UP: GUARANTEED EXPERTISE.

PRICES DO NOT INCLUDE VAT

SOFTWARE

As well as a full range of Petsoft and Commodore Software, we have some highly reliable "Home-Brewed" programs available.

STOCK CONTROL & INVOICING **£60**
(Handles up to 500 items — 32k) (80 on 16K). Stock depleted on invoicing, search etc. Cassette, disk (& colour print option).

STOCK TAKING **£230**
Basic program which can be tailored to suit most trades. Beautiful print-out!

OUTSIDE SERVICES (For Mini-Cabs etc.) **£220**
Weekly or monthly invoices — cheque writing facility — optional deductions. (16 or 32K + disk + printer).

MACHINE HIRE **£420**
Covers hiring of machines, customers, due & overdue. Hiring Charges: Machine History: Printouts for all Sections. Ideal for Typewriter & Pland Hire Firms.

CASH BOOK **£90**
Enter daily/weekly amounts — printout and totals, weekly monthly analysis, totals and balances.

Sae for free software booklet

SPECIALISTS IN:
Commodore Business Programs; Supepay; Bristol Trader; Item & Monitor; Word Processing.

SPECIALISED SOFTWARE APPLICATIONS UNDERTAKEN. RING FOR DETAILS

PERSONAL SHOPPERS WELCOME
Phone & Mail Orders accepted.

ALL GOODS SENT SAME DAY WHEREVER POSSIBLE
LARGE S.A.E. FOR LISTS ETC.

Chance:

. . . the purpose of such recommendations is to enable programmers to use package subroutines 'blind' or modify with least trouble for their own purposes. How about:

a) Promable code:
Routines should not alter their own opcodes.

b) Re-entrant code:
No explicit RAM addresses — supply data following subroutine call or in registers — use stack as scratch pad.

c) Blind use:
Save and restore registers not used for data transfer.

d) Interruption:
Addresses below the stack pointer (SP) must be unused. Do not use alternate register set.

e) Position independent code:
No absolute jumps or calls except to general routine area.

All 'rules' are breakable with justification, understanding and documentation. For example, routines that don't use the alternate register set may not be interruptable through time restrictions and may be degraded without the alternate register set.

The question of relative calls on the Z80 will be dealt with next month.

Routines not conforming to these recommendations will be in Class 2. They can either be incorporated with care into one's own system or after conversion into Class 1 routines.

Locating the routines

We can't give addresses for the general purpose routines, as different users will have already committed different areas of memory for various purposes.

It's worth adopting the suggestion of one reader that other routines in the library will be called by their labels in the mnemonic listing and the memory address in the machine code will be represented by the dummy symbols 'XX XX'. Should it be necessary (against standard practice) to make an absolute jump or call within the current routine, the address in the machine code listing will be represented by the symbols 'YY YY'.

Time critical routines

It was thought that time critical routines, such as DL1S given as an example in May, should be declared as such and documented down to the T states per instruction. There's now a section, inserted after the name in the second part of the documentation, to declare whether or not the routine is time critical.

DL1S was also criticised, by more than one reader, for not defining the number of repetitions of the loop, at the head of the listing:

```
N EQU 42551
```

and writing the third instruction

```
LD BC,N.
```

The second part description of DL1S now includes the additional explanation, 'Delay of 47*N + 103 T states.' At the end of each line of comment against the mnemonic, the number of T states for the instruction is given thus:

```
PUSH AF    ; save flags   T11   F5
```

Revised documention

1. The first part of the documentation, marked ';=' , contains a header name of the routine.

2. The second part, marked ';/', contains a technical description, from which the routine could be used in a system, without necessarily understanding the code:
Section 1 gives the name, level and class of the routine. Routines that call no other routine are level 0; others are level 1. Routines that follow the recommendations are class 1; others are class 2.
Section 2 declares whether or not the routine is time critical.
Section 3 gives a brief description.
Section 4 gives the main actions carried out by the routine.
Section 5 specifies flags, registers, parameters, stack or other areas assumed to have meaningful values when the routine is called.
Section 6 specifies flags, registers and other areas containing results when the routine returns.
Section 7 gives the registers disturbed by use of the routine.
Section 8 gives the maximum number of bytes that could be added to the stack. This includes growth from the routine calling other routines but excludes the two bytes used by the main program call for its return address.
Section 9 gives the memory size of the routine.
Section 10 lists any monitor or general purpose routines on which the routine depends.
Section 11 gives any I/O interfaces, peripherals or local RAM areas needed.
Section 12 states whether or not the machine code is 8080 compatible.

3. The third part is a complete listing of the routine, with assembler mnemonics, comments (including T states if applicable) and machine code.

GOTO page 125

Datasheet

Roger Hargrave of Crawley sent this routine. He uses it to convert validated ASCII digits (from where he has entered them in video RAM) to a packed BCD field for processing elsewhere in RAM.

I would like to see in how few bytes readers can write a conversion routine, BFSN, which will convert a packed BCD field (and leave it unchanged) to an ASCII field with leading zeroes, but not the least significant of an all zero field, suppressed.

```
; =SNBF—ASCII/packed BCD
; /"SNBF" — level 0, class 1
; /TIME CRITICAL?: No
; /Converts valid ASCII decimal to packed BCD digits.
; /Leading spaces or zeroes converted to leading zeroes
; /ACTION:  A ← (DE)
;           high nibble (HL) ← low nibble A
;           DE ← DE—1
;           B ← B—1
;           A ← (DE)
;           low nibble (HL) ← high nibble (HL)
;           high nibble (HL) ← low nibble A
;           B ← B—1
;           DE ← DE—1
;           HL ← HL—1
;           Repeated until B=0
;           If B was odd number then:
;           low nibble (HL) ← high nibble (HL)
;           high nibble (HL) ← 0
; /INPUT:   DE contains address of least significant
; /         ASCII digit
; /         HL contains address of least significant byte
; /         of destination
; /         B contains number of digits to be loaded
; /OUTPUT:  The destination contains packed BCD corresponding
            to the ASCII digits
; /REGS USED:  A,B,DE,HL
; /STACK USE:  Nil
; /LENGTH: 19
; /SUBR DEPENDENCIES: None
; /INTERFACES: None
; /8080 COMPATIBLE? No

SNBF: LD A, (DE)    ; get ASCII                    1A
      RRD           ; load its low nibble into     ED 67
                    ; (HL) high nibble
      DEC DE        ; point next ASCII             1B
      DEC B         ; decrement counter            05
      JR Z, ODD     ; if finished,B was odd number 28 08
      LD A, (DE)    ; get next ASCII               1A
      RRD           ; shift high to low nibble (HL) ED 67
                    ; & replace with low nibble of A
      DEC DE        ; point next ASCII             1B
      DEC HL        ; point next destination       2B
      DJNZ SNBF     ; repeat if not finished       10 F2
      RET           ; return — B was even number   C9
ODD:  XOR A         ; clear A                      AF
      RRD           ; shift high to low nibble (HL) ED 67
                    ; & replace with leading zero
      RET           ; return                       C9
```

BOOKFARE

This month Malcolm sets out to offend 95% of UK Micro users. Wethinks an unworthy ambition!



Getting down to Basics

Basic is a two-edged weapon. Its well-honed educational edge may slice through the 'mysteries' of software, but its jagged other-side could seriously wound some user relying on Basic to solve his business problems.

There are many experienced computing professionals who feel that the time cannot come quickly enough when Basic is at last relegated to a footnote in history — a bright comet which illuminated the world for a brief spell, then faded out. This is a view I wholeheartedly support, particularly after having had my anti-Basic prejudices reinforced by an interesting new book from the National Computing Centre, *High-Level Languages for Microprocessor Projects.*

The book's authors, *David Taylor* and *Lyndon Morgan*, don't themselves make a full-frontal assault on Basic, although they clearly point out its limitations. The most direct criticism comes in an Appendix written by R J Griggs of Software Architects Ltd (SAL) which explains why Cobol was preferred to Basic for an accounting package that was being developed.

Cobol outscored Basic on virtually every factor evaluated — efficiency of program execution and memory usage, reliability, flexibility, portability and data handling. Even when looking at the speed of implementation — one of Basic's strong points — SAL concluded that, in practice, "there is no difference in development effort (between Basic and Cobol) given a competent programmer in either language." As Griggs points out, program design and structure should involve about 60% of total development effort; therefore Basic's efficient interactive programming feature is outweighed by other considerations, particularly as interactive Cobol compilers, such as Microfocus' CIS Cobol, are now available on micros.

For the Zilog MCZ systems being used by SAL, it was found that the available Basic interpreter was twice as large as the Cobol one and that, on execution, Cobol code proved to be three times as fast as Basic. On memory optimisation, Griggs comments, "Basic allows little or no programmer control over how much memory variable data will occupy. Cobol, on the other hand, has quite extensive facilities to describe both size and format of memory storage locations. Furthermore, Cobol provides control over memory into which data received from peripheral devices will be stored. Again Basic is sadly lacking in this respect. For these and other reasons we found that the intermediate code produced by Basic was less compact than Cobol." Further comments from Griggs could be strung together to form an all-round attack:

"Cobol is certainly more self-documenting (than Basic) and lends itself to clear, orderly structures (which) are a considerable guarantee to a correctly functioning system . . .

"Basic proved incapable of providing the type of flexibility needed to create a system which could run in various modules with various extensions being added as required . . . . .

"Basic . . . suffers from a lack of any accepted industry standard and rewriting source code may be the price of adopting a new machine . . .

"In short, there is no doubt that Cobol provides by far the most comprehensive facilities for data management (compared to Basic) . . . ."

With reviews like this, even the most optimistic enthusiast would have difficulty in claiming that "Basic will run and run . . . . " But it will, primarily for those historical reasons which hitched Basic to the personal computing bandwagon.

In the main body of the book, the authors (Taylor and Morgan) place Basic and Cobol into a wider perspective by examining the general reasons why high level languages should be used on micros, the criteria that can be used to judge a 'good program' and the factors that should be taken into account when choosing a language for a particular application.

On Basic, they comment, "Basic is an enigma. Anyone approaching a microcomputer *must* know Basic because it is so universal. However, they must be aware of its limitations and the variety of implementations." They confirm Griggs' comments that its lack of standardisation and portability and its unsuitability for use in a structured approach to program design are serious drawbacks.

Taylor and Morgan's comments on Basic come in one of the most valuable parts of the book, a summary of the attributes of 17 high level languages available on micros. They are each considered under a similar set of headings such as history and background, program structure, data definition, input and output, implementation information and a summary of the main features. Although there is too much variation in the depth of information and analysis given to different languages, these succinct descriptions are useful for gaining an insight into the qualities and disadvantages of the languages.

A minor irritation, however, is the strange way in which the languages are ordered, which makes quick reference troublesome. I can detect little logic behind arranging the language summaries in the sequence: Algol 60, Pascal, PLZ/SYS, PLM, MPL, Coral 66, RTL/2, Fortran, Basic, Cobol, APL, Forth, Ada, BCPL, Lisp, Pilot and PL/1, particularly as an earlier summary in the book placed them in alphabetical order.

The number of languages included surprised even the authors; they started out imagining that the choice would be limited, given the initial orientation of the microproeessor industry towards low level assembler languages. In order to decide on which languages to include, they conducted a survey of manufacturers towards the end of 1979, which resulted in the 17 included.

Throughout the book, Taylor and Morgan rightly stress that the selection of an appropriate language is not the be-all and end-all of software development. Two chapters focus on the importance of using structured software design methodologies and implementing installation and international software standards in order to produce programs that meet their GRAPES criteria for good programming — Generality, Reliability, Adaptability, Portability, Efficiency and Simplicity.

Although they point out that good programming techniques are independent of any particular language, it's clear that Basic fails on some of the major criteria. Some language purists have also argued as vehemently as the anti-Basic brigade against such popular languages as Cobol — on the grounds that they were cobbled together from ad hoc standards and lack the elegance and coherence of the Algol-inspired language family, which includes Pascal and Ada. Over the last few decades however, sufficient support has been given to Cobol to overcome many of the criticisms. Taylor and Morgan quite rightly separate general language considerations from any particular linguistic partisanship. Their main proselyting pitch is in favour of high level languages in general. The book is therefore likely to be of most interest to those engineers or managers who have yet to realise the benefits of the high level approach — although data processing staff are likely to be illuminatingly surprised at the range of languages available. In pre-micro days, don't forget, the size of high level languages and the associated expense of storage restricted a language like Cobol to larger machines.

The book's main value is as a 'taster' to the possibilities of high level languages and software engineering techniques. To those Basic freaks who are bitten by the Cobol bug, *Structured Cobol Programming* by *Nancy and Robert A Stern*, now in its third edition, is a good training guide. It will also be of interest to those computing professionals who are sceptical about Cobol's suitability for structured techniques.

The Sterns have written the latest edition by assum-

ing from the start that structured programming is to be used. The description of Cobol is therefore presented without any preliminary justification of structured techniques although these are introduced intrinsically in the example programs described. As the use of GO TO statements are generally anathema to structured programming techniques, they are avoided until over half way through the book — and are then introduced only to show the few instances in which GO TOs can be used effectively within well-structured programs.

All this talk of Cobol and structured techniques may seem remote from the programming life of some personal computer 'hobbyists'. But everyone wishing to use a computer for more than educational and game playing applications will be foolish to ignore us anti-Basicists; let them beware their enigmatic, two-edged Basic desires.

Understanding roadblocks!

"Now, how do these robots differ from the silicon chips we heard about six months ago." That was the opening question of a recent interview on Radio Wales which left the interviewee dumbfounded. I know, because I was the interviewee.

And something funny also happened to me on my way to the interview at Broadcasting House (in London). At the recording studio I met a Beeb lady on her way out carrying a bundle of tapes. "What have you come to talk about?" she enquired. "Robots," I (think) I said. She too looked dumbfounded. "Oh what's interesting about them," she asked, edging out of the door. "Lots," I started rambling, "they use silicon chips and . . . . " Before I could finish, she was gone, muttering, "I hope you have an interesting discussion about roadblocks."

Such is the confusion that currently reigns in the media about technology. And I still wonder if somewhere in the Beeb there is a rumour going round — or even a programme being made — about the way silicon chips are revolutionising roadblocks.

The Radio Wales interview took place earlier this year, when robots had suddenly become the current technological 'miracle' — one which could cure Britain's industrial decline and entirely changing the nature of society. And after robots (not to mention roadblocks) came bio-technology. By the time this is published, who knows what new technological revolution may be upon us.

All this is by way of introduction to *Robots in Industry* by *G L Simons*, a no-nonsense factual description of the current state of the industrial art of robotics. Appropriately, it's published by the National Computing Centre, an organisation that's in the business of providing factual information about the nature and uses of computing.

If you would like to know what's actually happening with the use of robots in industry rather than what *might* happen, this is an excellent starting point. Simons provides sufficient historical backing and futuristic perspective to place current developments into context; the meat of the text, however, concerns the types of robots and robot applications that actually exist — and nothing whatsoever about roadblocks!

Intro and Outro

As I have written before in PCW, there are two types of 'Intro to Mini/Micro' books. There are those which begin with binary numbers and other nitty grotty (sic) details — which are suitable for potential computer scientists, perhaps — and there are those which start from the perspective of the user which usually offer a more effective insight into the nature of the technology for the average, non-specialist reader.

Introduction to Minicomputers and Microcomputers by *M E Sloan* stands firmly in the binary-oriented camp. As such, it contains the topics you would expect, moving from binary representations, through flowcharts programming on minis and micros, systems software to data structures, high level languages and so on.

It has almost 500 pages and never stints on going into detail. It's workmanlike in its presentation, without showing any particular communicative flair. But if you feel drawn to this type of thorough-going approach to the technology, you might as well take a look at this (for me, boring) example of one school of Intro books.

Free plug

One of Malcolm's many hats is that of Chairman of the British Computer Society's Computers and Employment Group. Using that as an excuse, he's slipped us its annotated bibliography *Computers and Employment* and asked us to mention it — review it even.

Well, despite the fact that PCW doesn't even rate a mention, it must be said that this publication is an essential reference work for anyone seriously concerned about the impact of computers on employment.

The aim of the bibliography is to indicate sources of information about the 'Great Debate' on the effects of computers, microelectronics and telecommunications on the workplace. Its scope is far wider than just the question of how many people will/will not be thrown out of a job by the chip. Particular emphasis is given to information on changes in the nature of work and new skill requirements. There are, therefore, sections on specific job categories and skills, such as engineers, designers and managers in manufacturing industry, as well as on applications such as banking, printing and the health services.

In addition some key issues are identified such as health and safety, the Third World, education and job design, which indicates the wide range of interrelated topics which need to be considered. The main publications in each section are described briefly.

The bibliography ends with a general list of relevant articles which have appeared in newspapers and magazines recently but not, we're astonished to note, in PCW!!!

The first edition was published with assistance from ICL. It is planned to publish updates from time to time. The first edition costs £3.50 including postage and packing — cheques with orders please to the lad himself: Malcolm Peltu, 33b Chiswick Lane, London W4 2LR. If you're interested in future updates we suggest you contact Malcolm for further information.


This month, Bookfare reviewed:
High-level Languages for Microprocessor Projects by D Taylor and L Morgan (NCC Publications, £15.00)
Structured Cobol Programming by Nancy B Stern and Robert A Stern (John Wiley & Sons, £8.65)
Robots in Industry by G L Simons (NCC Publications, £10.00)
Introduction to Minicomputers and Microcomputers by M E Sloan (Addison-Wesley, £10.50).
Computers and Employment BCS Computers and Employment Group (BCS/ICL, £3.50)



"Take no notice of Jim, he's playing strip poker with his computer."

interface components

EXPAND YOUR NASCOM WITH OUR NASBUS COMPATIBLE EPROM BOARD. ONLY £55*



Every Nascom 1 and 2 user can now expand their machine with up to 32K of EPROM.

Our NASBUS compatible EPROM board has 16 sockets to take 2708s or 2716s, organised in four banks of four. And as long as each bank has the same EPROMs, you can mix the banks between 2708 and 2716. Furthermore, each bank can be decoded to start at any 4K address boundary.

Just think, you can plug in the NAS-PEN text editor, ZEAP assembler, NAS-DIS disassembler and NAS-DEBUG, and still have 6 spare sockets.

The board also has a 24 pin, 8K ROM socket addressable on any 4K boundary. Ideal for Nascom 1 owners to add the 8K BASIC to their system.

For the benefit of Nascom 2 users, we have fitted the board with a wait-state option. When selected, this facility is automatically activated while the board is being addressed and allows you to use your microprocessor at 4MHz with slower EPROMs.

We could have stopped there, but we decided to make our EPROM board the most comprehensive available. Which is why our board can support the Nascom Page Mode Scheme.

The board can be switch selected to any one of four pages enabling it to be used in conjunction with up to three of the new Nascom RAM boards of any memory capacity.

Like Nascom's own expansion boards the Interface Components EPROM board is an 8" × 8" silk screened, solder resist board manufactured to the full NASBUS specification and therefore totally compatible with other NASBUS boards.

£55 plus VAT + £1.00 P & P

INTERFACE COMPONENTS LIMITED,
OAKFIELD CORNER, SYCAMORE ROAD, AMERSHAM, BUCKS HP6 6SU
TELEPHONE: 02403 22307. TELEX: 837788
Write, telephone or call. Access or Barclaycard accepted

The 3rd Personal Computer World Show

4-6 September
Cunard International Hotel
London W6


Open 1000 to 1900 (early close at 1600 on Saturday)

Tickets: £2.00 at the door, £1.50 if prebooked through the organisers, Montbuild Ltd., 11 Manchester Square, London W1M 5AB, Attn T Collins (cheques payable to Montbuild Ltd)

How to get there

Underground: Metropolitan, Piccadilly or District lines to Hammersmith

Bus: 9,30,72,73,74,266,290,714,716





WORLD MICROCOMPUTER CHESS CHAMPIONSHIP

The chess championship runs concurrently with the 3rd PCW show; admission to the show includes admission to the chess contest.

Our resident micro chess expert Kevin O'Connell reports on an interesting chess contest with a difference — it's one that's being fought out in the law courts.

WHO'S KING?

The strongest chess playing program currently on the market is that produced by the husband and wife team of Dan and Kathe Spracklen. The program is 'Sargon 2.5' or, alternatively, 'Boris 2.5'; they're identical except that Sargon is manufactured by Applied Concepts Inc. of Texas and marketed by Chafitz Inc of Maryland, while Boris is both manufactured and marketed by Applied Concepts. A little disagreement between the two companies has given rise to the two names and at least one lawsuit that's reputed to involve around 12 megabucks.

Applied Concepts, who have registered 'Boris' as their trademark, use the advertising slogan 'Boris is King', while 'Sargon', for those of you who have forgotten more Assyrian and Babylonian than you ever learned, means 'Declared King'. The direct line of descent, incidentally, is: Sargon I (ca 3000 BC), Sargon II (722—705 BC) and Sargon 2.5 (1979 —). One more juicy palace intrigue before looking at the program: the Spracklens were made a rather tempting offer by Fidelity Electronics (manufacturers of the Chess Challenger range) to commit infanticide and join the forces of the vociferous young pretender to the throne.

Boris 2.5/Sargon 2.5 usually comes in the form of a module for the Applied Concepts/Chafitz Modular Game System. Before I go any further along this treacherous path I propose to adopt the following terminology: Sargon for the program and Applied Concepts for the manufacturer/marketer.

The concept of a modular system is basically a good one. The idea is that when the program is improved, you can simply buy a new module rather than a whole new machine. However, it's somewhat doubtful whether any significant increase in playing strength can be effected with 8k of ROM and 1k of RAM. If you increase the amount of RAM you can certainly achieve more. The trouble with that, though, is that you may be left in the somewhat unhappy position of keeping the 8k ROM module and buying a new system to plug it into! Nevertheless, Terry Knight of Competence (the UK distributors) has the novel idea of an 8k module to play the opening, then another to handle the middlegame and, finally, almost 8k of look-up tables to play a formidable endgame.

Sargon is one of the very few machines to have established a significant track record in competitions. Way back in March 1978 an early version won the first ever microcomputer chess tournament in San Jose, California, with a clean score, finishing ahead of the Commodore Chessmate, Boris and Chess Challenger — all of whom tied for second place. In the 1978 North American Computer Championship Sargon II finished third behind two monsters: Belle and Chess 4.7. Last year the upgraded version, Sargon 3, won the PCW tournament with a clean score and placed 7th equal in the North American Computer Championship. That same year it also played in a tournament that was basically for humans in the Paul Masson vineyards in California. The program, unaffected by the vinous surroundings, made a plus score and achieved an official rating of 1641 (playing on its level 4).

There is a worldwide rating system for chess players: Here are a few figures to help put Sargon in perspective. The reigning world champions are: Anatoly Karpov (human) 2725, Maya Chiburdanidze (human, female) 2400, Yasser Seirawan (human, junior) 2510, Chess 4.6 (computer) 2100. A rating of 2200 indicates master level. Sargon currently rates about the same as a moderately good club player.

Sargon has seven levels of play, five of which have a reasonable average response time: level 0 (instant response), level 1 (10 seconds), level 2 (20 seconds), level 3 (45 seconds), level 4 (2 minutes). In play it can seem to respond even more quickly because the program, having played its move, continues to analyse a tree based on what it considers to be the most likely reply by the opponent.

Sargon's playing strength vis-a-vis the other good chess machines on the market can be judged from its 10—7 victory over Chess Champion System III (reviewed last month), which in turn defeated the Voice Challenger by 10—7. If you are one of the very few thousand serious chess players in this country, playing regularly in club and tournament competition, then at the moment Sargon may be the only program to offer you stiff enough opposition.


The basic operation of Sargon is easy enough in its game playing mode and setting up a position is also quite straightforward. There is a 'restore' key which enables you to take back up to six ply (three moves for each side), two ply at a time, but you can never restore back to the original position. Thus, if you are anxious to play a particular opening, you have to run through the laborious process of switching the machine off and on, each time waiting while 'Sargon awaits your move' scrolls across the display and hoping all the while to achieve the opening of your choice.

There is one thing about Sargon 2.5 which I hate — the 60-odd (or 60 odd) messages which appear on the display from time to time. They range from the sublime ('woops') to the ridiculous ('are there ladies present?'). Apparently customers are about equally divided in liking or disliking them. However, it seems to me to be simply a waste of about 1k of ROM and an unforgivable mistake on the designer's part that you cannot exclude them, even if you want to.

You can find Sargon in most department stores or mail order firms such as AJD Direct Supplies, 102 Bellegrove Road, Welling, Kent DA16 3QD, whom I have to thank for the loan of my review copy. It will cost you in the region of £270-280. As an alternative, you can get a slightly weaker version of the program, for about £8.90, in the form of *Sargon, A Computer Chess Program* by Dan and Kathe Spracklen, published by Hayden (UK distributor — Butterworth). Of course, for this version you will need a few other things: some time, a steady typing speed and a system that uses Z80 assembler, (minimum 8k RAM). Preferably your Reset button will be safely mounted at the back of your system, if not then allow *lots* of time for keying in!

There is also a more expensive ready-made version, with an 'auto response board', which sells at £695. If money means nothing to you, then take a look at it; the craftsmanship of the inlaid wooden board is superb. This version has another great asset: since it has no display (moves are indicated by LEDs inset into the 64 squares) the comments have been excluded and replaced, I am told, by extra openings.

GOTO page 123



Sargon 2.5, showing the board, set (provided), storage space ar.d, on the right-hand side (from top to bottom): plug-in module, display, clip-on keyboard.

BENCH TEST

CBM 8032



Some call it the Jumbo, others refer to the SuperPET, but image-conscious Commodore has christened its 80-column PET the CBM Model 8032. It no doubt feels that PET is a bit of a silly name for a machine so clearly aimed at the business market. This month PET wizard Peter Calver of Supersoft and our own David Tebbutt put the system through its paces and assess its chances of success.

Commodore's long-awaited new computer comes as welcome news to all those who want a PET but feel it's not quite 'grown-up' enough for them. Mainly businessmen, they will find the 80-column screen and full keyboard overcome most of the earlier machine's limitations. Programmers used to the PET will find the new computer a bit annoying at first but they'll soon get over that.

Only one model will be offered — the 8032 with 32k of RAM of which 1k is reserved for system use; the rest is available to the user. As with PET, the Basic interpreter and the monitor are safely tucked away in ROM.

Apart from one or two problems when the machine was delivered (it was 'dead on arrival') it performed well during the review period. The faults were identified as a disconnected video cable and a crimped-through keyboard wire. Our thanks to Cream Microcomputer Shop and Commodore for the swift diagnosis and repair.

Hardware

The 8032 retains many of the features of its illustrious predecessors. The integral 12" 'green screen' monitor is fixed to the main unit which incorporates a standard typewriter keyboard, numeric keypad and half a dozen control keys. With its metal casing it weighs in at around 50 lbs (for the benefit of younger readers, that's about 22 kilograms) and the whole unit fits adequately into the passenger seat of

Technical Data

CPU:	6502
Memory:	32k (31k user) RAM
Keyboard:	Full ASCII, numeric pad, full cursor controls
Screen:	25 lines x 80 characters, green, memory mapped
Disk Drive:	Coming soon — twin 5¼", 950k
Bus:	IEEE-488
Ports:	Cassette, memory expansion, parallel
System Software:	DOS and Monitor
Languages:	Basic

an MGB although, for the review, it seemed more at home on the dining room table.

Despite Commodore's anxiety to dissociate the 8032 from the PET, the two are very similar in appearance and performance. Games addicts will be pleased to learn that all the graphics characters can be displayed, although only 26 of them are accessible from the keyboard. 'Pi' is one useful character that's all but lost. While Commodore is clearly right to offer a typewriter keyboard there are many thousands of PET programmers who will find it strange that they must press the shift key to generate even common characters such as plus signs or quotes. Perhaps Commodore would like to consider a graphics keyboard option as it does with the PET. Three new keys have been added — tab, escape and repeat, and the run/stop key has been sensibly moved out of harm's way to the top right of the main keyboard. The feel of the keys is neither better nor worse than on most other machines, and they have the same tendency to emit strange 'boings' when released quickly.

The screen can display 2000 characters in 25 lines of 80 columns. The character generator in ROM contains two sets of 128 characters, each of which may be displayed as green on black or vice versa. Although Commodore isn't offering alternative character sets, it would appear that the standard chip could be replaced by a 2716 or similar EPROM. Switching between the two character sets is performed in software, either by POKEing location 59468 (as on PET) or by printing a control character.

The usable screen area is about 8½" wide by about 6½" deep and, to maintain the proportion of text, there is a blank strip between each line of the display while in text mode. Although graphics characters may be displayed while the screen is configured for text, they appear strangely disjointed so Commodore has incorporated a special 'graphics' display mode. The key sequence print-quote-escape-reverse-shift-N-return (don't worry, you'll soon get the hang of it) removes the interleaving blank strips from the display which then reduces in height to a little over 5". The characters don't alter in size and text is quite readable, albeit a little cramped.

Programs and data may be stored either on cassette or disk though neither unit is supplied with the machine. Commodore sells a cassette unit without sound or tape counter for £55 plus VAT, and the 3040 floppy disk unit, costing £695, provides 343k of user storage. Only one unit can be connected, so it is good news that a new dual drive (the 8050 offering 950k) is due for release shortly at £895. A 3040 disk unit was loaned for the review and any comments will relate to this model.

The innards of the 8032 appear little different to those of its more recent predecessors, though the layout of the main board has been turned through 90 degrees so that the RAM chips now run alongside the heatsink. A larger Basic and operating system mean that only two sockets are left for ROM/PROM expansion — the addresses from B000H to BFFFH have already been taken. Given that the 8000 series is meant for serious users, it's not surprising that Commodore has failed to publicise the built-in soundbox. Come to think of it they might have trouble with the Trades Description Act if they did. Its only built-in function is a 'bell' that chirps five characters before the end of each line with a sound reminiscent of chalk on a shiny blackboard. The bell effect is achieved by playing a jolly jingle, the speed of which can be varied from 0 to 2¾ seconds by POKEing 231 with a value from 0 to 255 — Commodore uses 16. Prospective buyers are strongly recommended to try 'POKE 231,0' when the salesman's back is turned.

Connections to the outside world are exactly the same as on the PET: an IEEE-488 interface, a parallel user port, a cassette interface and a memory expansion port. The most useful of these is the IEEE-488 edge connector to which Commodore printers and disks may be attached as well as the more usual scientific and laboratory equipment. Other makes of peripheral may require a special interface between them and the 8032.

Software

The 8032 comes with Basic 4.0 in ROM. Existing PET owners will be pleased to learn that the garbage collection problem is responding to treatment, though it has unpleasant side effects — more about that later. The other major change is that 15 disk commands have been added, representing a vast improvement on the previous disk handling procedures.

One of the 8000 series brochures refers to 24k of ROM. The review machine was presumably still growing, because we could find only 18k, of which 1k was unused. If Commodore expands its Basic it should consider adding commands such as LINE INPUT, INSTRING and MERGE, which are very noticeable by their absence.

An interesting feature of the CBM range is that only the most rudimentary disk handling is carried out by the main processor. Most of the work is carried out by another 6502 housed in the disk unit, and therefore many functions take up very little of the 8032's processor time. The disk unit tested was fitted with DOS 2.1 ROMs which are free from most of the bugs which plagued

DLOAD to chain from one program to a larger one results in the second program being corrupted and this could prove a slight problem for those writing large systems. Although CBM's relative (ie random) file handling is somewhat esoteric, after a few hours we felt quite at home with the commands.

Data storage efficiency is somewhat erratic, ranging from the sublime, in which records are allowed to cross physical sector boundaries, to the ridiculous, where numbers stored on disk take up one byte per digit plus one for the decimal point, if any. (In RAM, integers are stored in two bytes while five are used for floating-point numbers. Unfortunately, there is no easy way of writing data to disk in this form.) There are two basic methods of inputting data from a disk record: GET# which fetches one character and INPUT# which reads until it reaches a carriage return — more than 80 characters in a field will give a 'string too long' error.

The good news for machine code freaks is that the 'TIM' monitor is unchanged; the bad news is that the second cassette buffer is no longer freely available. It appears that 40 bytes at the bottom are used by the disk commands, and 20 bytes just below the start of Basic are used for tabs and other, unidentified, purposes. Up to 80 horizontal tabs may be set by pressing shift-tab, but the same key combination is also used to clear them, so you must be careful. Unfortunately tabs do not affect a printer and pressing the tab key when past the last tab stop takes you to the end of that line, not to the first tab position on the next.

The most exciting new function must be the auto repeat on the cursor movement, INS/DEL and SPACE keys. All other keys will repeat when pressed in conjunction with the REPEAT key. Other screen handling functions allow you to insert or delete a line at the current cursor position, erase the current line up to or from the cursor and even scroll the screen up or down irrespective of the cursor position. Text editing is an obvious application for these new features, but no doubt programmers up and down the country will be frantically searching for others.

The facility that sets the 8032 apart from many other micros is its ability to restrict scrolling and all other screen functions to a rectangular 'window', the size and position of which is set by the user. Four locations in page zero are used to define it, and it's probably simpler to POKE these locations rather than move the cursor to the corners of the window and print the appropriate control characters. The window can be dismantled by pressing the HOME key twice in succession — something the programmer will have to trap. For some reason (a bug?) tabs included in the Basic statements are calculated not from the left margin of the window, but from the left of the full screen.

Even more mysterious is the 'STRING TOO LONG' error which appears only when the left margin of the window is set greater than 10, and the RETURN key is hit immediately after the CLEAR key.

The only criticism of the screen functions is that they're not readily available from the keyboard — they're generated by printing an appropriate reverse field

hi-tech electronics

IN-HOUSE VIEW DATA SYSTEM



Full specification colour viewdata system,
compatible with Ceefax, Prestel etc.
Implemented on Cromenco, North Star
or an existing S100 machine.
Uses unmodified tv.
Single or multi-user,
up to 11,000 frames stored.
Intelligent 'soft-key' frame-editing.
Modem/autodialler will allow interface to Prestel,
the Post Office Viewdata system,
or other distant viewdata bank.

HI-TECH S100 PRODUCTS

In-House Viewdata

VD1	170 Frames per disc, 5"	£4200
VD2	340 Frames per disc, 5" twin drive	£4480
VD3	1000 Frames per disc, 8" quad drive	£5950
HD1	10,000 Frame, hard disc add-on	£5550
VDA	Each additional user	£500
GR1	Viewdata graphic tablet	£800

Prestel Editing Terminals

PR1	Offline editing, 340 frame library	£5500
PRA	Interactive Prestel and acoustic coupler	£600
PRB	Bulk update (300 Baud)	£600
VDA	Each additional user	£500
GR1	Prestel graphic tablet	£800

Software

Hi-text 1.6 Viewdata handling software (North Star + C/PM)	£500
Hi-text 2.3 Viewdata editing software (North Star + C/PM)	£500
Hi-text 3.2 Prestel communicator (North Star + C/PM)	£500
Hi-text 1.6 & 2.3 (as above	£750
Hi-text 1.6, 2.3 & 3.2 (as above)	£1000

Monitors, etc.

T1	14" Sony Trinitron, UHF, grey or white	£308
M1	14" RGB colour monitor	£240
M2	14" RGB colour monitor, cased	£318
SIP1	Centronics screen image printer	£495
SIP2	VG screen image printer	£795

Cromemco Computers

CS2 64	64k Dual 5-inch drive System 2	£2095
CS3 64	64k Quad 8-inch drive System 3	£3745
Z2-H	Hard disc system	£5380

North Star Computers

HRZ-1D	32k Horizon 1 Drive	£1495
HRZ-2D	32k Horizon 2 Drive	£1715
HRZ-2Q	32k Horizon 2 Drive quad capacity disc	£1995
RAM 16W	16k Dynamic Memory	£260
FPB	Floating Point Board	£210

Terminals

ADM3A	Lear Siegler	£595
	Lower case option	£30
ADM31	Lear Siegler	£810

Printers

CEN 779	Centronics (60 cps)	£895
CEN 702	Centronics (120 cps)	£1565
DP8000	Anadex (112 cps)	£575
DIABLO	Daisy-wheel (40 cps)	£2150
QUME	Sprint 5 daisy-wheel	£2115

VDU cards

MD1	S100 Monochrome vdu card (64 × 16)	£145
MD2	S100 Monochrome vdu card (80 × 51)	£400
CD1	S100 Colour vdu card, memory mapped, PAL or UHF	£295
CD2	S100 Colour vdu card, memory mapped, RGB	£310
PR1	S100 Prestel Display Card, PAL or UHF	£295
PR2	S100 Prestel Display Card, RGB	£310

UK CUSTOMERS PLEASE ADD 15% VAT

High Technology Electronics Ltd.

54 High Road, Swaythling, Southampton, SO2 2JF Tel (0703) 581555

A Member of the Grand Metropolitan Group

different and definite command; that's something that should help to minimise accidental loss of programs. Dotted throughout the 7120 are little attentions to detail like this and while some grate a bit, many others are well worth while.

Documentation

In a word — poor — but BASF is rewriting it and the new issues should be out soon. I don't know quite how it got as bad as it has for essentially it lacks any structure whatsoever and flits from talking about the BOS to Basic to machine code routines willy-nilly. I suspect that it may have originated from the US as I have yet to see any consistently good documentation from over there that can be read through and understood in one go — in fairness I'd very much like to see the re-write. I sincerely hope that BASF drops all references using 8080 mnemonics when dealing with machine code routines. The assembler does that and it's positively archaic; BASF would appear to agree with me as the company isn't actively marketing any assembler per se at the moment.

Potential users

Clearly, the 7120 has been designed with the business market in mind and in particular those areas where communication to other computers etc is important. Applications software is rather scarce at the moment but BASF is building up a library of suitable programs that will be circulated among its dealers.

The poor accuracy of the MATHLIB package, lack of multi-dimensional arrays, and the apparent lack of facilities for connecting up scientific paraphernalia directly to the bus would seem to rule the 7120 out from this area. Likewise, its high price may effectively exclude it from all but the richest educational establishments.

Conclusion

The 7120 is an extremely well integrated system that possesses many extensive extra facilities built-in. It has definitely been designed to be used in conjunction with other computers via its comprehensive communications and multi-tasking routines and I regret to say that I've only had the time to scratch at the surface of all the possibilities; I've probably left out many features that others might consider to be more important than the ones that I've chosen to mention. There are some other systems around that possess some similar facilities — although not necessarily all that the 7120 offers. These systems tend to compare more favourably on cost. . . I feel the price of the 7120 is a shade high, even with all its facilities. To some, the current storage capacity may not be enough — particularly as right now further expansion is limited. However, when the fixed disk is added next year, these problems will disappear, although that'll possibly leave behind the question of ease of back-up with the remaining floppy drive.


The catalog is poor, as is the documentation, but steps are in hand to improve the latter. The maths handling — particularly the trig functions — are slow and don't always reflect the system's intended precision (although in practical terms this is of little consequence for most application programs). Again, BASF is aware of this and is taking steps to remedy it.

Once the user has got used to the SOM/EOM operation the on-screen editing leaps out at you and is a joy to use. So too is the machine in general. . . it's very user friendly once you've got used to some of its little quirks. The system utilities are generally very good although their ease of operation could be improved and the very minor bugs that I found ought to be removed.

The 7120 wins hands down on the sheer versatility and number of facilities offered — albeit at a high price. It was a brave move of BASF to avoid the S100 CP/M bandwagon and, providing enough application software comes along, then this decision should prove to be the right one.

Acknowledgement

My thanks to go Paul Raggett and Gordon Hughes of BASF for patiently answering my many questions.



NOTE: System Z80 can not access any of the disk Z80 memory

Figure 2 BASF 7120 Memory Map

At a glance

FIRST IMPRESSIONS	
Looks	*****
Setting up	****
Ease of use	***
HIGH LEVEL LANGUAGES	
Basic	****
Cobol	***
Fortran	n/a
Pascal	n/a
System software	*****
PACKAGES	n/a
PERFORMANCE	
Processor	*****
Cassette	n/a
Disk	****
Bus	n/a
EXPANDABILITY	
Memory	n/a
Cassettes	n/a
Disks	n/a
Bus	**
COMPATIBILITY	
Hardware	**
Software	**
DOCUMENTATION	*
VALUE FOR MONEY	****

***** excellent
**** v. good
*** good
** fair
* poor

FREE-FORMAT DIALOGUES

David Hebditch continues his series on the man/machine interface.

Dialogue styles fall into two very broad categories, free-format and formatted (or structured).

We will consider the latter next month and in this article I shall concentrate on free-format interactions between user and system. Most commercial dialogues tend to be highly structured, using formatted screens for data-entry, multi-choice menus, query-by-example and so on. The general view seems to be that the structured approach increases the ease with which the dialogue can be learned and used in practice.

There are no clear definitions which could help us to differentiate between the two categories; the boundary is very fuzzy. But essentially 'free-format' dialogues are those relatively free of syntax and formatting rules. The use of the word 'relatively' is important — nothing can be entirely free of restrictions. Perhaps the key concept is concerned with providing the maximum amount of flexibility in the way in which data can be presented by the user to the system (and vice versa). This contrasts with the structured approach which aims at restricting possibilities.

So different dialogue styles offer users varying *degrees of freedom*. To appreciate this is important; a dialogue has to be designed to offer its most likely users the level of flexibility with which they feel most comfortable. To provide a user with too many possibilities can be as disconcerting for him as offering too few. And, of course, users do vary in their needs; I am sure that after 12 years of working with interactive systems of great variety, I am happier with very open and flexible dialogues than the average first-time user.

If 'free-format' dialogues are not being used too much in regular commercial applications, where *are* they being used? Well, when you type a Basic program into your PET (or whatever) you are making use of a special-purpose free-format dialogue. The CP/M operating system also employs a relatively 'free' approach; obviously, syntax rules do exist but the program does not control your input on an individual item-by-item (or even character-by-character) basis.

What are the various elements we need to consider in designing a free-format dialogue? These are shown schematically in Figure 2. Each is discussed individually below.

Delimiters

Because free-format input messages are entered as a character string, some convention needs to be employed in order to mark the beginning of one item (or field) and the end of the previous one. In many dialogues, a space may be employed for this purpose but this will obviously be ambiguous when text is being entered. Popular characters for use as delimiters are:

' — ' hyphen
' : ' colon
' / ' oblique stroke
' ( ) ' left and right brackets
' = ' equals
' . ' point
' , ' comma

and so on.




Figure 1 Interactive Dialogues and Degrees of Freedom

A number of factors condition the choice of delimiters:

— avoidance of ambiguity
— ease of location on the keyboard and
— special usage (e.g. the comma used to separate items entered to a Basic INPUT statement).

In many cases, a delimiter can be *implied*. For example, the 15th August 1980 may be entered as:

15.8.80

using the point as a delimiter or as

15AUG80

using the changes from numeric to alphabetic and back again to differentiate the various sub-items. In some cases, a choice delimiter (e.g. ' — ', ' / ' or ' . ' in dates) might serve to make the dialogue more user-friendly

Items

The items which the delimiters frame may be employed for a number of purposes according to the function of the dialogue. Items usually contain:

— commands
— command parameters or, more usually,
— data.

Some examples will serve to illustrate this:

PIP B:PROG1.BAS=A:PROG2.BAS

This is a CP/M PIP utility input line which means "Copy the Basic program file called PROG2 on diskette drive A to diskette drive B and rename it as PROG1." A space delimits the PIP activation command from the rest of the text. Colon (:) prevents the drive designators from being confused with the file names and the point (.) separates the file type subscript from the name. The equals sign (=) is more of a parameter than a delimiter and is best remembered as having the same functional meaning as in a Basic program.

Another interesting feature in this context is that the parameters at each side of the equals sign have positional significance; they will not do the same thing if they were the other way around (quite the opposite!) If it is thought that the positional significance could be a problem, a solution could be the use of 'keywords'.

For example,

PIP FROM=FILE2 TO=FILE1

would mean the same as

FACE TO FACE




Figure 2: The Elements of a Free-format Message

PIP TO=FILE1 FROM=FILE2

The use of keywords obviously requires more key depressions (*and* you have to remember the words) but where a lot of items could be entered in each, and only a small number are in practice, then the technique might prove to be more economic and reliable in practice. It is also a relatively simple matter to write programs for such formats (especially if the Basic interpreter has an INSTR function).

Free format dialogues can be very economical for simple data entry. For example, to add a new book to a library catalogue file one might type:

0-87626-345-7/GILB & WEINBERG/ HUMANIZED INPUT/WINTHROP/ 1978

In this case, the only 'overhead' characters are the ' / ' delimiters and no coding is employed at all.

Another possibility is to type:

ADD NEW BOOK TO CATALOGUE. ISBN IS 0-87626-345-7, AUTHORS ARE GILB & WEINBERG, TITLE IS HUMANISED INPUT, PUBLISHER IS WINTHROP, YEAR OF PUBLICATION IS 1978.

This is an example of a *natural language dialogue* all of which are 'free format'. Many system designers set out with the good intention of making their dialogues as much like English (or French, Dutch, etc) as possible. This however is much easier said than done; the programming problems alone are enormous. I shall therefore devote a special article to this subject.

A programming technique called 'Finite State Automata' is very appropriate to handling free-format input data and I will write a special article on that topic. In the meantime, here is a checklist of points to keep in mind when designing free-format dialogues:

1. Choose delimiters which are easy to locate on the keyboard (i.e. not in upper case).
2. Avoid possible conflicts in the choice of delimiters.
3. If there are any length limits on items, use prompts of some kind to guide the user.
4. Place optional and/or least used items at the end of the message (so they can be 'dropped off').
5. If the occurrence of items in an input message is low, use a keyword technique or split into a selection of shortened messages.
6. Avoid formats which require awkward keying sequences for non-typists; try typical messages before finalisation.
7. Keep the item sequence as close as possible to that in any related input documents.
8. Minimize the 'overhead' characters and get the computer to use as many cursor/print head functions as possible.

Next month I shall look at structured dialogues.

NETWORK NOTES

I recently got my first opportunity to have a serious 'hands-on' session with a TRS-80 and all my original conceptions of the system were confirmed. (Make what you like of that!)

So I am not a great TRS-80 specialist and that was made quite clear by the way in which I maligned the machine's communications features in the last Network Notes. By way of defence, I should add that my local Tandy Micro shop helped ably in this plot to mislead you all! I was soon put straight by Derrick Rowe and I can do no better than quote extensively from his letter:

"Following close on a previous PCW reviewers 'discovery' of the Model II's missing PEEKs & POKEs, I now find that the Tandy RS232C board which I have been using for over 12 months has become a much-awaited communications adapter. No excuse for you Mr. Hebditch as it is clearly listed in their parts list.

"In fact there is a large amount of communications software available for this machine. Tandy provides some useful terminal software together with a package which allows the TRS-80 to be run from another terminal, and I have run a TRS-80 from an HP 2647 intelligent graphics VDU. It certainly improves the display and keyboard but is a somewhat expensive exercise.

"In the independent market there are a number of offerings. Lance Micklus of PROG 80 fame has written two assembler level utilities, ST80D and KVP. ST80D provides a smart terminal capability allowing the transfer of data/programs from the TRS-80's disks to a remote computer. In addition, there are user definable tables which allow the TRS-80 to be configured for those odd little ASCII characters such as character delete and clear screen. This allows the software to operate on a number of different timesharing systems and I have used ST80D to achieve a Model 1 to Model II conversation at 9600 baud.

"KVP provides a different approach in that under INPUT, LIST or LLIST can be optionally directed at the RS232C channel. While it is only practical to operate up to 30 cps, it allow the programmer to write some quite useful communications routines and it is quite possible to use the TRS-80 to run a remote computer even to the extent of re-transmitting when transmission errors occur.

"Both the popular word processing programs — Scriptsit and the Electric Pencil support output through the RS232 which may have some interesting implications for telex!

"As usual the USA is well ahead of the UK and I understand that The Source and Micronet are already used by TRS-80 enthusiasts for electronic mail and telesoftware.

"The Model II has two built-in RS232 channels and a sophisticated terminal program is provided as a DOS utility.

"Poor old Tandy seems to be getting a rough ride in the press so it would make a change for the machine to be given credit for software capabilities probably some way ahead or at least at the top of the field."

Well, thank you Derrick — I look forward to an opportunity to try some of these good things myself.

Now I've done my good turn, I want to find some micro manufacturers, distributors or dealers to do a good turn for the disabled. Local area networks (LANs) are this year's 'hot topic'. There is a strong case for suggesting that microcomputers do not reach maturity when they become multi-user systems but when you can interconnect multiple single-user systems to become a coherent co-operative — this could change.

Chris Bennett is Withernsea's big specialist in chips (and his fish come highly recommended, too..). Chris read my 'On the Line' series and called me to get some ideas about low-cost techniques for inter-connecting roomsful of micros. His idea was to combine LANs with aids for the disabled to facilitate teaching, communications and so on. I have to admit that not only was I a bit short on constructive suggestions but I was a bit negative about his plans to use the cassette I/O ports as the basis for a bus configuration.

The next time Chris telephoned me was to tell me that he had successfully linked up an Apple II and a Research Machine 380Z using a bus originating from the cassette ports at speeds of up to 4-8 kbits/s! He had also simulated a third device on the bus.

Chris needs the loan of more micros, particularly a PET, Sinclair ZX80, TRS-80 and so on. The project is private and non-commercial; Chris' motives are genuine and he has a personal interest in the success of the project.

Companies who want to support this innovative work should contact me (c/o The Editor, PCW) and I will put them directly in touch with Chris.

Response to the first 'Network Notes' about the Personal Computer Network was good and I will give you an update as soon as possible.

Next month David will do a special review of the proposed relaxation in the Post Office monopoly and its implication for the microcomputer world.

GATEWAYS TO LOGIC

CHAPTER 3: HOW COMPUTERS THINK

Derrick Daines continues his unique guide to teaching others the basics of microcomputing.

Number sentence cubes

Time and again in computing we come across conditional jumps. So far I have confined myself to the IF A THEN B variety, but the 'A' part can and does take a wide variety of forms. An excellent aid to conditional jumps, in number work especially, is the type of dice sold under the name of Number Sentence Cubes. (See Appendix for suppliers.)

Five dice make up a usable set, although frequently two sets are sold together in one box. The plastic type is best, although wooden ones will serve quite well, especially if their edges and corners are sanded round to give a better roll. Readers will find different ways to use them, but my method is as follows:

The five dice are rolled together and then sorted to make a sensible number sentence. One number die begins the number sentence; next there's an operations die that has its faces printed with the four operations symbols +, −, x and ÷. Another number die follows and then the one that we are particularly interested in, the resultant die. Finally another number die finishes off the sentence.

Notice that although the sentence may or may not be true, it does make sense — it is understandable.

The resultant die has its six faces inscribed as follows:

= (is equal to)
≠ (is not equal to)
> (is greater than)
⯈ (is not greater than)
< (is less than)
⯇ (is not less than)

The student copies down the number sentence and then has to decide whether it is true or false, writing the appropriate word after it. Unfortunately for teachers, this exercise is difficult to mark. Obviously there's no answer book to work from and having done the first 10 or 12 — continually asking oneself questions like, "Is it correct that that statement is false?" — one begins to tick things that should have been marked wrong, and vice-versa. Luckily, a great deal of practice is not normally necessary. Twenty or thirty examples are usually sufficient for anyone (Fig 1).




Fig 1 NUMBER SENTENCE CUBES

Other conditional jumps are sometimes encountered, and the teacher may wish to adapt a spare dice for them:

≥ (is greater than or equal to)
≱ (is not greater than or equal to)
≤ (is less than or equal to)
≰ (is not less than or equal to)
≈ (is equivalent to)

One manufacturer supplies his number sentence cubes with 'empty set' symbols, △ and □ , which can be used in the following ways. (i) A special value is set aside for each, such as ½, 50, 100, zero, infinity; (ii) two or three times the next roll, (iii) the next roll is negative, (iv) the student may freely choose any number, (v) the number is unknown.

Other dice recommended for this work have 4, 8, 10, 12, or 20 faces. They are available commercially (see Appendix), or else they can be made in school in conjunction with work on three-dimensional solids. (Cundy & Rollett, *Mathematical Models*)

Every computer program save only the very simplest contains numerous examples of conditional jumps, and readers may rest assured that the practice I've outlined is well worth the time and effort devoted to it. For examples of conditional jumps, the reader might like to turn to Figs 2, 6, 9 and 10.

Hexadecimal

It's a simple fact that when a human being works in binary (0s and 1s), (s)he is very prone to error. However, the computer can only work in binary . . . the first computers relied entirely on an input of binary, and also gave out only binary. Not only was this error-prone, it was also excrutiatingly slow to execute. Early 'Computer Man' needed some method of working that would cut down on human error and if possible speed up the operation of putting binary information into the computer. Various methods have been tried over the years, but of all these middle-level computer languages (as they are called), hexadecimal seems to have gained the most adherents — particularly following the advent of the relatively cheap home computer. The reasons are worth going into.

A computer word in binary comprises a certain number of bits. This is the number of binary bits that the computer can hold in any one memory. In large (or 'main frame') computers, a memory may hold 16, or even 32, bits; for home computers this is quite excessive . . . they don't normally need to handle numbers of that size or accuracy and on the odd occasion that they do, the work can still be carried out at the expense of a little time. Some home computers use a four-bit word, but the majority use 8. For the time being, we'll take an 8-bit word as standard.



Fig 2 BINARY TO HEX

For convenience, the 8 bits can be divided into 2 lots of 4 bits each (Fig 2). The decimal value of four binary bits ranges from 0 to 15, which is sufficiently close to our normal 'tens' counting as to be very interesting. We can use the symbols 0 – 9 to start off with and then invent or adapt other symbols for the remaining 6. For economic reasons it's better to adopt other symbols without adaptation and so it has come about that we use the capital letters A — F. Now by using the range of symbols 0 — F, we have an easy and convenient notation for counting up to 15 (Table 1). By using two such symbols — one for each set of four — the eight binary digits are reduced to manageable proportions. Which would you rather type in . . . 10110111 or B7?

In devices that use the hexadecimal input method, there's a clever little silicon chip that converts the hex into binary form, so don't let a hex input blind you to the fact that the microprocessor is still working in binary output from the micro into hex for the human to read.

Children in particular grasp the idea very quickly — even at the age of 8 or 9.

HEX	DECIMAL	BINARY
1	1	1
2	2	10
3	3	11
4	4	100
5	5	101
6	6	110
7	7	111
8	8	1000
9	9	1001
A	10	1010
B	11	1011
C	12	1100
D	13	1101
E	14	1110
F	15	1111

TABLE 1

HEXADECIMAL CONVERSION TABLE

HEX COLUMNS											
6		5		4		3		2		1	
HEX	DEC	HEX	DEC	HEX	DEC	HEX	DEC	HEX	DEC	HEX	DEC
1	1048576	1	65536	1	4096	1	256	1	16	1	1
2	2097152	2	131072	2	8192	2	512	2	32	2	2
3	3145728	3	196608	3	12288	3	768	3	48	3	3
4	4194304	4	262144	4	16384	4	1024	4	64	4	4
5	5242880	5	327680	5	20480	5	1280	5	80	5	5
6	6291456	6	393216	6	24576	6	1536	6	96	6	6
7	7340032	7	458752	7	28672	7	1792	7	112	7	7
8	8388608	8	524288	8	32768	8	2048	8	128	8	8
9	9437184	9	589824	9	36864	9	2304	9	144	9	9
A	10485760	A	655360	A	40960	A	2560	A	160	A	10
B	11534336	B	720896	B	45056	B	2816	B	176	B	11
C	12582912	C	786432	C	49152	C	3072	C	192	C	12
D	13631488	D	851968	D	53248	D	3328	D	208	D	13
E	14680064	E	917504	E	54344	E	3584	E	224	E	14
F	15728640	F	983040	F	61440	F	3840	F	240	F	15

Table 2

There is one reservation people have about hex, however. "If we're counting in 16s," they ask, "why is it that we haven't got 16 numbers?"

"Oh — haven't we?"

"No. We go up to 9, then A, B, C, D, E, F — that's 15."

"What about 0?" I ask

A puzzled frown crosses the face and they go away to count all over again.

I hear the same thing for binary. "We're counting in 2's, so why can't we use a 2?"

If such a misunderstanding has arisen, the solution lies in pointing out that although we talk about counting in tens, we have no special symbol for the value ten. We use a 1 in the next column and a 0. People forget that zero has a place value, even though it has no numeric value.

It's worth devoting considerable practice to converting decimal to hex and vice-versa before going on to addition and subtraction. It's best not to use this sort of 'hand' work on numbers above 50 or so; for them, Table 2 should help.

Decimal to Hex conversion

Find the number on the table that is the highest possible but is not greater than the decimal number to be converted. Note its hex equivalent. Find the remainder and continue in the same fashion.

For example, to change 3600 to hex, the largest number on the Table less than this is 3584, hex value E. The remainder (3600 — 3584) is 16, hex value 1 in the second column. There's no remainder, so we put a place holder 0 in the last column. The hex value of 3600 is E10.

To change 9999 to hex — the largest number less than 9999 is 8192, hex value 2 in the fourth column; the remainder is 1807. The largest number less than this is 1792 in the third column, hex value 7; the reminder 15. This is worth hex F in the last column. Since we have had no value from the second column, we insert a 0 place holder. The hex value of 9999 is 270F.

Hex to Decimal conversion

Find each hex digit in the appropriate column and add together their decimal equivalents.

For example, to change 4A0F to decimal, we look up the value of the 4, (16384), the A (2560) and the F (15) in the appropriate columns, and add them together to make 18959.

Flowcharts

A flowchart consists of a series of boxes — instructions and condition tests — linked by arrows in such a way that following it leads inevitably to the correct outcome. Note the word 'inevitably'. A flowchart must be free of ambiguity and have no room for error of any kind if it is to work properly. The attainment of this aim is not necessarily as easy as it might seem at first sight. Most computer programs are drawn out in flowchart form first and even then it's astonishing how even the most experienced programmer will find unforeseen and unwanted results occurring when the program is run.

For most students, a good start is to flowchart a well-understood and familiar sequence of events — such as getting up in the morning, getting a book out of the library, or making a cup of tea. (Fig 3). As the chart is developed, the students' suggestions can be guided by such leading questions as, "What if I don't want sugar?" or "Who likes cold tea?" This process can continue until the teacher is satisfied that the flowchart is detailed enough.

It's a fact quickly determined by experiment that any flowchart can be made more and more detailed — a process that can continue almost ad infinitum. Judgement is therefore needed to determine the optimum amount of detail in a flowchart, but as a rule of thumb it's wise to assume that too much is better than too little. For tuition purposes, even the simplest flowcharts should contain at least one each of the differently-shaped boxes of Figures 4 and 5.

Having created a sample flowchart, students should be urged to create their own. Plastic stencils are available (see Appendix), but those generally available are made for professional draughtsmen and are rather expensive. On the other hand, those issued by the Open University are simple and cheap and will




Fig. 3

It's The Mu-pet Show!



Multi-User PET (Mu-pet) links 3-8 PET computers to one Commodore disc drive and a printer.

Mu-pet is very good news indeed for those PET users wanting a multi-user computer system and who, up until now, have run up against a budgetary brick wall.

Mu-pet delivers the goods at very low cost... which is one of the reasons it's become the world's biggest selling multi-PET system. Precisely engineered in the U.S. and Canada, Mu-pet makes the most of PET computers – *without the need for program changes.*

£595 is all it costs for a standard Mu-pet system that links three PET computers to a single Commodore disc drive and a printer. The cost of linking more PET computers, up to a maximum of eight, is £125 for each addition.

All machines have access to the disc drive and printer. The hardware which all runs via the IEEE bus has been so well designed that each PET thinks the disc is its own, and priority depends on who gets there first.

If you've three or more PETS, then you need a Mu-pet to make the most of them.

Yes, I want to see the Mu-pet show – please advise me on my nearest dealer.

Name_____

Address_____

KOBRA MICROSYSTEMS
14 The Broadway
West Ealing London W13 0SR
01-579 5845

PCW

KOBRA




Fig 4 BASIC FLOWCHART SYMBOLS




Fig 5 ADDITIONS AND ALTERNATIVES

serve admirably — providing supplies remain available. As a last resort card stencils may be made very cheaply.

If a flowchart is to be displayed, it's worth using a different colour of paper for each box shape — thus an output could be blue, a input red, and so on. When the boxes are stuck down onto a white backing sheet with arrows drawn in black felt-tip, the result can be most pleasing.

Many books on computing carry good flowcharting examples. The example given in Fig. 6 deals with airline bookings.

Fred

FRED is an acronym for Family Robot Electronic Device in my school and the children love him. I ask for a volunteer to play the part of Fred and try to pick someone with a good intelligence and a lively sense of fun. I tell the class that FRED is a robot and it's their task to instruct or program him to execute a simple task such as standing on a chair placed some distance away, finding and picking up a pencil — and so on. To the child playing the part of Fred we say that he must be pernickety about the instructions that he obeys. He must take nothing for granted, nothing as understood, and must obey every instruction implicitly. If I've chosen wisely, the child's antics and deliberate misunderstandings will teach more about the difficulties and limitations of technological design than a whole year of lessons.

One last thing; I find it a good plan to tell Fred to buzz loudly when he fails to understand an instruction. Also, instructions not preceeded by the 'call to attention' signal, "Fred" are to be totally ignored.

Here, by way of an example, is a distillation of many such lessons; in one or two places I've added interesting points that were discussed later. I've labelled the instructor CHILD, but of course I aim at getting contributions from all and sundry. As you may imagine, the following will have been interspersed at times with quite heated arguments between pupils and between pupils and Fred.

CHILD: Move forward.
FRED does nothing.
TEACHER: You've forgotten the call to attention.
(The call to attention is a kind of switch to filter out all unwanted instruction, extraneous noise and so on.)
CHILD: Fred — move forward.
FRED: Buzzzzz.
(A multitude of reactions can be programmed into a machine to indicate faults. Sometimes the type of signal indicates the type of fault, a technique that can lead to computers printing out details of where and what the fault is, or even to self-repair — see later.)
CHILD: Fred — put one foot forward.
FRED: Buzzzzz.
(Still too general. Fred has got two feet.)
CHILD: Fred — move your left foot forward.
FRED: Buzzzzzz.
CHILD: Fred — move your left foot forward a little bit.
FRED sways slightly
CHILD: Sir — he's being awkward!
TEACHER: Not at all — he's doing exactly what I told him to do. He also did what you told him to do, didn't you, Fred?
FRED: Yes sir — I moved it one millimetre.
CHILD (grimly): Move your left foot forward six inches.
TEACHER: You've forgotten again.
CHILD: Oh! — Fred — move your left foot six inches. Blimey — now he's gone and moved backwards!
(Instructions must be precise and unequivocal at all times. Obviously, the game becomes a battle of wits between Fred and the rest of the class, but they are learning some important lessons. More and more machines are being designed with a fail-safe mode of operation. Simply put this means that, in the event of ambiguity, the machine will adopt one particular mode of operation that the designer considered to be the safest. Usually this is interpreted as doing nothing.)
CHILD: Step on the chair. Er — sorry. Fred — step on the chair.
(Newcomers to computing and other forms of artificial intelligence are frequently to be observed apologising to machines. This is probably a confusion between intelligence and sentience, allied to a sort of personality that all machinery exhibits to a greater or lesser extent.)




Fig 6




Fig 7

FRED does nothing.

TEACHER: Tell them what's the matter, Fred.

FRED: I'm thick, sir. I don't know what a chair is.

(A good point. Getting the computer to recognise simple objects has been very difficult, whilst recognising more complicated things — such as a particular person's handwriting — has so far proved to be impossible.)

CHILD: It's that thing there in front of you, fathead.

TEACHER (cutting argument): I think we'll accept that for now. Let's say Fred, that you've been programmed to recognise a chair.

CHILD: Step — whoops! — Fred, step up on the chair.

FRED: Buzzzzz.

TEACHER: You'll have to do it bit by bit. He doesn't know how to step up until you've programmed him.

CHILD: Raise your right foot eighteen inches.

FRED does nothing, grinning broadly.

CHILD: Fred — raise your right foot eighteen inches.

FRED falls over with a clatter.

(The action of walking is extraordinarily complicated, involving inter alia the transfer of weight from one side to the other. It's for this reason extremely unlikely that humanoids will ever become a reality except perhaps in research prototypes. It's far more likely that computers and robotic machines will always require the intervention of a human agency at some time or other, for the simple reason that every possible contingency cannot be foreseen and/or catered for — unless the application is relatively simple. The more versatile a machine is then, by a curious paradox, the more likely it is to break down . . . or to find itself in situations with which it cannot cope.)

Later, when Fred has regained an upright position:

CHILD: Fred — raise your right foot eighteen inches.

FRED does so.

CHILD: Fred — put your right




Fig 8

Study the TRS-80 in Cambridge

For centuries now Cambridge has attracted students for learning and research. Following in the tradition, Cambridge Computer Store — the most active Tandy franchise dealer in the U.K. — offers you the opportunity to study in depth the full range of TRS-80 hardware and software. On demonstration in the Store are the top-selling Model 1 and the new, exciting Model II plus a wide range of peripherals: from a minimal system (at only £251) to fully expanded configurations — all immediately available.

Visit us in Cambridge and study the TRS-80. With our help you're sure to graduate with honours!

Cambridge Computer Store

1 Emmanuel Street Cambridge CB1 1NE
Telephone: (0223) 65334/68155

Apple : Cromemco : Hewlett-Packard : Horizon : Pet : Acorn : Compukit : Sinclair : Houston : Infoton : Centronics : Qume : Word-Star




Fig 9

foot down on the chair.

FRED Buzzzzzz.

TEACHER: Do it bit by bit.

CHILD: All right Fred — put your right foot forward — er — twelve inches.

FRED does so.

CHILD: Fred — lower your right foot onto the chair

FRED does so

CHILD: Fred — blimey, he's trodden on my pencil!

(Another reason why robots are not likely to be humanoid. Ensuring the safety of the machine means that all working space must be kept clear and it's best if the machine itself sweeps the area around it. This is not easy with bipedal machines. An alternative is to incorporate a fail-safe device that sounds an alarm if an obstruction is encountered — a solution that brings problems in its wake of determining the difference between an obstacle and a lawful part of the environment. Keen followers of the BBC's 'Doctor Who' series will have observed that K9 must always operate on a smooth floor area, although very often the cameras are trained above the floor to disguise this fact.)

An alternative instance:

CHILD: Fred — put your foot — er — right foot forward nine inches.

FRED does so.

CHILD: Fred — lower your foot until it reaches the chair seat.

(Better. An instruction to "lower your right foot nine inches" could result either in Fred not lowering his foot far enough — hence necessitating more instructions — or else forcing his foot down the full nine inches to either destroy whatever he is putting his foot on, or more likely, tipping himself over backwards. However, there's another teaching point to be made here . . . as follows.)

TEACHER: Fred — lower your right foot one inch.

1. START
2. LET A = 0
3. LET B = 0
4. LET A=A+3
5. LET B=B+1
6. IF B≠4 THEN GO TO 4
7. PRINT CONTENTS OF A
8. STOP

Fig. 10

FRED does so.

TEACHER: Fred — has your right foot encountered a solid surface?

FRED: No sir.

TEACHER: Fred — lower your right foot one inch.

FRED does so.

TEACHER: Fred — has your right foot encountered a solid surface?

(This is known as a reiteration loop — a very powerful tool in the hands of the programmer since it results in a great saving of instructions. The slight cost is the conditional test which offers the machine its only way out of the loop. Conditional tests have already been met in connection with number sentence cubes. Here the important point is being made that tests can be carried out on anything within the environment of the machine or on any condition existing within the machine itself — analogous to the feeling of hunger in the human.)




Fig 11

Probably enough has been written about this particular exercise to demonstrate a number of points.

(1) The lesson provides rich information on robots; in addition it dispels many of the myths that, generated by writers of science fiction,




Fig 12

continue to be perpetuated by films and television.

(2) From robots in particular we may draw lessons about all artificial intelligence and all machines in general — whether electronic, mechanical or a combination of both.

(3) Flowcharting is still further understood since we can draw flowcharts incorporating the successful instructions.

(4) Students are better able to understand the step-by-excruciating-step nature of computer and robotic instructions. They begin to ask the question, "What can go wrong?" Remember Murphy's Law — what can go wrong, will.

Do~while

Because of the lightning-fast speed at which computers function, most of their operating time is simply wasted. For example, it's common for the computer to have finished a computation and be ready with the answer before the human operator has removed his/her finger from the GO button. Time is wasted (a) because of the relatively slow print-out of results and (b) because of the extremely long delay (so far as the machine is concerned) before the human requires to make any further computation. This last delay can range from seconds to perhaps days, but of course in computer terms even a second is a very long time. When a





Fig 13



OCL ANNOUNCE A MAJOR BRITISH BREAKTHROUGH IN DATA ENTRY & GRAPHICS PLANNING

THE OCL DATAPAD 1

- **PERMITS DATA ENTRY WITHOUT USING A KEYBOARD**
- **NO TRAINING FOR OPERATORS — ALMOST ANYONE CAN USE IT**
- **COMPATIBLE WITH VIRTUALLY ANY MICRO OR MINI SYSTEM**
- **CUTS OUT DATA ENTRY DELAYS**
- **SAVES TIME AND MONEY**



The OCL DataPad is a positional identifier which can be used with a vast range of software programmes for both data entry and graphics.

Data entry with the OCL DataPad is simplicity itself — a preplanned entry programme on an A4 printed sheet or an adapted standard form is placed on the DataPad which identifies the programme via a printed code. Just touching the data entry identification points on the sheet with a special stylus enters the data instantly — no delay, no keyboard, no training, and considerable labour and cost savings.

The OCL DataPad has the versatility to economically utilise existing methods of data collection. For example:

Stock control sheets, order forms, business forms, time-cards for payroll and pricing, research statistics, customer records, personnel records, progress control, plus many others. It can even be used for marking multi-choice examination papers.

The OCL DataPad graphic capabilities are equally comprehensive and easy to use — cursor, perfect shape plotting, selective colour, calculating regular and irregular areas, isometrics, graphs, time scales, automatic graph co-ordinate calculation, and many, many more including labelling, moving and erasing.

Compatible with virtually any micro, mini and mainframe computers, via its RS 232 and parallel interfaces, the OCL DataPad is a major breakthrough in computer technology. Find out how you can use the OCL DataPad to save time and money. You can't afford not to!

Oxford Computing Ltd. 48 Crown Street Reading Berkshire RG1 2SE Telephone: Reading (0734) 587138 (3 lines)
Dealer and Distributor enquires invited

PCW 96




Fig 14

computer is capable of making a million operations a second, there isn't much point in having it hanging around doing nothing.

The answer lies in giving the computer more to do. Some computers can, with the addition of a little hardware, be utilised by four or more people at once, or be engaged in a long print-out between bouts of game-playing with the operator. The point can be made by means of a little play. In school I pick the brightest and nippiest child to be 'the messenger' and arrange for four or more other children to play the part of stupid giants; they have the task of writing to each other via the nippy messenger.

The giants must write in their very best handwriting and rather slowly, but their notes may be as brief as they wish. Verbal communication is forbidden. The sort of note that's suitable is, "What did you watch on television last night?" to which the first might reply, "I watched Match of the Day. What did you see?"

Desks may be arranged so that the messenger is in the centre of a square. (S)he buzzes about actively, looking for a message to deliver. As soon as one arrives it's delivered to its destination — and the messenger continues his/her search. If two stopwatches are available, it's useful to have onlookers check the time spent in actually delivering messages in comparison with the time spent in looking for another message to deliver.

1	2	3
4	5	6
7	8	9

Fig 15

A variation of this play is for the teacher to increase the number of slow stupid giants. A rule is made that no-one may write a second note until they have received a reply to their first. The result will be that the poor messenger never stops running and the giants may begin to wait some time for replies. This gives the opportunity to introduce two other concepts — queuing and priority interrupts. Queuing is already well understood. Priority interrupts can be illustrated by having one child, chosen for top priority, who is permitted to bawl out, "Message!" whenever (s)he has one for delivery. The messenger must complete the task at hand — then go and fetch the priority message.

It's important the teacher points out that the play is a model of computer operation slowed down millions of times, so that although a giant may have to wait, say, five minutes between messages, in real terms a computer user should not have to wait more than a millisecond — even if the computer is overloaded.

Readers with experience of computers may protest that they have had to wait for considerably longer than a fraction of a second, but of course this is because priority users have given the computer not one but many millions of operations to perform. Further, in practice there are often many levels of priority, with top priority going to those matters dealing with the safety of the machine itself and its installation, second priority going to housekeeping matters and maintenance of programs, third priority going to extremely urgent programs, fourth to not-so-urgent programs and so on, down to eighth, ninth or tenth priority. Seen in these terms, the delay is understandable.

The analogy between the play and Figure 7 is clear. The slow giants are the peripheral devices, while the nippy messenger is the computer itself — or more precisely, that part of it called the Central Processing Unit. Other plays of this type may be devised to emulate various functions of the computer and a good source of ideas is "Computer Science — a First Course", a slim volume obtainable from the Open University Press.

Cardboard computer

There are various models of computer operation and this one, from 'Man Uses the Computer' (Blackie, 1977) is as good as any. Give students each a sheet of cardboard some 6" square and have them cut two parallel slots (Fig 8). The name Central Processing Unit is printed boldly across the top and then, if they feel like adding a little realism, the cards can be decorated with rivets, nuts, bolts, handles and dials. Each student is then given a strip of long, which is threaded through the slots so that only an inch or so of paper is revealed at any one time. Draw lines on the paper, top and bottom of the frame, and then pull the paper up so that the bottom line is now at the top. Draw another bottom line. Repeat in this way until all the strip of paper has been marked off in standard-size frames. Pull back to the beginning.

This first step may have seemed superfluous, but experience has shown it to be very desirable; frames drawn at the same time as they are written often turn out to be non-standard in size . . . leading to great confusion later.

The flowchart of Figure 9 can now be displayed and discussed. It could hardly be simpler for it just multiplies 3 x 4 using the technique mentioned earlier of repeat addition. The next step is to translate the flowchart into a listing, as per Figure 10; the students should copy this onto their strips of paper, one instruction per frame (Fig 11). The frames are of course numbered. A separate sheet is needed for temporary stores A and B (Fig 12), and maybe another for output of results. All is now ready.



Fig 16

With the long strip of paper pulled down so that the instruction START is displayed, the user pulls the strip up to the next frame and obeys the instruction on it before moving on to the next. Temporary stores A and B are written IN PENCIL, any previous entries being erased. Instructions to jump are of course obeyed by pulling the strip through until the correctly-numbered frame has been found.

This is a salutary exercise and one that's thoroughly recommended. Students soon begin to appreciate how much the computer has to 'whizz backwards and forwards' in order to produce an answer to even the simplest of programs.


Another lesson learned is irretrievable loss of information. Once data has been erased from the temporary stores A and B, there's simply no way of getting it back; indeed the only way of obtaining it in the first place would be to alter the program so that it prints it out.

Students can now be instructed to alter the program so as to produce an answer to a different problem — for example 4 times 5 — and then run it to check that the answer obtained is the one expected. Once this has been mastered, try altering the structure of the program so that they have to program simple division or even to combine operations. It's also useful to

GOTO Page 123

Personal Computer World

BINDERS KEEPERS LOSERS WEEPERS



Half the people you meet today are not preoccupied with pollution, perversion or persecution. It's worse than that — they've lost a copy or two of PCW and don't know where to find replacements.

So keep *your* copies of PCW in a beautiful bright yellow binder. £2.95 worth of smart security.

Just check the coupon at the foot of the page.

Binders: £2.95
Please send me __ PCW Binders ☐

NAME _____

ADDRESS _____

_____

(Block capitals please)

I enclose cheque/P.O. for £ made payable to Sportscene Publishers Ltd.
Send coupon to PCW (Subscriptions), 14 Rathbone Place, London W1P 1DE. Allow at least 14 days for processing.

Personal Computer World

FEATURE INDEX

Index to current volume, up to, and including, last month. (Previous volumes were indexed in March and April 1980 issues).

Hardware Projects
Z80 Homebrew 3-1
Selective PROM copier 3-3
TV to Monitor conversion 3-3
MK-14 Expansion 3-4
Teleprinter conversion 3-5
Adding a Z80 to a 6800 system 3-7
VCR to PET interface 3-8

Benchtest Evaluations
Luxor ABC 80 3-1
WH 89 3-2
ACT System 800 3-2
Panasonic JD 700U 3-3
Sinclair ZX-80 3-4
Challenger C2 4P 3-4
Texas TI 99/4 3-5
Altos ACS 8000-2 3-5
Hewlett Packard HP-85 3-5
Benchmark Timings summary 3-5
TRS-80 Model II 3-6
Sintrom Periflex 630/48 3-6
Acorn Atom 3-7
DDE SPC/1 3-7
SuperBrain 3-8

Series
PASCAL 3-1,2,3,4,5
David Levy's Games 3-1,2,3 4,5,6,7 8
On the line 3-1,2,3
Viewdata 3-4,5,6
Pascal Part 10 — Concluded 3-6
IEEE interface — Part 2 3-6
Chess 3-7,8
Gateways to Logic 3-7,8
Face to Face — the man/machine interface 3-7,8
Network Notes 3-7

Fact Sheets (Fax)
6800 opcodes 3-1
6502 opcodes 3-2

Personal Opinion (Interrupt)
The end of work? Lord Avebury 3-1
Protest against technological determinism 3-3
Who needs the CRA? 3-4
Schools computing — David Firnberg 3-4
Stating the obvious 3-5
Micros in big businesses 3-5
Animistics — a look at 'friendly' computers 3-7
Computer/Information technology & the law 3-8

Evaluations (Checkout)
Video Genie 3-2
Vector Graphic Flashwriter II 3-2
Apple II Symtec light pen 3-3
Microdata UV8 EPROM eraser 3-5
Softy intelligent EPROM programmer 3-6
Exatron stringy floppy 3-6
380Z High Resolution Graphics 3-7
ROMPLUS+ for Apple II 3-8

Calculator Corner
TI 58/9 Pseudo opcodes 3-1
Casio Fx 502P Brag 3-1
Casio Fx 501/2P Master Pack 3-2
TI 58/9 Economics Simulations. 3-2
Programming efficiency 3-3
Casio random number generator 3-3
HP 41C review 3-4
Artificial Intelligence 3-5
Accounts on TI-59 3-5
Data Packing 3-6
Sharp PC1211 evaluation 3-7
Pentathlon program 3-8

Special Features
Computer Retailers' Association 3-1
Christopher Evans tribute 3-1
Show chess results 3-1
The British Computer Society 3-2
Astrology — case study 3-2
IEEE-488 bus explained 3-2
Economic simulation 3-3
Modem evaluations 3-5
5th West Coast Faire report 3-5
Wave Synthesis on Nascom 1 3-5
Overcoming PET printer problems 3-5
Random numbers 3-5
Sound to colour conversion 3-3
American report 3-3
Simple approach to programming 3-3
Communication aid for disabled 3-4
Imphex — intelligent game PET 3-4
House of Commons report 3-4
Interrupt handling 3-6
Case Study — Compucolor installation 3-6
Poem 3-6
Power supplies explained 3-6
Power supply design 3-6
Program structuring in Basic 3-6
Sandbach school system 3-6
M68000 preview 3-7
Case Study — Apple Installation 3-7
3-D Plotting 3-7
Cassette files 3-8
Printer survey 3-8

Package evaluations (systems)
Sales Ledger 3-1,8
Purchase Ledger 3-2
Payroll 3-3
Word Processing 3-4
Information retrieval & databases 3-5
Integrated accounts packages 3-6
Stock Control 3-7

Indexes
Back Issues 1-1 to 2-4 3-2,3
Back Issues 2-5 to 2-8 3-4

Programs
BASIC Star Wars 3-1
PET Alien Attack 3-1
Revas (conclusion) Reverse assembler for Z80 3-1
Planet name generator — 6800 3-1
6800 Keyword retrieval system 3-3
PET Kaleidoscope 3-3
Efficient character storage Z80 Assembler 3-3
UK101 Dodgems 3-4
TRS-80 Fox and hounds 3-4
MZ 80K Sine wave addition 3-4
PET Backgammon 3-5
UK101 Nedge 3-6
PET Horse race 3-6
BASIC Renumber 3-6
Naming Nascom files 3-2
380Z Pictures 3-2
Fuel tank calculations — PET 3-2
PET large numeral
PET tank battle 3-2
BASIC string handling routines 3-2
UK101 Dogfight 3-6
MK14 Frequency counter 3-6
North Star Maths test 3-6
PET Sweeper 3-6
PET Delete/Renumber 3-6
PET Cat and Mouse 3-7
UK 101 Graph Plotter 3-7
UK 101 Black Box 3-7
TRS-80 Graphics 3-7
PET Robot Nim 3-7
PET Golf 3-7
PET Nightmare Park 3-8

BACK NUMBERS

Volume 1 No. 1 May 1978
Nascom 1/77-68: The Mighty Micromite/A charity system

Volume 1 No. 2 June 1978
Research Machines 380Z/ Computer in the classroom/ The Europa Bus.

Volume 1 No. 3 July 1978
Buzzwords — A to Z of computer terms/Pattern recognition/Micro music

Volume 1 No. 8 December 1978 Computers and Art/3-D Noughts and Crosses/Mickie — the interviewing micro.

Volume 1 No. 10 February 1979 Review — the Attache/ Word on word processing/ Micro assembler for the 6800/Sinclair to MPU interface/Draw pictures, written in Tandy Level II

Volume 2 No. 1 May 1979
Small computers for small organisations/Sorcerer graphics/Chess Programming Hints/ Parkinsons Revas.

Volume 2 No. 2 June 1979
MSI 6800/Witbit — disassemble your programs/The Multilingual Machine/Polytechnical Processing.

Volume 2 No. 3 July 1979
Vision link: Interfacing and Software for the Superscamp VDU/Pet Preening/Extended cursor graphics for the TRS-80.

Volume 2 No. 4 August 1979
The North Star Horizon/High Speed Cassette Interface for the SWTP 6800/Garage Accounting program/Apple Medical Application.

Volume 2 No. 7 November 1979 PCW Show issue/6800 Bug/Hard disc security/ Detecting literary forgeries/ Benchtest — the Challenger C3

Volume 2 No. 8 December 1979 Micro-controlled toys/ NASCOM — words and music/Systems — stock control/Benchtest — the Micromation Z-Plus.

PLEASE NOTE THAT THE FOLLOWING ISSUES ARE SOLD OUT

VOLUME 1 Nos. 4, 5, 6, 7, 9, 11, 12

VOLUME 2 Nos. 5, 6

VOLUME 3 Number 1

ALL OTHER ISSUES MAY BE ORDERED USING THIS FORM.

Any one issue 95p; Any two issues £1.75; Any three issues £2.50; Any four issues £3.00. All additional issues @ 50p each. Binders @ £2.95. All prices include post and packing. Cheque or P.O. payable to (PCW) Sportscene Publishers Ltd., 14 Rathbone Place, London W1P 1DE. Please allow up to 3 weeks for delivery and don't forget to state clearly your name and full address with your order.
Please send me the following copies of PCW. I enclose a cheque/P.O. for £

Volume 1				Volume 2					Volume 3
1 ☐	2 ☐	3 ☐	8 ☐	1 ☐	2 ☐	3 ☐	4 ☐	7 ☐	3 ☐

Name_____

Address_____

*Tick appropriate boxes

LARGER LEDS

The Science of Cambridge MK14 is still the basis for the enthusiast who wants to experiment with building his own system — it lends itself to easy modification and expansion. Here Clifford Clark describes an easy way to fit a larger seven-segment LED display in place of the system's original, minuscule unit.




Photo by Elizabeth A Shingler

There are many ways of reaching the objective of a larger display. Thus various circuits were designed and tested with reliability and display intensity the factors that decided the final arrangement. The circuit described here gives an acceptable LED brilliance with a red filter fitted over the completed assembly.

The common emitter arrangement is the general way of using a transistor as a switch, since high gain current allows large collector current to be controlled by means of a relatively small base current. First examination of the circuit diagram appears to show that the base resistor alone limits the amount of current available for activating the appropriate LED anode, but a small amount of power is also absorbed by the switching transistors embodied in the 7445 IC which completes the circuits to earth. (The manufacturer's specification for the 7445 IC notes that each of the high breakdown (30 volt) output transistors will sink up to 80 mA.)

Construction Notes

The LED sockets should first be soldered onto the stripboard. All the related anodes are connected together, i.e. all 'a' together, all 'b' together. . . etc, and then connected to their common switching transistor. Note that only 'a' & 'd' are shown connected in the circuit diagram, to simplify the drawing.


The copper strip on the stripboard must be cut at the appropriate points and 22 SWG wire should be used to make the necessary common connecting links for the anodes. IC 14 & 15 on the Mk14 PCB — originally two 7408s are replaced by two 7400s, because a zero signal is required to actuate the BC477 switching transistors. I used a 'D' type plug and socket for connecting the LED assembly to the MK14 PCB. This is an optional arrangment although I found it a useful way of proving the circuit. The original small LED assembly was connected to a similar plug and could be easily inserted back into the circuit if suspected 7400 IC malfunction or overload occurred.

If this article is used as the starting point for further experiments with display circuits, one must be aware that 'ringing' in switching circuits produces extra pulses which the microprocessor accepts as normal pulses. If the value of the base resistor of the BC477 in the circuit illustrated is too low 'ringing' will occur with resultant 'keying in' problems.


Finally, a software checkout is listed. This test program illuminates all display LEDs, showing figure eight and decimal point.

Hardware required

LEDs: 0.3 inch seven-segment common cathode, 8-off.
Filter strip: for red LEDs, 1-off
Transistors: BC477, 8-off.
Resistors: 220 , 8-off.
ICs: 7400, 2-off
Stripboard: 0.1 inch pitch holes
'D' connectors (optional): plugs, 2-off; socket, 1-off.
Misc: 22 SWG tinned copper wire; other connecting wire.



LED connections (front view, pins at rear).



MK 14 DISPLAY CONNECTIONS TOP OF BOARD
Only anodes a & d shown connected — see text
All resistors 220 ohms
All transistors BC477
All LEDs 0.3 inch common cathode

```
MK14 TEST PROGRAM TO ILLUMINATE ALL DISPLAY LED'S

0F12  C4
0F13  0D
0F14  35
0F15  C4
0F16  00
0F17  31   "0D00" INTO PTR#1. CONTENTS=FF
0F18  C9
0F19  00   STORE(DISPLAY) CONTENTS PTR#1 ADDRESS
0F1A  C5   LOAD CONTENTS PTR#1 INTO AC & INCREMENT
0F1B  01   BY 1 (AUTO INDEX)
0F1C  31   LOW ADDRESS PTR#1 INTO AC
0F1D  C8   STORE ADDRESS IN LOCATION 0F28
0F1F  0A   TO BE RECALLED AS REQUIRED
0F1F  F0
0F20  07   EX-OR 07 TO CHECK FOR LAST DISPLAY LED
0F21  98
0F22  FF   JUMP IF ZERO & RESTART LOOP
0F23  C0
0F24  04   RE-LOAD LOW ADDRESS FROM LOCATION 0F28
0F25  31   PUT LOW ADDRESS BACK INTO PTR#1
0F26  90
0F27  F0   JUMP TO LOCATION 0F18
0F28  XX   LOCATION USED FOR LOW ADDRESS STORAGE
```

Make your micro

MIGHTY!



Get the most out of your microcomputer with Graham-Dorian Business software.

At any given time, your hardware is only as useful as the software you run in it. Our programs let you realise the full potential of your hardware

Graham-Dorian provides highly detailed and well documented programs. All pretested on the job. Each so comprehensive that it takes little time to learn to run a program — even for someone who's never operated a computer before.

Graham-Dorian programs are on-line now working for us and others around the world. They are ready to go to work immediately or to be tailored for your more specific needs. Each package contains a software program in BAS and INT film form plus a user's manual and hard copy SOURCE LISTING.

Programs are compatible with most major computers using CP/M disk operating systems, and come in standard 8" or on various mini-floppy disks.

Graham-Dorian stand behind dealers with technical advice.

Yes, there's a world of difference in business software. Graham-Dorian has more per-package capabilities and more packages (with new ones added every few months).

Distributors for Micropro:- Wordstar, Datastar & Mailmerge. CP/M for Tandy Model I & II

†GDSS are appointing UK Dealers and European Distributors. Enquiries and applications invited.

*CBASIC-2 is a trade mark (copyright 1980) of Compiler Systems, Inc. GDSS are the European Distributor for CBASIC-2.

The Graham-Dorian line now includes these packages:

- Nominal Ledger
- Purchase Ledger
- Sales Ledger
- Job Costing
- Order Entry & Invoicing
- Payroll
- Manufacturing Inventory
- Manufacturing Job Costing
- Wholesaler Inventory
- Retailer Inventory
- Cash Register
- Apartment
- Surveying
- Dental

CBASIC-2*

Ask your dealer for a demonstration soon.

GDSS

Graham-Dorian Software Systems

A division of Graham-Dorian Enterprises
& Terodec (Micro Systems) Ltd.
17 The Gallop, Yateley, Camberley, Surrey.
Tel: (0252) 874790/(0344) 51160

Britain's first con computer kit.

The Sinclair ZX80.

£79.95

Price breakdown
ZX80 and manual: £69.52
VAT: £10.43
Post and Packing FREE

Please note: many kit makers quote VAT-exclusive prices.



You've seen the reviews... you've heard the excitement... now make the kit!

This is the ZX80. 'Personal Computer World' gave it 5 stars for 'excellent value.' Benchmark tests say it's faster than all previous personal computers. And the response from kit enthusiasts has been tremendous.

To help you appreciate its value, the price is shown above with and without VAT. This is so you can compare the ZX80 with competitive kits that don't appear with inclusive prices.

'Excellent value' indeed!

For just £79.95 (*including* VAT and p&p) you get everything you need to build a personal computer at home... PCB, with IC sockets for all ICs; case; leads for direct connection to a cassette recorder and television (black and white or colour); *everything*!

Yet the ZX80 really is a complete, powerful, full-facility computer, matching or surpassing other personal computers at several times the price.

The ZX80 is programmed in BASIC, and you can use it to do quite literally anything from playing chess to managing a business.

The ZX80 is pleasantly straightforward to assemble, using a fine-tipped soldering iron. It immediately proves what a good job you've done: connect it to your TV... link it to an appropriate power source... and you're ready to go.

Your ZX80 kit contains...
- Printed circuit board, with IC sockets for all ICs.
- Complete components set, including all ICs – all manufactured by selected world-leading suppliers.
- New rugged Sinclair keyboard, touch-sensitive, wipe-clean.
- Ready-moulded case.
- Leads and plugs for connection to domestic TV and cassette recorder. (Programs can be SAVEd and LOADed on to a portable cassette recorder.)
- FREE course in BASIC programming and user manual.

Optional extras
- Mains adaptor of 600 mA at 9 V DC nominal unregulated (available separately – see coupon).
- Additional memory expansion boards allowing up to 16K bytes RAM. (Extra RAM chips also available – see coupon).

*Use a 600 mA at 9 V DC nominal unregulated mains adaptor. Available from Sinclair if desired (see coupon).

The unique and valuable components of the Sinclair ZX80.

The Sinclair ZX80 is not just another personal computer. Quite apart from its exceptionally low price, the ZX80 has two uniquely advanced components: the Sinclair BASIC interpreter; and the Sinclair teach-yourself BASIC manual.

The unique Sinclair BASIC interpreter offers remarkable programming advantages:
- **Unique 'one-touch' key word entry: the ZX80 eliminates a great deal of tiresome typing. Key words (RUN, PRINT, LIST, etc.) have their own single-key entry.**
- Unique syntax check. Only lines with correct syntax are accepted into programs. A cursor identifies errors immediately. This prevents entry of long and complicated programs with faults only discovered when you try to run them.
- Excellent string-handling capability – takes up to 26 string variables of any length. All strings can undergo all relational tests (e.g. comparison). The ZX80 also has string input-to request a line of text when necessary. Strings do *not* need to be dimensioned.
- Up to 26 single dimension arrays.
- FOR/NEXT loops nested up to 26.
- Variable names of any length.
- BASIC language also handles full Boolean arithmetic, conditional expressions, etc.
- Exceptionally powerful edit facilities, allows modification of existing program lines.
- Randomise function, useful for games and secret codes, as well as more serious applications.
- Timer under program control.
- PEEK and POKE enable entry of machine code instructions, USR causes jump to a user's machine language sub-routine.
- High-resolution graphics with 22-standard graphic symbols.
- All characters printable in reverse under program control.
- Lines of unlimited length.


Fewer chips, compact design, volume production – more power per pound!

The ZX80 owes its remarkable low price to its remarkable design: the whole system is packed on to fewer, newer, more powerful and advanced LSI chips. A single SUPER ROM, for instance, contains the BASIC interpreter, the character set, operating system, and monitor. And the ZX80's 1K byte RAM is roughly equivalent to 4K bytes in a conventional computer – typically storing 100 lines of BASIC. (Key words occupy only a single byte.)

The display shows 32 characters by 24 lines.

And Benchmark tests show that the ZX80 is faster than all other personal computers.

No other personal computer offers this unique combination of high capability and low price.



olete



The Sinclair teach-yourself BASIC manual.

If the features of the Sinclair interpreter mean little to you – don't worry. They're all explained in the specially-written 128-page book *free* with every kit! The book makes learning easy, exciting and enjoyable, and represents a complete course in BASIC programming – from first principles to complex programs. (Available separately – purchase price refunded if you buy a ZX80 later.)
A hardware manual is also included with every kit.

The Sinclair ZX80. Kit: £79.95. Assembled: £99.95. Complete!

The ZX80 kit costs a mere £79.95. Can't wait to have a ZX80 up and running? No problem! It's also available, ready assembled and complete with mains adaptor, for only £99.95.

Demand for the ZX80 is very high: use the coupon to order today for the earliest possible delivery. All orders will be despatched in strict rotation. We'll acknowledge each order by return, and tell you exactly when your ZX80 will be delivered. If you choose not to wait, you can cancel your order immediately, and your money will be refunded at once. Again, of course, you may return your ZX80 as received within 14 days for a full refund. We want you to be satisfied beyond all doubt – and we have no doubt that you will be.

sinclair
ZX80

Science of Cambridge Ltd

6 Kings Parade, Cambridge, Cambs., CB2 1SN
Tel: 0223 311488.

ORDER FORM

To: Science of Cambridge Ltd, 6 Kings Parade, Cambridge, Cambs., CB2 1SN.
Remember: all prices shown *include* VAT, postage and packing. No hidden extras.
Please send me:

Quantity	Item	Item price £	Total £
	Sinclair ZX80 Personal Computer kit(s). Price includes ZX80 BASIC manual, excludes mains adaptor.	£79.95	
	Ready-assembled Sinclair ZX80 Personal Computer(s). Price includes ZX80 BASIC manual and mains adaptor.	£99.95	
	Mains Adaptor(s) (600 mA at 9 V DC nominal unregulated).	8.95	
	Memory Expansion Board(s) (each one takes up to 3K bytes).	12.00	
	RAM Memory chips – standard 1K bytes capacity.	16.00	
	Sinclair ZX80 Manual(s) (manual free with every ZX80 kit or ready-made computer).	5.00	
		TOTAL	**£**

NB. Your Sinclair ZX80 may qualify as a business expense.

I enclose a cheque/postal order payable to Science of Cambridge Ltd for £_____

Please print

Name: Mr/Mrs/Miss_____

Address_____

_____



...DOWN TO BUSINESS WITH MICROTREND PROFESSIONAL SOFTWARE

● DATA PROCESSING ● WORD PROCESSING ● OFFICE AUTOMATION ● COMMUNICATIONS ●

FOR DETAILS CONTACT

Microtrend Ltd.,
P.O. Box 51, Pateley Bridge,
Harrogate.

Microtrend Int. BV.,
P.O. Box 71012, 1008 BA Amsterdam,
Holland.

Microtrend GmbH,
Post Fach 2815, 8500 Nürnberg,
West Germany.

COMPUTER GAMES



by David Levy

Chess

Of all the games that have attracted the attention of computer programmers, chess must surely rank at the top of the list. This is partly because chess is considered by many to be *the* intellectual game, par excellence, and therefore the creation of a strong chess program can be equated with the creation of an artificial intellect. Another reason is that the writing of a chess program is itself a great challenge.

A measure of the popularity of computer chess programming may be judged from the history of computer chess contests. In 1970, in New York, there was a tournament in which all six of the contestants were computer programs. The event proved so popular that it has been repeated each subsequent year, at the annual conference of the Association for Computing Machinery, and by the end of the 1970s there were usually between 12 and 20 applications for places in the tournament. Now that micros are available in large numbers, chess contests are springing up specifically for microcomputers. Personal Computer World is organizing its third such tournament in London on September 4th-6th this year, and this event has the status of World Championship, and is being held under the auspices of the International Chess Federation – an indication that "real" chess players are now beginning to take computers seriously. Other microcomputer chess tournaments are being held in the USA, France and Germany. Probably there will be a dozen such events in the calendar by the end of 1981.

Because of the enourmous interest in computer chess, a lot has been written on the subject. I have decided that this article and the following one will provide a history of the most important milestones in the field, and I shall discuss how the ideas employed in mainframe programs may be applied to micros. In a third article I shall discuss the current state of the art of microcomputer chess programming, with many examples taken from actual games.

In the beginning

On March 9th 1949, the American mathematician Claude Shannon delivered a paper at a New York conference. The paper was called *Programming a Computer for Playing Chess*, and it is remarkable that many of Shannon's original ideas have permeated through to the programs of today. He pointed out that there are some 10^{120} possible games of 40 moves (the average length of a master game), and that analysing to this depth at the rate of one game per microsecond would take a computer 10^{90} years to make its first move! A similar, though even more emphatic argument, is that the number of possible chess games so far exceeds the number of atoms in the universe, that even were each atom to be replaced by a Cray 1 computer, it would take the whole system rather a long time to make the first move in a perfect game of chess.

Having dispensed with the notion of perfect play through exhaustive search, Shannon set about defining an evaluation function which would give a reasonably reliable estimate of which side held the advantage in a position, and by how much. His example of a crude evaluation function was:

$200 \times (K_w - K_b) + 9 \times (Q_w - Q_b) + 5 \times (R_w - R_b) + 3 \times (B_w - B_b + N_w - N_b) + (P_w - P_b) - 0.5 \times (D_w - D_b + S_w - S_b + I_w - I_b) + 0.1 \times (M_w - Mb)$

where K, Q, R, B, N and P represent the number of pieces of each type (king, queen, rook, bishop, knight and pawn), and the subscripts w and b refer to white and black. D is the number of doubled pawns (pawns of the same colour on the same file); S is the number of backward pawns (pawns that cannot be defended by a pawn); I is the number of isolated pawns (pawns with no neighbour pawns of the same colour); M is the measure of mobility (the number of legal moves at a player's disposal).

The king is given an arbitrary high value because loss of the king means loss of the game. The values of 9, 5, 3, 3 and 1 for the other pieces are the rule-of-thumb values which chess players learn early in their careers, though bishops are usually regarded as being more valuable than knights so in your chess program you might experiment with values of 3¼, $3^1/_3$ or even 3½ for a bishop.

Shannon's evaluation function is sufficient to provide a reasonable level of performance in a microcomputer chess program. Chess, however, is a complex game, and Shannon recognized the need for the use of many other features if the evaluation function were to result in a strong program, and he suggested the following additional features:

1. Relative control of the centre by pawns (white pawns at c4, d4, e4 and f4; black pawns at c5, d5, e5 and f5).
2. Weakness of pawns near your own king (e.g. advanced pawns in front of the king after castling).
3. Placing pawns on opposite coloured squares from your own bishops to

It's been called a technical masterpiece.



We'll show you how to master it in half an hour.

The Sharp MZ-80K is the perfect beginner's computer for small business, educational or personal use.

Maybe you've always wanted to find out more about computers, but were a little confused, even frightened by them.

Well at Petalect, you'll find the Sharp MZ-80K is simple to operate and uses a standard cassette for programming. It will make education more fun and your business more efficient.

Call in, or send for full details now.

PETALECT
Electronic Services Ltd

Distributors for ACT 800. Dealers for CBM Commodore and Sharp MZ-80K
Dept. PESL 33/35 Portugal Road, Woking, Surrey GU21 5JE
Telephone (04862) 21776/63901

PCW 9.80

Please send full details of your specialist services and computer systems.

Name _____

Company _____

Position _____

Address _____

_____

_____ Tel. No. _____

THE PETMASTER SUPERCHIP

JUST LOOK AT WHAT YOU WILL BE ABLE TO DO WHEN YOU PLUG IN YOUR PETMASTER SUPERCHIP.

- Automatic repeat facility on all keys or just insert/delete, space and the cursor movement keys
- Adjustable repeat delay/speed
- Graphics/lower case toggle
- Variable cursor flash speed
- Scroll screen up or down
- Escape from quote mode
- Erase line up to cursor
- Erase line from cursor
- Insert or delete line



ONLY £45 PLUS VAT

ADD COUNTLESS NEW FEATURES TO YOUR EXISTING MACHINE ! Many of the SUPERCHIP's useful functions are similar to those only available on the new 8000 series Superpets. And most may be accessed either from the keyboard or from Basic.

WRITE NOW FOR MORE DETAILS

PLUS

- SINGLE KEY ENTRY OF 26 OF THE LONGEST AND MOST COMMON BASIC WORDS
- RETRACE FACILITY WHICH ENABLES YOU TO DISPLAY AT ANY TIME THE LAST 10 LINES EXECUTED. OTHERWISE RETRACE IS INVISIBLE TO THE USER !
- 'SHRINK' routine which eliminates REMs and unnecessary spaces from your program
- 'REVERSE' routine which reverses any part of the screen (black/white to white/black)
- 'MOVIT' subroutine for instantaneous transfer of any area of memory

Fits in 3rd. spare ROM socket

TOOLKIT COMPATIBLE !

NEW ROM VERSION AVAILABLE NOW

OLD ROM OWNERS WRITE FOR DETAILS

SUPERSOFT

28 Burwood Avenue - Eastcote - Pinner - Middlesex
Phone 01-866 3326 anytime

PCW 106

allow the bishops greater freedom of movement.
4. Passed pawns (i.e. pawns which have no enemy pawns in front of them, either on the same file or on adjacent files). These pawns can often become queens in the endgame.
5. Advanced knights (white knight at c5, d5, e5, f5, c6, d6, e6 and f6; black knights at c4 etc.), especially if protected by a pawn and free from attack.
6. Rooks on open or semi-open files (an open file is one with no pawns; a semi-open file has one pawn belonging to the opponent).
7. Rooks on the seventh rank. (A white rook on a7, b7, . . . , or a black rook on a2, b2, . . . , etc., can wreak havoc in the endgame by picking off the opponent's pawns.)
8. Doubled rooks (two rooks of the same colour on the same file).
9. Pieces which are required for guarding functions and, therefore, committed and with limited mobility.
10. Attacks on pieces which give one player the option of exchanging.
11. Attacks on squares adjacent to the enemy king.
12. Pins. (A pin is a setup in which one piece may not move because of the loss of a piece which it is shielding, e.g. white bishop on g5, black knight on f6, black queen on e7. Black may not move his knight because of the loss of his queen — the knight is said to be pinned by the bishop).

The addition of these features would provide a rther sophisticated evaluation function for middle game play, though as Shannon himself pointed out, different factors apply in the opening and (to a lesser extent) in the endgame.

When and how to use the evaluation function

Shannon understood that it is only safe to use this type of evaluation function in positions which are relatively quiescent. If white makes a move capturing black's queen, it is not sensible to evaluate the resulting position without looking to see if black might be able to recapture white's queen in reply, or whether he might be able to checkmate. In fact it is meaningless to evaluate a position during a series of exchanges, unless the evaluation mechanism allows for the fact that further meaningful exchanges are possible. Chess players recognize quiescent positions intuitively, but computer programs have more difficulty because they cannot immediately determine which capturing moves and sequences are "obviously" wrong, in the way that a human chess master can.

Shannon called a fixed depth search strategy a "type A" strategy. He realized that in chess this type of strategy would lead to weak play, partly because of evaluating many non-quiescent positions once the fixed search depth had been reached, and partly because of the time required for exhaustive search (the alpha-beta algorithm had yet to be invented in 1949). Again he alluded to the thought processes of chess masters, and in particular to the work of the Dutch psychologist De Groot who recorded the spoken thoughts of chess masters as they analyzed a number of typical chess positions. Shannon concluded that in order to improve the speed and strength of the program it would be necessary to:
1. Examine forceful variations as far as possible and evaluate only in quiescent or quasi-quiescent situations.
2. Select the variations to be examined by some process so that the program does not waste a lot of time in totally fruitless variations.

Shannon called this type of strategy a "type B" strategy, and it is the Shannon B strategy which is used in almost all of the most successful programs of today. The key to the Shannon B strategy is the ability to determine which moves and variations are worth considering, a problem on which much has been written but rather little accomplished during the past three decades. When I examine a chess position I can usually make a reasonably good move after looking at only 50-100 nodes of the game tree. In order to play at the same level, the current world computer champion must examine over one million nodes. If it had the same ability to discern which variations are important, it would be able to defeat Bobby Fisher.

In order to help decide whether a move is worth exploring, Shannon suggested the use of a function which would return a large value for forcing moves (captures, checks and attacking moves), medium values for defensive moves, and low values for all other moves. As the depth of search increased, the requirements of this function would be set higher so that fewer and fewer subvariations would be examined. This approach has proved successful in a number of strong chess programs, and can easily be implemented on a micro. One simple method of doing so would be to examine all moves at the root of the tree, then only the most important 90% of moves at ply-1 ("importance" being determined by Shannon's discrimination function), then only the most important 70% at ply-2, 50% at ply-3, 30% at ply-4 and 10% at ply-5 and beyond, down to the limits imposed by search time restrictions or to quiescent positions. My method would call for an examination of fewer than 10% of the number of nodes normally examined in a 5-ply search, and the 90% saving could be used either to increase the sophistication of the evaluation function (which would also make it slower), or to increase the maximum depth of search in tactical situations.

Another idea suggested by Shannon was the use of typical chess positions or fragments of positions, for which a particular move or sequence of moves is known to be effective. Chess masters use this type of information all the time. They recognize a situation and immediately start to examine a move which they know has often proved strong in similar positions. Of course it will not always be the case that exactly the same move is best in a slightly different situation, but as we have seen in previous articles it is extremely important to examine the most likely moves early in the search process. Unfortunately, the only substantial example of this approach was a dismal failure. A strong American chess master, Charles Kalme, implemented a method involving "snapshots" of chess situations. His work was discussed in a Scientific American article in 1973, but shortly thereafter his program fared dismally in the annual ACM computer chess tournament in Atlanta, and little has been heard of the program since then. Perhaps this is one example of a technique used by humans which will be difficult to employ in a computer program. In any event, Kalme's failure should not worry the micro user, since the amount of memory required to use the snapshot approach would be prohibitive at today's prices.

The Bernstein program

Shannon's work was purely theoretical in nature. He did not write a chess program to test his ideas, though if he had done I suspect that his program would have been stronger than some commercially available programs now on the market.

The first example of a program playing full games of chess was seen in the late 1950s. This program was written for the IBM 704 computer by Alex Bernstein of IBM, and three colleagues. Since your own machines will all be considerably more powerful than an IBM 704, any of you who write chess programs ought to be able to do at least as well.

Bernstein et al employed four features in their evaluation function: Mobility, area control, king defence and material. Area control was defined as the number of squares controlled completely by each side, while king defence counted the number of controlled squared around the king. Their material feature was weighted with the ratio of its own material to that of its opponent, in order to encourage the program to exchange material when ahead and to discourage it from exchanging when behind. This simple herusitic is extremely well known, but not all programmers consider it worthwhile to implement it, possibly because programs play worse in the endgame than they do during the middle-game!

Moves were generated in response to a number of questions:
1. Is the king in check?
2. Can material be gained, lost or exchanged (i.e. can the program make an equal or advantageous capture, or is it threatened with material loss)?
3. Is castling possible?
4. Can a minor piece be developed?
5. Can key squares be occupied? (Key squares are those squares controlled by pawns).
6. Can an open file be occupied?
7. Can any pawns be moved?
8. Can any piece be moved?

If the answer to question 1 is "yes", the program generates moves that reply to the check, and these moves are put into a "plausible move table". If the answer to question 1 is "no" the program goes to question 2, and so on. If the answer to question 3 is "yes", no other moves beyond question 3 are examined, as castling was considered so important that no other moves except replies to check and material changing moves are of greater importance to the program.

At the beginning of the game only

SIX OF THE BEST

Pet Programs from Petsoft

76 COMMON BASIC PROGRAMS
A collection of 76 useful programs on one cassette from Adam Osborne's best selling book. These include personal finance, maths, statistics and general interest topics. Excellent value for stand alone or incorporated use.

£15 on cassette.

STOCK CONTROL Powerful and flexible stock system with full facilities for recording and control of stock information. An audit listing is automatically printed which itemises all transactions including the entry amendment and deletion of master stock information, issues receipts, allocations, purchase orders. Printed reports include Full Stock Control, Stock Valuation, Reordering Report, Audit Listing, The system is highly flexible.

£50 on CompuThink or Commodore Disk.

WORDCRAFT A true Word Processor for the 32K PET. Wordcraft is a genuine word processing system, easy to understand and use, but containing all the facilities normally found only on more expensive dedicated Word Processors. Features include scrolling in both vertical and horizontal directions (to overcome small screen size), up to 117 characters wide and 98 lines deep for a full page of text. Written entirely in machine code for speed and compactness. Truly the Rolls-Royce of PET Word Processors.
£325 on CompuThink or Commodore Disk.

PAYROLL 200 Comprehensive, easy-to-use package for small businesses with up to 200 employees. Facilities provided include Holiday Pay, Sick Pay, Bonus Payments and two rates of overtime, as well as allowing a 'Standard week' to be specified for each employee. Weekly and monthly summaries are provided and amendments necessary because of a Budget are made very easy. Prints wage slip and coin/note analysis. Tax & NI are computed automatically from knowledge of employees codes. Update service available. Full manual provided.
£50 on Commodore or CompuThink Disk.
Cassette system also available at **£25**

PETPLAN BUSINESS SIMULATION
Petplan is a general management business simulation game which is exciting to play. Already it is widely used by colleges and Industrial Trainers to teach the skills needed to run a business. The program creates the model of a manufacturing company; you take the decisions. You will need to hire workers, invest in plant and premises, set advertising budgets and prices. At each stage screen reports (which may be printed out) show the results of decisions as they take effect. 50 page manual and voice guide on cassette. For 32K PETs.
£60 on Cassette.

PET BASIC TUTORIAL 2 A revised version of our best selling course on programming the PET in Basic. Let PET take you through its commands and functions at your own speed. Over 50K of lessons including working examples of the programming techniques that are described. Suitable for novices and those with some programming experience, from literacy age 10 on.

£15 on cassette.

PROGRAMMERS TOOLKIT £44
Plug-in ROM Chip adds nine useful commands to PET BASIC including RENUMBER, TRACE, DUMP, FIND and APPEND.


You will find Petsoft programs on sale in more than 200 computer shops throughout the country, and in many more all over the world. We invite you to try them.

If you can't find the program you need, contact us directly. We offer over 200 titles and can supply you directly. We will even take credit card orders over the telephone. Since we normally carry all programs in stock, you won't have long to wait.

PET is the trademark of Commodore.

Petsoft is backed by the resources of Applied Computer Techniques Ltd., Britain's leading computing group. With over fifteen years experience of developing business software, ACT has a reputation second to none in the industry. That is your guarantee.

If you would like more information on any of the programs mentioned on this page, clip out the coupon. We will see that a free copy of our complete PET software catalogue reaches you without delay.



Prices exclude VAT and were correct at time of going to press.

Please rush a FREE copy of the latest Petsoft catalogue to:

Name: .....

Address: .....

..... Postcode: .....

I have an ... ☐ 8K PET ☐ 16K PET ☐ 32K PET ☐ No PET yet

Petsoft

part of the ACT Computer Group

Radcliffe House, 66/68 Hagley Road, Birmingham B16 8PF

Telephone 021 455 8585

Telex 339396

questions 4 and 7 put moves onto the plausible move list. After the opening stage, the other questions are employed in the move generation process, with questions 2, 5 and 6 being the most often used in the middle-game, and questions 5, 6, 7 and 8 during the end-game. Once there are seven moves in the plausible move table, no other moves are generated from that position. This explains why the programmers felt it important to generate the moves in a particular order — they wished to prune off most of the legal moves in every position, and preferred to do so at the move generation stage rather than use the more modern approach of generating all the moves first and then sorting them before finally discarding some.

This simple approach was used to create a tree with a maximum depth of 4-ply, and therefore a maximum of 7^4 or 2401 terminal positions requiring evaluation. In fact a further pruning mechanism was employed: a move is only put on the plausible move list if it results in an increase in score, or at least an equal score, to that which prevailed before the move was made. With a sophisticated, accurate evalution mechanism this method might work quite well. One problem is that the program may find itself looking at a position in which no move appears to do anything but reduce the score for the side which makes it, and under these circumstances the program will select the best two moves for inclusion in the plausible move table.

Forward pruning mechanisms go a long way towards solving the problem of having the program examine too many junk variations, but to be effective without being counterproductive a forward pruning program must exhibit sound judgement when deciding which moves to prune, otherwise a superficially bad move which is really quite stunning might easily find itself eliminated from the search.

It is interesting to note that the Chess Challenger machines do quite a lot of forward pruning, whereas the stronger commercially available programs do not. This in itself does not necessarily indicate that forward pruning is difficult to accomplish on a micro, and I would be interested to hear from any reader who thinks he has found a satisfactory way of pruning off a significant part of the game tree. I should remind you that Bernstein's approach of a (essentially) fixed depth search is not to be recommended. Evaluating all positions at 4-ply, irrespective of whether they are quiescent, is certain to result in feeble play unless the evaluation mechanism is sufficiently intelligent to cater for future caputres in some way, as for example, Donald Michie's idea of swapoff values which will be discussed in a future article.

The report on Bernstein's work included the moves of a game played by his program against a human opponent. I give the game here, with some comments of my own, to illustrate the standard of play that can be achieved using a primitive search process. Here, and in all future chess games, I shall employ the notation which is becoming standard for microcomputer chess games, naming the *from* square and *to* square using conventional chess notation — White has the square a1 in his left hand corner and h1 at his right.

White: IBM 704
Black: HUMAN

1	e2—e4	e7—e5
2	f1—c4	

The program had not been taught any chess openings and was playing on general principles, hence it developed a piece. It is usually a good rule to develop knights before bishops, so question 4 should have been split into (4a), can a knight be developed?, and (4b) can a bishop be developed.

2	...	b7—b6
3	d2—d3	g8—f6
4	c1—g5	c8—b7
5	g5—f6	

Prompted by question 2, but in fact a wasted move. Firstly the bishop is more useful than Black's knight; secondly, the program ought to give more weight to developing pieces during the opening, and a move such as b1—c3 or g1—f3 is called for.

5	...	d8—f6
6	g1—f3	c7—c6
7	e1—g1	d7—d5
8	e4—d5	c6—d5
9	c4—b5+	b8—c6
10	c2—c4?	

An excellent example of why the search should not terminate at a fixed depth of 4-ply. White can win a pawn here by playing 10 f3—e5, because if Black recaptures with 10. . .f6xe5 White will win the queen by 11 f1—e1, when Black must lose his queen for a rook. But the program would only see the variation 10 f3—e5 f6—e5 11 f1—e1 e5—e1+, and since Black is well ahead in material at this point, the program would evaluate the position as being good for black, ignoring the fact that white's next move (d1—e1) captures the black queen. Using Shannon's B strategy, accidents such as this just cannot happen.

10	...	d5—c4
11	b5—c6+	f6—c6
12	d3—c4	e5—e4
13	f3—g5	c6—g6
14	g5—h3	e4—e3
15	f2—f3?	

Here a strong move would be 15 h3—f4, attacking the black queen and preventing mate at g2, but again the program would only have examined to the end of the four-ply continuation 15 h3—f4 e3—f2+ 16 f1—f2 g6—g2 (or b7—g2), and seen that it had lost a pawn!

15	...	f8—c5
16	f1—e1	e8—g8

Of course e3—e2+ does not win the white queen because the pawn on e2 is pinned against the black king. But now 17. . . e3—e2+ is a real threat.

17 b1—c3??

Which the program overlooks. There is a routine which asks "am I in check?", but none which asks "can I give check?", and there is no question of the form "can I attack a valuable enemy piece?" As a result of these deficiencies, the program would not have put black's next move in the top seven places on the plausible move list when considering the replies to 17 b1—c3.

17	...	e3—e2+
18	h3—f2	b7—f3
19	g2—g3	e2—d1=Q
20	c3—d1	g6—c2
21	b2—b3	a8—d8
22	h2—h4??	

Of course the program is totally lost in any case, but this move is worthy of comment because it illustrates another deficiency of forward pruning. The answers to questions 1—6 were all "no". Question 7 generated six legal pawn moves and question 8 generated piece moves, but the plausible move list was full after the first piece move was discovered, and so the program failed to spot the need to defind itself against the threat of d8—d1. Had it done so it would probably have played e1—f1, a move which requires a six-ply search to discover its refutation.

22	...	d8—d1
23	Resigns	

So with a crude search strategy and crude forward pruning, the Bernstein program was able to play recognizable chess, but extremely weakly. One important lesson that can be learned about forward pruning from the last mistake, is that your program should look further afield if the first move that it comes up with is seen to be bad. In this case, after examining the 7 chosen moves from the root of the tree, the program could see that it was losing material to 22 . . . d8—d1, but was powerless to stop it. Had it been permitted to continue its search it would have found a "better" move before too long. There is a parallel here between the drastic forward pruning method employed by Bernstain, and the iterative deepening approach used by many of today's programs. With iterative deepening, a program finds the best move it can after a 1-ply search, then it increases the depth to 2-ply and looks for a better move, then to 3-ply, and so on, until it runs out of time. Similarly, a forward pruning program should be permitted to continue its search by relaxing the pruning requirements, if it cannot find a satisfactory move early on in its search. Instead of searching 7 moves at each level, Bernstein could have examined (say) 5 moves at each level in less than one-third of the time, then when the program discovered that 21 h2—h4 and its four brothers were all dreadful moves, it could have examined all the other moves from the root of the tree, and the best 5 successors to each of them. This would have resulted in only a slight increase in total computation time for the move, but it would have enabled the program to see the immediate tactical consequence overlooked by the "best seven" approach.

Bibliography

The bibilography of material on computer chess is enormous. I shall mention only a small number of particularly significant works. Further references will be given next month:

Bernstein, A., and Roberts, Michael de V. *Computer v. Chess Player*. Scientific American, vol. 198, June 1958, pp. 96—105.

Carlson, F.R., and Zobrist, A.L. *An Advice-Taking Chess Computer*. Scientific American, vol. 228, June 1973, pp. 92-105.

De Groot, A.D., *Thought and Choice in Chess*. Mouton and Co., 1965.

Shannon, C.E. *Programming a Computer for Playing Chess*. Philosophical Magazine, vol. 41 (7th series), pp. 256-275.

BETTER THAN BRAILLE

Resident calculator expert Dick Pountain brings you a very useful program for opening up the calculator world to the blind.

Once again, this month I'm turning the column over to a reader — in this case Mike O'Regan of Beeston, Notts. He's produced an ingenious program which allows blind people to calculate on the Hewlett-Packard 41C by converting the display into an audible code. Although the 41C is not a cheap machine it's probably cheaper and more flexible than the Braille-display desk top machines which are produced for the blind, and it's programmable to boot.

As you rattle off your routine number crunching on a calculator, has it crossed your mind to wonder how you ever managed without one? If you have, you probably remember doing your sums with the help of pencil and paper, a slide-rule or, perhaps, log tables. How do you think you would have managed if even these aids were denied you? You may now have some idea of the enormous problems encountered by blind people when faced with anything more than simple mental calculations.

Being a musician as well as a calculator fan, I was analysing the TONE function of my new Hewlett-Packard 41C when it suddenly struck me that I might be able to use audio signals as the basis for a program that would enable blind people to use the calculator!

It's well known that not only have most blind persons an enhanced sense of sound but they can also quickly become adept at using keyboards by touch. So, working on the assumption that the actual keyboard operation was no problem, I concentrated on a program to read the display and convert this into audio signals.

The first step was to check with Hewlett-Packard that I was not about to 're-invent the wheel', somewhat surprisingly I found that, as far as they knew, nobody else was working along the same lines.

I decided that, to be of optimum value, the program should:

- be easily understood by the user;
- read, translate to audio and return the number to the display;
- work with any number combination (ie integers, decimals, minus numbers and, if possible, with scientific and engineering notation);
- not interfere with normal calculations, as far as possible;
- utilise rarely used storage registers without increasing SIZE status too much.

The SIMAUD (SIMple AUDio) program is the first result. (see program listing and explanatory notes).

How far does SIMAUD go to meeting the requirements listed above? Well it *is* easily understood, and the original number is returned to the display unaltered (except that SCI and ENG displays are only returned unaltered when too big for normal FIX display). SCI and ENG displays *are* audio indicated but in long form (counting all zeroes. Normal calculations are not affected and the program utilises storage registers 10 — 14. The only slight drawback to the program was that execution turned out to be rather slow, especially with the higher digits, so another program was developed and named AUDIOP.

AUDIOP (AUDio OPeration) is basically the same as SIMAUD except that each digit is signalled by just one TONE, (a different one for each, with low TONEs for low digits and high TONEs for high). Minus number and decimal indicators are the same as SIMAUD and are easily distinguished from digit TONEs. AUDIOP is much faster, but a certain amount of training is needed in order to be able to link the TONEs and digits (I estimate three to four hours for reasonably fluency). To make training more interesting I went on to develop a number guessing game (TRILOB). Luckily most of the TONEs are widely spaced — being roughly equivalent to pentatonic intervals. Tones spaced closer, as in a diatonic scale, are more difficult to recognise.

Up to this stage the use of the programs had been just theoretical . . . it was high time I arranged a field test. All three programs were tried by blind people (contacted through the RMIB) and SIMAUD was an immediate success; the indications were that AUDIOP could also be readily used after a

```
01◆LBL "SIM
AUD"
02 STO 10
03 0
04 STO 13
05 RCL 10
06 SF 00
07 RND
08 STO 10
09 STO 11
10 X<0?
11 GTO 04
12◆LBL 11
13 INT
14 X=0?
15 GTO 00
16 RCL 11
17◆LBL 02
18 STO 11
19 INT
20 X=0?
21 GTO 03
22 1
23 ST+ 13
24 CLX
25 RCL 11
26 10
27 /
28 GTO 02
29◆LBL 03
30 RCL 11
31 10
32 *
33 INT
34 STO 14
35 X=0?
36 GTO 08
37 GTO 07
38◆LBL 09
39 LASTX
40 FRC
41 STO 11
42 1
43 ST- 13
44 RCL 13
45 X<=0?
46 GTO 05
47 GTO 03
48◆LBL 04
49 TONE 2
50 TONE 0
51 CHS
52 STO 11
53 GTO 11
54◆LBL 05
55 RCL 11
56 X=0?
57 GTO 06
58 GTO 00
59◆LBL 00
60 RCL 10
61 X=0?
62 GTO 06
63 FS? 00
64 GTO 10
65 GTO 03
66◆LBL 06
67 RCL 10
68 CF 00
69 RTN
70◆LBL 07
71 TONE 7
72 DSE 14
73 GTO 07
74 GTO 09
75◆LBL 08
76 TONE 6
77 GTO 09
78◆LBL 10
79 TONE 9
80 TONE 9
81 CF 00
82 GTO 03
83 END
```

```
01◆LBL "AUD
IOP"
02 STO 10
03 0
04 STO 13
05 RCL 10
06 SF 00
07 RND
08 STO 10
09 STO 11
10 X<0?
11 GTO 04
12◆LBL 11
13 INT
14 X=0?
15 GTO 00
16 RCL 11
17◆LBL 02
18 STO 11
19 INT
20 X=0?
21 GTO 03
22 1
23 ST+ 13
24 CLX
25 RCL 11
26 10
27 /
28 GTO 02
29◆LBL 03
30 RCL 11
31 10
32 *
33 INT
34 TONE IND
X
35 LASTX
36 FRC
```

```
37 STO 11
38 1
39 ST- 13
40 RCL 13
41 X<=0?
42 GTO 05
43 GTO 03
44*LBL 04
45 TONE 2
46 TONE 0
47 CHS
48 STO 11
49 GTO 11
50*LBL 05
51 RCL 11
52 X=0?
53 GTO 06
54 GTO 00
55*LBL 00
56 RCL 10
57 X=0?
58 GTO 02
59 FS? 00
60 GTO 10
61 GTO 03
62*LBL 06
63 RCL 10
64 CF 00
65 RTN
66*LBL 10
67 TONE 9
68 TONE 9
69 CF 00
70 GTO 03
71 END
```

```
01*LBL "TRI
LOB"
02 FIX 0
03*LBL 03
04 0
05 STO 02
06 1000
07 STO 01
08 RCL 00
09 9821
10 *
11 .211327
12 +
13 FRC
14 STO 00
15 SQRT
16 RCL 01
17 *
18 INT
19 STO Y
20 CLX
21*LBL 00
22 1
23 ST+ 02
24 CLX
25 RDN
26 RDN
27 XEQ "AUD
IOP"
28 STOP
29 X=Y?
30 GTO 01
31 X>Y?
32 GTO 02
33 TONE 3
34 CLX
35 GTO 00
36*LBL 01
37 BEEP
38 RCL X
39 XEQ "AUD
IOP"
40 RCL 02
41 PSE
42 PSE
43 XEQ "AUD
IOP"
44 GTO 03
45*LBL 02
46 TONE 9
47 GTO 00
48 END
```

suitable period of acclimatisation. Actually, there's room in the CMOS memory of the basic HP 41C to hold both programs, so that one may be checked against the other — another form of training.

In conclusion, since developing these programs I've discovered there are about 15 calculators on the market, especially designed for the blind. However these are, almost without exception, large, mains operated, slow (usually using Braille as readout) and expensive.

SIMAUD Explanatory Notes

Steps 3 & 4	zero the counter
Step 6	decimal trace flag
Step 8	store display number for ultimate recall
Step 9	working register
Step 10	minus number test
Steps 13&14	decimal number test
Steps 17-28	loop to 'decimalise' number (by repeated division by 10) and count the number of loops to complete 'decimalisation'
Steps 29-37	loop to reverse the process of the loop above, one digit at a time, storing each digit in register 4
Step 35	test if digit is 0
Steps 38-47	store for 'remainder' of decimalised number and countdown of counter
Steps 48-53	routine to produce minus number audio signal (TONEs 2 & 0)
Steps 54-58	check for end of number
Steps 59-65	test for decimal part of integer-decimal number
Steps 66-69	end of program
Steps 70-74	routine to produce the correct number of TONE 7s for each digit using register 4 as control
Steps 75-77	audio signal for 0 (TONE 6)
Steps 78-83	audio signal for decimal point (TONEs 9,9)

AUDIOP Explanatory Notes

See SIMAUD Notes for all except:

Step 34	produces individual TONE for each digit

TRILOB Explanatory Notes

Steps 4&5	zero 'guess' counter
Steps 8-18	random number generator
Step 27	uses AUDIOP as sub-routine to produce audio indication of number
Step 28	STOP for player to key in 'guess'
Step 29	test for correct 'guess'
Step 31	test for 'guess' too high
Step 33	audio indication that 'guess' is too low
Steps 36-41	audio indication of right guess and recall guess counter
Step 43	number TONEs signifying number of guesses
Step 46	audio indication that 'guess' is too high

SIMAUD/AUDIOP User Instructions

1. STATUS: minimum SIZE 015*
2. Key in program from listing*
3. Assign SIMAUD and/or AUDIOP to free keys (e.g. LOG, LN)*
4. Test for POWER ON by pressing SHIFT 4 (BEEPs if power on)
5. Test for USER Mode On by pressing any number key(s) (except 0) and assigned key. (If no signal, switch USER on.)
6. FIX number of decimal places, as required
7. Do calculations in normal way, pressing SIMAUD/AUDIOP assigned key to check intermediate or final totals, as required.

TRILOB

1. Ensure that AUDIOP is in program memory*
2. Key in program from listing*
3. Assign TRILOB to free key*

4,5. As for SIMAUD/AUDIOP

6. Start game by pressing TRILOB assigned key
7. 'Secret' number signalled by TONEs
8. Key in 'guess' — press R/S
9. Low guess signalled by low TONE (TONE 3). High guess signalled by high TONE (TONE 9). Right guess signalled by BEEP, number repeated as TONEs, pause, then 'number of guesses' signalled by appropriate TONE.
10. program loops to 7 above.

NOTE: Instructions marked* will require sighted assistance — others can be carried out by the blind person.

Now available On Earth



THE SHARP MZ-80 COMPUTER SYSTEM

The Sharp MZ-80 System is a new approach to computer applications and their efficient use. Our aim is to make computers relatively simple and therefore better understood and better used by those they are designed to serve. Take a look at the Sharp range – it will change the way you think about computers.

Business & Electronic Machines
7 Castle Street
Edinburgh
Scotland
Edinburgh (031-226) 5454

Central Calculators Ltd
86-90 Paul Street
London EC2
01-729 5588

Crystal Electronics Ltd
40 Magdalane Road
Torquay
Devon
Torquay (0803) 22699

Digital Design & Development
43 Grafton Way
London W1
01 387 7388

Electronic Business Systems Ltd
54 Clement Street
Birmingham 1
West Midlands
Birmingham (021-233) 3045

Fortronic Ltd
Holden Way
Donibristle Industrial Estate
Dunfermline
Fife
Dunfermline (0383) 823121

Gilbert Computers
Old Hall Lane
Lubenham
Leicestershire
Lubenham (0858) 65894

H B Computers Ltd
22 Newland Street
Kettering
Northants
Kettering (0536) 83922

Howes Elect. & Autom. Servs.
44 Fen Rd
Washingborough
Lincoln LN4 1AD

A & G Knight
108 Rosemount Place
Aberdeen
AB2 4YN
Aberdeen (0224) 630526

Kratos-Instem Ltd
Walton Industrial Estate
Stone
Staffordshire
Stone (0785) 812131

Lion Computer Shops Ltd
Lion House
227 Tottenham Court Road
London W1
01-637 1601

Newbear Computing
40 Bartholomew Street
Newbury
Berks
Berks (0635) 30505

Personal Computers Ltd
194/200 Bishopsgate
London EC2M 4NR
01-626 8121

Peter Scott (Exeter) Ltd
76 South Street
Exeter
Devon
Exeter (0392) 73309

Scope
Stone House
Houndsditch Entrance
128/140 Bishopsgate
London EC2M 4HX
01-247 8506

Sumlock Bondain Ltd
Sumlock Anita House
15 Clerkenwell Close
London EC1R OAA
01-250 0505

Sumlock Bondain (East Anglia) Ltd.
32 Prince of Wales Road
Norwich
Norfolk
Norwich (0603) 26259

Tomorrows World Ltd
17 Harcourt Road
Dublin 2
Eire
Dublin (0001) 755885

This is a list of dealers participating in associated advertising and not a full list.

COMPUTER APPLICATIONS



Business Systems, Audio, Video, Calculators, Cash Registers, Copiers, Microwave Ovens.



YOUNG COMPUTER WORLD

Compiled and presented by Derrick Daines

The bottom line

There's this podgy US general (well, an actor, really) pacing up and down the back lot at MGM studios. He wears his tin hat in the office and chews a cigar so savagely you'd think it was the enemy's tender parts. He also sports a couple of pearl-handled revolvers. Boy — is this guy tough!

He glares at the nearest plasterboard scenery and removes his mangled cigar long enough to bellow, "Lootenant — where's that report?"

A skinny nervous actor rushes in, carrying a bundle of papers. "Right here, General, sir!"

The 'General' explodes. "Goddam it, Lootenant! I asked for a report, not the entire US Army Regulations! I gotta war to run — gimme the bottom line!"

The demand to "gimme the bottom line" is not confined to American actors or their scriptwriters. All of us show exactly the same desire at different times. For example, none of us asks a friend what (s)he watched on TV last night, expecting a half-hour blow-by-blow account! We expect a short answer — a Western, the big match or whatever. If that arouses our interest, we may then ask for more details, but initially we mean, 'Gimme the bottom line'.

People who write computer programs are very prone to overdo it. (I know I am!) We start off with an idea and quickly get it working and degugged, but then come the ideas for improvements. Sometimes these are real improvements, but more often they are simply unnecessary elaborations on the original theme.

For example, I recently wrote a program to count the vowels and words in any passage of text. Before I knew what I was doing, I had the thing elaborated to count each different vowel separately, calculate the vowel per word ratio, the average length of each word, the number of punctuation characters, and so on. This process is sometimes called 'gilding the lily' and it's an awfully easy trap to fall into.

You may protest that elaborations really do make the program better, but I counter in two ways: (1) What exactly do you mean by 'better'? (2) Are you going to capture and hold anyone's interest in your program if you are unable to give them 'the bottom line'?

Let's take the first point. Initially, your program — or mine, or his — is simple, neatly numbered and formatted, easily understood and short. Then we start to elaborate and in no time at all it's an untidy mess of inserted lines and a bewildering maze of GOTOs. Come the tidying-up process and you find obsolete or duplicated variables and a whole stack of other problems that you never dreamed of. (Don't worry — I've done it — we all have!) Frequently the only thing to do is to scrap the whole program and start again.

Sometimes we write such elaborated programs simply to exercise our skills. I suspect that more often we get carried away by exuberance. There's no harm in that as such . . . just don't expect others to share the flights of fancy. If you'd like someone to actually USE your program, as distinct from just talking about it or congratulating you on it, then there's no doubt that simpler is better.

If for example your version of Starwars allows the user 25 different commands, you'd be far better advised to forget the majority of them — the user will!

What I'm getting around to in my elephantine manner is to try and encourage those readers who may have small programs to submit, but are a bit shy about it. There may be more merit in a small program than in the longest printout you ever saw. Elaboration is not hard. What is really difficult is to devise a new program - a totally new game or new application for a home computer. That is what everybody is interested in.

Gimme the bottom line! Better yet, gimme something new! There must be a thousand 'shooting' programs about and more come in every week, many very sophisticated indeed. But I have a thousand times more delight in a new application, even if it isn't quite right yet.

I am prompted in the above remarks by the receipt of what was for me a totally new type of program — from a reader in Shropshire. This lad thought of having a compiler for graphics, so you play about animating all sorts of things and the program remembers what you have done. At command, it will then play back or store it on disk for later use. Great! That's innovation for you.

I've suggested one or two minor alterations to him and with any luck we will all in due course see the results of his labours.

Programs received

Graphics Plotter by N. Smith of Telford; Hangman by Neil Sleightholm (17) of Billericay; Clear the Screen, Fruit Machine, Speed and Acceleration and Shoot & Save by Janine Booth (13) of Peterborough; Mastermind by David McKeran (16) of Sunderland; Cesil to Basic Converter by G. Staples (17) of Beckenham; Two Astronomy Programs, Square Roots and Nim by Gary Nugent of Dublin; Lunar Lander by Graham Kirby (14) of Pitlochry; Anagrams by Andre Cockburn (9) of Bracknell; Space Taxi by Torstein Kongshem (17) of Oslo; Basic Renumber by Colin Hughes (13) of Luton; Barricade by Robert Nicholls (14) of Cardiff; Space Target by J. Adams (16) of Ledbury; Graphics Multiplier by Mark Wylkie (16) of Hertford.

This is getting better and better! Notice that girls's name in there? Thanks Janine — you're the first girl to send me a program. (What am I saying? She sent in four!)

And how about young Andre? Not only is he just 9 years old, he's also severely handicapped and types laboriously with only one finger. (So do I — and I'm not handicapped!)

I forgot to mention last month how impressed I was with D Tate's presentation of his program material. It was real 6th Form stuff — neat folder, logical presentation — wow!

Competition

We had a great time sorting through the entries for our logo competition. In the end — what do you know? — the winning entry was sent in by Abigail McLellan of Middlesborough, who is 10 years old! Well done, Abigail! When I can prise the safe keys out of the editor's clutching hand, there'll be a prize on its way to you. Thanks to all those who sent in entries. Our artist has redrawn the design and I reckon it looks pretty good at the top of the page — a worthy winner.

Speed and Acceleration by Janine Booth

```
10 REM
20 CLEAR
21 FOR X=1 TO 15:PRINT:NEXT X
22 PRINT"TIME(S) is the time taken associated with"
23 PRINT"speed and distance."
24 PRINT"TIME(A) is the time taken associated with"
25 PRINT"acceleration,initial speed and final speed"
26 FOR A=1 TO 5000:NEXT A
27 FOR A=1 TO 15:PRINT:NEXT A
30 INPUT"ENTER UNKNOWN";A$
40 PRINT
50 IF A$="DISTANCE" THEN GOTO 120
60 IF A$="SPEED"THEN GOTO 160
70 IF A$="ACCELERATION" THEN GOTO 270
75 IF A$="TIME(A)" THEN GOTO 310
80 INPUT"ENTER DISTANCE(m),SPEED(m/s)";C,D
90 X=C/D
100 PRINT"TIME TAKEN=";X;"SECONDS."
110 END
120 INPUT"ENTER TIME(S)(s),SPEED(m/s)";C,D
130 X=C*D
140 PRINT"DISTANCE TRAVELLED=";X;"METRES."
150 END
160 INPUT"WHICH PAIR OF VALUES IS KNOWN";E$,F$
```

·GOTO page 125

BYTE SHOP COMPUTERLAND

your specialist Computerstore.

Cromemco System Three

Well-proven systems for the serious user. Our computer stores are staffed by business experts, backed by first class maintenance support. Call in for advice and a demonstration of our range of systems.

The Cromemco buyer is choosing well-proven design, reliability and expandability. Start with a single terminal and grow into a multi-user system as your requirements expand. Excellent Cromemco software includes COBOL, FORTRAN and RPG-II. Ask for a demonstration of the Cromemco hard-disk and talk over with us how your application can be programmed.





North Star Horizon

The reliable and long-established commercial favourite. Ask about our BYTE SHOP- developed packages – Invoicing, Sales and Purchase Ledger, Incomplete Records, Cash-Flow Analysis, Stock Control, etc. And use your Horizon to type perfect letters – it is an excellent word-processor.

Nottingham
92a Upper Parliament Street
Nottingham NG1 6LF
Tel 0602 40576 Telex. 377389

Manchester
11 Gateway House
Piccadilly Station Approach
Manchester
Tel 061-236 4737 Telex. 666168

Birmingham
94-96 Hurst Street
Birmingham B5 4TD
Tel. 021-622 7149 Telex. 336186

Glasgow
Magnet House
Waterloo Street
Glasgow Tel. 041-221 7409
Telex. 779263

BYTE SHOP
COMPUTERLAND
– your specialist Computerstore.

London
48 Tottenham Court Road
London W185 4TD
Tel. 01-636 0647

NEWCOMERS-START HERE

This is PCW's unique quick-reference guide for the microcomputing novice. While it's in no way totally comprehensive, it should help you pick your way through the most important pieces of (necessary) jargon which you'll find in PCW. We trust you'll find it useful. Happy microcomputing.

Welcome to the confusing world of the microcomputer. First of all, don't be fooled; there's nothing complicated about this business, it's just that we're surrounded by an immense amount of necessary jargon. Imagine if we had to continually say "numbering system with a radix of sixteen in which the letters A to F represent the values 10 to 15" when instead we can simply say "hex". No doubt soon many of the words and phrases we are about to explain will eventually fall into common English usage. Until that time, PCW will be publishing this guide — every month.

We'll start by considering a microcomputer's functions and then examine the physical components necessary to implement these functions.

The microcomputer is capable of receiving information, processing it, storing the results or sending them somewhere else. All this information is called data and it comprises numbers, letters and special symbols which can be read by humans. Although the data are (yes, it's plural) accepted and output by the computer in 'human' form, inside it's a different story — they must be held in the form of an electronic code. This code is called binary — a system of numbering which uses only 0s and 1s. Thus in most micros each character, number or symbol is represented by eight binary digits or bits as they are called, ranging from 00000000 to 11111111.

To simplify communication between computers, several standard coding systems exist, the most common being ASCII (American Standard Code for Information Interchange). As an example of this standard, the number five is represented as 00110101 — complicated for humans, but easy for the computer! This collection of eight bits is called a byte and computer freaks who spend a lot of time messing around with bits and bytes use a halfway human representation called hex. The hex equivalent of a byte is obtained by giving each half a single character code (0—9,A—F): 0=0000, 1=0001, 2=0010, 3=0011, 4=0100, 5=0101 . . . . . E=1110 and F=1111. Our example of 5 is therefore 35 in hex. This makes it easier for humans to handle complicated collections of 0s and 1s. The machine detects these 0s and 1s by recognising different voltage levels.

The computer processes data by reshuffling, performing arithmetic on, or by comparing them with other data. It's the latter function that gives a computer its apparent 'intelligence' — the ability to make decisions and to act upon them. It has to be given a set of rules in order to do this and, once again, these rules are stored in memory as bytes. The rules are called programs and while they can be input in binary or hex (machine code programming), the usual method is to have a special program which translates English or near-English into machine code. This speeds programming considerably; the nearer the programming language is to English, the faster the programming time. On the other hand, program execution speed tends to be slower.

The most common microcomputer language is Basic. Program instructions are typed in at the keyboard, to be coded and stored in the computer's memory. To run such a program the computer uses an interpreter which picks up each English-type instruction, translates it into machine code and then feeds it into the processor for execution. It has to do this each time the same instruction has to be executed.

Two strange words you will hear in connection with Basic are PEEK and POKE. They give the programmer access to the memory of the machine. It's possible to read (PEEK) the contents of a byte in the computer and to modify a byte (POKE).

Moving on to hardware, this means the physical components of a computer system as opposed to software — the programs needed to make the system work.

At the heart of a microcomputer system is the central processing unit (CPU), a single microprocessor chip with supporting devices such as buffers, which 'amplify' the CPU's signals for use by other components in the system. The packaged chips are either soldered directly to a printed circuit board (PCB) or are mounted in sockets.

In some microcomputers, the entire system is mounted on a single, large, PCB; in others a bus system is used, comprising a long PCB holding a number of interconnected sockets. Plugged into these are several smaller PCBs, each with a specific function — for instance, one card would hold the CPU and its support chips. The most widely-used bus system is called the S100.

The CPU needs memory in which to keep programs and data. Microcomputers generally have two types of memory, RAM (Random Access Memory) and ROM (Read Only Memory). The CPU can read information stored in RAM — and also put information into RAM. Two types of RAM exist — static and dynamic; all you really need know is that dynamic RAM uses less power and is less expensive than static, but it requires additional, complex, circuity to make it work. Both types of RAM lose their contents when power is switched off, whereas ROM retains its contents permanently. Not surprisingly, manufacturers often store interpreters and the like in ROM. The CPU can only read the ROM's contents and cannot alter them in any way. You can buy special ROMs called PROMs (Programmable ROMs) and EPROMs (Eraseable PROMs) which can be programmed using a special device; EPROMs can be erased using ultra-violet light.

Because RAM loses its contents when power is switched off, cassettes and floppy disks are used to save programs and data for later use. Audio-type tape recorders are often used by converting data to a series of audio tones and recording them; later the computer can listen to these same tones and re-convert them into data. Various methods are used for this, so a cassette recorded by one make of computer won't necessarily work on another make. It takes a long time to record and play back information and it's difficult to locate one specific item among a whole mass of information on a cassette; therefore, to overcome these problems, floppy disks are used on more sophisticated systems.

A floppy disk is made of thin plastic, coated with a magnetic recording surface rather like that used on tape. The disk, in its protective envelope, is placed in a disk drive which rotates it and moves a read/write head across the disk's surface. The disk is divided into concentric rings called tracks, each of which is in turn subdivided into sectors. Using a program called a disk operating system, the computer keeps track of exactly where information is on the disk and it can get to any item of data by moving the head to the appropriate track and then waiting for the right sector to come round. Two methods are used to tell the computer where on a track each sector starts: soft sectoring where special signals are recorded on the surface and hard sectoring where holes are punched through the disk around the central hole, one per sector.

Half-way between cassettes and disks is the stringy floppy — a miniature continuous loop tape cartridge, faster than a cassette but cheaper than a disk system. Hard disk systems are also available for microcomputers; they store more information than floppy disks, are more reliable and information can be transferred to and from them much more quickly.

You, the user, must be able to communicate with the computer and the generally accepted minimum for this is the visual display unit (VDU), which looks like a TV screen with a typewriter-style keyboard; sometimes these are built into the system, sometimes they're separate. If you want a written record (hard copy) of the computer's output, you'll need a printer.

The computer can send out and receive information in two forms — parallel and serial. Parallel input/output (I/O) requires a series of wires to connect the computer to another device, such as a printer, and it sends out data a byte at a time, with a separate wire carrying each bit. Serial I/O involves sending data one bit at a time along a single piece of wire, with extra bits added to tell the receiving device when a byte is about to start and when it has finished. The speed that data is transmitted is referred to as the baud rate and, very roughly, the baud rate divided by 10 equals the number of bytes being sent per second.

To ensure that both receiver and transmitter link up without any electrical horrors, standards exist for serial interfaces; the most common is RS232 (or V24) while, for parallel interfaces to printers, the Centronics standard is popular.

Finally, a modem connects a computer, via a serial interface, to the telephone system allowing two computers with modems to exchange information. A modem must be wired into the telephone system and you need British Telecom's permission; instead you could use an acoustic coupler, which has two obscene-looking rubber cups into which the handset fits, and which has no electrical connection with the phone system — British Telecom isn't so uppity about the use of these.

DIRECT ACCESS

PACKAGES

Mary Knight of Mike Rose Micros presents our guide to widely-available software packages. This will be appearing bi-monthly from now on, alternating with our In Store hardware guide.

	ARDEN DATA PROCESSING 0533 22255		B+B COMPUTERS LTD 0204 26644		BEAM BUSINESS CENTRE 01-636 1392			BENCHMARK COMPUTER SYSTEMS 0726 61000
	PET	Apple	PET/CBM	Altos (CP/M MP /M)	PCC 2000 Simpelec. Triton 3	PET	Apple	North Star Horizon
Stock Control/Recording	15	P.O.R.	300	300	350			450
Sales Ledger		300			350			250
Purchase Ledger		300			350			250
General Ledger/NL		300			350			250
Integrated Accts			300	300				950
Word Processing		75						
Mailing List		300	75	75				
Invoicing			25-50					100
Database Management/ Information Retrieval		150	75					250
Payroll		P.O.R.						350
Incomplete Records								
Personnel Records								
Estate Agent		850			350			
Time/Cost Recording			300		350			250
Job Costing								
Mail Shot					450			
Credit Control								
Cash Flow								
Production Analysis			300					
			Disk Operating System 150			Standard PET + Apple Packages		

	BENCHMARK COMPUTER SYSTEMS 0726 61000	BRISTOL SOFTWARE FACTORY 0272 23430	CAP-CPP MICRO PROD-UCTS LTD 01-404 0911	COMMODORE 01-388 5702		COMP-SOFT 0483 39665	COMPUTASTORE LTD 061-832 4761	
	Cromemco	PET		PET/CBM	8000 Series	PET	Vector	PET
Stock Control/Recording	450	300		150				
Sales Ledger	250	300	800	200	250		400	
Purchase Ledger	250	300	1000	200	250		400	
General Ledger/NL	250			200			400	
Integrated Accts	950			(50)	P.O.R.		1000	
Word Processing				75/150	250		400	325
Mailing List								
Invoicing	100		400					
Database Management/ Information Retrieval	250		P.O.R.	50/150	P.O.R.	170		
Payroll	350		P.O.R.	150	250			200/350
Incomplete Records								
Personnel Records								
Estate Agent								
Time/Cost Recording	250							
Job Costing								
Mail Shot								
Credit Control		650						
Cash Flow								
Production Analysis								
	Revolving Credit 400+			Assembler Dev 50				
	Hire Pur-chase 400+			LISP 75 Pascal 120				
	Leasing 400+							

PACKAGES

DIRECT ACCESS

	COMPUTECH 01-794 0202		DATA BANK 0509 217671			GRAMA (WINTER) LTD 01-636 8210	GREAT NORTHERN 0532 450667
	Apple II	ITT 2020	PET	ITT 2020	Apple II	PET/CBM	8080/Z-80
Stock Control/Recording			10	10	10	150	275
Sales Ledger	295	295					275
Purchase Ledger	295	295					275
General Ledger/NL	295	295					275
Integrated Accts						650	995
Word Processing			40	40	40	75/150	
Mailing List			50	50	50		
Invoicing							
Database Management/ Information Retrieval						150	
Payroll	375	375	10	10	10	150	275
Incomplete Records							
Personnel Records							
Estate Agent							
Time/Cost Recording							
Job Costing							
Mail Shot							
Credit Control							
Cash Flow							
Production Analysis							
	Utilities 20	Utilities 20	Bank Account 10	Bank Account 10	Bank Account 10		Job Order Control 275
			Salesman 10	Salesman 10	Salesman 10		Prof Appts. groups 275
			Cash Register 10	Cash Register 10	Cash Register 10		Prof Appts individ. 220
			N.B. Discounts on multiple sales				Prof Client. Billing 330

	GREAT NORTHERN 0532 450667	A J HARDING 0424 220391	HARTFORD SOFTWARE 0606 76265	H.B COMPUTERS 0536 83922	HIPPOSOFT 0332 23127		INTEREUROPE SOFTWARE DESIGN 0734-786644
	Apple	TRS 80	PET	CBM	PET	ACT 800	MCZ Zilog
Stock Control/Recording	150	200		35/25			
Sales Ledger		225		350			
Purchase Ledger		225		350			
General Ledger/NL		225		200			
Integrated Accts							
Word Processing		15	85/65/40/20	35	375	375	500+
Mailing List		25/38/55	45	35			
Invoicing		25					
Database Management/ Information Retrieval		32.50			225	225	
Payroll		200		10			
Incomplete Records		40					
Personnel Records			85				500+
Estate Agent				30			
Time/Cost Recording							
Job Costing							
Mail Shot							200
Credit Control							
Cash Flow							
Production Analysis							
	Video message 200	VAT Register 15	Lotteries 45	Utility set 78			Screen Generator 75+
	Statistics 150		Membership Accting 85	VAT Master 25			Conference Organiser 500+
			T.A.P. Business System 125	Bureau de Change 8			Budgeting Package 500+
				Price Lister 12			

PACKAGES

	INTEX DATALOG LTD 0642 781193	T V JOHNSON 0276 62506			KATANNA MANAGEMENT SERVICES 0245 76127		KEEN COMPUTERS 0602 583254
	PET	PET/CBM	TRS 80	Apple II	TRS 80I	CP/M	Apple
Stock Control/Recording	195	150	115		200	500	P.O.R.
Sales Ledger		P.O.R.			225	500	300
Purchase Ledger		P.O.R.			225	500	300
General Ledger/NL					325	500	300
Integrated Accts		650	75				
Word Processing		75/150	45/95	75	70	500	75
Mailing List							300
Invoicing		P.O.R.			75	500	
Database Management/ Information Retrieval		150	150				150
Payroll	50/195	150			218	500	P.O.R.
Incomplete Records							P.O.R.
Personnel Records							
Estate Agent							850
Time/Cost Recording							
Job Costing							
Mail Shot							
Credit Control							
Cash Flow							
Production Analysis							
		Petsoft programs 160			Individual designed programs 100 up		

	LIFEBOAT ASSOCIATES 01-836 4663		LIVEPORT (EXIDY SORCERER FIRMWARE) 0736 798157	PADMEDE COMPUTER SERVICES 025671 2434		ACT/PETSOFT 021-454 5348	SUMLOCK BONDAIN 01-250 0505	TRIDATA MICROS LTD 021-622 1754
	CP/M	8080/Z80	Sorcerer	Apple II	ITT 2020	PET	Apple	TRS 80I
Stock Control/Recording	325	325		300	300	12/25/350	P.O.R.	200
Sales Ledger	425	425		300	300	95/350	300	225
Purchase Ledger	425	425		300	300	95/120/350	300	225
General Ledger/NL	375	375					300	225/325
Integrated Accts	950	950		450	450			
Word Processing						25/325	75	
Mailing List						15	300	
Invoicing	325	325		300	300	350		75
Database Management/ Information Retrieval						325	150	
Payroll	475	475	250			50/25/195	P.O.R.	218
Incomplete Records								
Personnel Records								
Estate Agent						25	850	
Time/Cost Recording				300	300			
Job Costing				300	300			
Mail Shot								
Credit Control								
Cash Flow						8		
Production Analysis								
	Order processing 550		+ range of Life-boat progs.			VAT 17.50		

PACKAGES

DIRECT ACCESS

	TRIDATA MICROS LTD 021-622 1754	VLASAK ELECTRONICS LTD 062-84 74789
	TRS 80II	Apple II
Stock Control/Recording	375	285
Sales Ledger	375	315
Purchase Ledger	375	315
General Ledger/NL	425	225
Integrated Accts		855
Word Processing		120
Mailing List		
Invoicing	125	140
Database Management/ Information Retrieval		
Payroll	375	375
Incomplete Records		
Personnel Records		
Estate Agent		
Time/Cost Recording		
Job Costing		
Mail Shot		
Credit Control		
Cash Flow		80
Production Analysis		
		Letter writer 80

Key: POR Price on request
( ) Program used to link accounts packages.



"This one is programmed to cheat so that you always have an excuse for losing."

ELECTRONIC GAMES

ATARI



SPECIAL PRICE
£86 + VAT

INTELLIVISION MATTEL



Available August 1980
This is the most advanced TV game in the world.
Expandable next year into a full microcomputer.
COLOUR CATALOGUE AVAILABLE WITH DETAILS ON ALL THE CARTRIDGES

£173.87 + VAT

CHESS COMPUTERS



NEW RANGE AVAILABLE AUGUST 1980
We specialise in computer chess machines & stock over 13 different models from £20 to £300

Send for further details.


TELETEXT



RADOFIN TELETEXT Add on Adaptor

£199 + VAT

SPACE INVADERS



HAND HELDS + CARTRIDGES
ATARI · ACETRONIC
· PRINZTRONIC
RADOFIN · DATABASE etc.


We keep a full range!
Send for cartridge lists stating which machine you own.

BRIDGE COMPUTER



- ★ Plays 1/2/3 or 4 Hands
- ★ Problem Mode
- ★ Audio Feedback
- ★ Instant Response
- ★ Auto scorekeeping

BACKGAMMON




COMPUTERS


OMAR 1
OMAR 2
CHALLENGER
GAMMONMASTER

From £38 to £108. Send for further details.

27 TUNE DOOR BELL £17.13 + VAT



DRAUGHTS COMPUTER



- ★ Solves Problems
- ★ Rejects illegal moves

2 level machine £43 + VAT
4 level machine £77.78 + VAT

LEISURE

- ★ CHEAP TV GAMES
- ★ TELEPHONE ANSWERING MACHINES
- ★ AUTO DIALLERS
- ★ CALCULATORS
- ★ DIGITAL WATCHES
- ★ PRESTEL
- ★ HAND HELD GAMES

FREE CATALOGUE
For a free copy of our 32 page catalogue, send a 12p stamp to Silica Shop Ltd or Telephone **01-301 1111**

MAIL ORDER SERVICE – Free postage & Packing
TELEPHONE & MAIL ORDERS - accepted on:
Access ★ Barclaycard ★ American Express ★ Diners Club
CALLERS WELCOME – at our shop in Welling – Demonstrations daily
Open from 9am-5pm Mon-Sat (9am-1pm Wed)
GUARANTEE – Full 12 months + After Sales Support!

We have comprehensive brochures on all products. Please let us know what you are interested in and we will send you detailed brochures AND our own 32 page catalogue covering most games on the market.

SILICA SHOP
SILICA SHOP LTD., Dept. PCW 9a
102 Bellegrove Road
Welling, Kent DA16 3QF
Tel: 01-301 1111

Base 2 MODEL 800MST



ONLY £359 + VAT

80 COLUMN HIGH PERFORMANCE IMPACT PRINTER
- suitable for most Micros.

JUST LOOK AT THESE STANDARD FEATURES:-

**RS–232, 20mA, IEEE 488 and Centronics I/O *15 Baud rates to 9,600 * 60 lines per minute – Bidirectional * 6 print densities 60, 72, 80, 96, 120 or 132 Chr/line * Self test switch * 96 Chrs. ASC II Standard * Auxilliary User Defined Ch. set * Tractor and fast paper feed/graphics * 2k Buffer * Accepts 8½" max. paper pressure feed and 9½" max. paper tractor feed.*

NEW 80 COLUMN 32k Pet



ONLY £825 + VAT

Standard Large Keyboard

16k - **£499** + VAT
32k - **£599** + VAT

Very popular for home & business, using 8k Microsoft Basic in ROM. Both models are with new improved keyboard and all with green screen. Extra Cassette Deck **£55** + VAT

Compukit UK101 DISC DRIVES



with up to 32k RAM expansion

free games disc

** 9 Digit extended Basic*
** Plugs straight into 8k Compukit requires no hardware mods. (5v.5A required for 610)*

610 Expansion (8k) **ONLY £159** + VAT
Disc Drive with DOS **ONLY £285** + VAT

EXATRON TRS80 Stringy Floppy

COMBINES ECONOMY OF CASSETTE WITH SPEED & RELIABILITY OF DISC (TRS80 expansion interface not needed)

16k loads in approx. 24 secs. - Wafers to 75ft (48k approx.)




ONLY £149 + VAT
PSU **£5.50** +VAT

Coming soon Apple & Pet version

Stringy Floppy with 10 Wafers (Tapes)
BUS EX. 2 for 1. Machine Lang. Monitor

Oki Microline 80



Small, light, quiet matrix printer.

40, 80 or 132 cols.
6 or 8 lines per inch.
96 ASC II + 64 graphics character set with Centronics compatible interface

£425 + VAT
RS232 version available.

NEC Spinwriter



- for the professional word processing system

£1390 + VAT

Model 5510-R5232, current loop, Centronics 8bit par. NEC's high quality printer uses a print "thimble" that has less diam. and inertia than a daisywheel. Giving a quieter, faster more reliable printer that can cope with plotting and printing (128 ASC II chs.) with up to 5 copies, friction or tractor fed. 55Chrs/sec.

Ohio Superboard II & Challenger 1P

- the no fuss start to Micro's.




All 50Hz operation

** Ready Built *8k Microsoft in ROM, 6 digit floating point basic plus full features.*

SUPERBOARD II	**£159** + VAT
SUPERBOARD II (48x32)	**£199** + VAT
POWER SUPPLY 5v.3A	**£27** + VAT
CASE	**£27** + VAT
CHALLENGER 1P	**£209** + VAT
CHALLENGER 1P (48x32)	**£249** + VAR


(Superboard is used in Challenger)

Video Genie - based on TRS80



Utilises Z80, 12k level Basic, 16k RAM, Integral Cassette Deck, UHF O/P, all TRS80 features. **NOW ONLY £329** + VAT

Ohio Challenger C2OEM



- workhorse for industrial & business systems.

** 48k RAM * Dual 8" disc drives with OHIO OS-65 operating based on OSI. Bus. card options available.*

£1750 + VAT

Qume® Sprint 5

- Daisywheel quality printer.



50 different type styles including APL, Scientific symbols and International character sets.
43 Qume defined commands for operating control. Built in diagnostics.
Serial or parallel. **£1595** + VAT

Rochester Dynawriter

- turns your electric typewriter into a word processor on TRS80.



PET and APPLE versions available

£319 + VAT

Comes complete with solenoid pack, PSU interface board and software. TRS80 version (No exp. int. needed)

ZT Driving Computer



**MPG instant *MPG average *Gals. used since fillup *Miles to empty *Elapsed time *Time to empty *Time on trip *Miles on trip*

£77.50 + VAT

SOFTY

INTELLIGENT EPROM PROGRAMMER



Connects directly to TV. Develop, Copy, Burn, Verify 2708, 2716 and with modification 2516

Ideal development tool can connect via RS232 or connect into system in order and assume transparent firmware space

ONLY £120 + VAT Built and tested
£100+ VAT Kit **£20**+VAT Built Power Supply

Mighty Micro

for a Mighty good deal !!!

Please add V.A.T. at 15%. Carriage extra, will advise at time of order. Official orders welcome

61 NEW MARKET SQUARE, BASINGSTOKE, HANTS. RG21 1HWW Tel: 0256 56417
also in association with **O.S.I. COMPUTERS, ESHER, SURREY. Telephone: 0372 62071**

Buy in confidence. If on receipt of your order the goods do not meet with your satisfaction, return within 7 days for full refund. Credit facilities arranged.

BARCLAYCARD VISA

USER GROUPS INDEX

Here are the details of additions and changes recently notified. If we have failed to include YOUR group (or have published incorrect information) either here or in the complete listing, then please address changes/additions to: PCW (User Groups Index), 14 Rathbone Place, London W1P 1DE. Finally, the next complete listing will appear in our November issue.

INTERNATIONAL

Tangerine Users Group (International). Recently formed for users of the Microtan 65, the TUG will act as a central information clearing house, including exchange of programs etc. Annual membership is £5.00. Details from TUG at 3/22 Donoughmore Road, Boscombe, Bournemouth, Dorset, UK.

USCD System User Society. Set up in San Diego in June for users of USCD Pascal, the society aims to establish a software librar library, promote regional and special interest group activities and liase with USCD system distributer Softech on future development plans. Existing special interest groups include industrial application, word processing, real time, business applications and forward planning. UK contact: John Ash, Dicoll Data Systems Ltd., Bond Close, Kingsland Estate, Basingstoke, Hants RG24 0QB.

NATIONAL

National Personal Computer Users Association. Full membership now costs £8.00, but you'll receive a free datasheet of special routines for the UK101/Superboard on enrolment (routines include a fast Basic line renumberer only four lines long). For detail details send an SAE to: The Secretary, NPCUA, 11 Spratling Street, Manston, Ramsgate, Kent.

Powertran Users Club. Annual subscription £5.00, which includes a monthly newsletter. Contact Mr P L Probetts, 50 Cromwell Road, Wimbledon, London SW19 8LZ.

LONDON

Southgate Computer Club. The club recently held its AGM and adopted a formal constitution. Annual subscription will be £2.50 from January 1981, including a club newsletter; full-time students under 18 pay half-cost. The club now has 83 members. Contact: Panos Koumi, Southgate Computer Club, 33 Chandos Avenue, London N14.

ESSEX

South East Essex Computer Society. Meets monthly at the Southend-on-Sea College of Technology, has access to the college's micros, and is open to anyone over 14. Contact: R Knight, 128 Lt. Wakering Road, Lt. Wakering, Southend-on-Sea, Essex. Tel: Southend 218456.



"He processed his first word today"

DIARY DATA

Philadelphia, USA	Personal Computing 80 (America's largest East Coast micro show). Contact PCAF '80 c/o Philadelphia area Computer Society Box 1954, Philadelphia, Pa 19105.	Aug 21 — Aug 24
Salford, England	1980 Salford Microprocessor and Microcomputer Exhibition. Contact Dr E A Flinn (Exhibition Director), 061-736 5843	Sept 2 — Sept 4
London, England	(Cunard International Hotel) The 3rd Personal Computer World Show. Contact Montbuild Exhibitions Ltd., 01-486 1951	Sept 4 — Sept 6
Stuttgart, W Germany	Hobby Electronics Exhibition. Contact CES (Overseas) Ltd., 01-236 0911	Sept 10 — Sept 14
Paris, France	SICOB. Contact French Trade Exhibitions, 01-439 3964	Sept 17 — Sept 26
Bristol, England	(Eurocrest Hotel) BIZTRONIC. Mini/Micro Computers, Word Processors and Business Machines Exhibition. Contact Groundrule Exhibition Co., 061-928 0406	Sept 23 — Sept 24
Plymouth, England	BEX. Business Equipment Exhibition. Contact Douglas Temple Studios Ltd, Tel: 0202 20533	Oct 1 — Oct 2
Melbourne, Australia	World Computer Exhibition. Contact Riddell Exhibition Promotions Pty. Ltd., 166 Albert Road, South Melbourne, Vic 3205.	Oct 14 — Oct 19
Edinburgh, Scotland	(Ingliston Showground) BEXIBITION. Business Equipment Exhibition. Contact Douglas Temple Studios, 0202 20533	Oct 15 — Oct 16
Doncaster, England	(Exhibition Centre) Business Efficiency and Office Equipment Exhibition. Contact Gwen Shillaber Designs, 0272 312850	Oct 15 — Oct 17
Bradford, England	(Norfolk Gardens Hotel) Business Efficiency Exhibition. Contact Gwen Shillaber Design, 0272 312850	Oct 21 — Oct 23
Manchester, England	(Forum) BIZTRONIC. Mini/Micro Computers, Word Processors and Business Machines Exhibition. Contact Groundrule Exhibition Co., 061-928 0406	Oct 21 — Oct 26
London, England	(Olympia) COMPEC. Computer Peripheral & Small Computer Systems Exhibition and Conference. Contact IPC Exhibitions Ltd., 01-837 3636.	Oct 28 — Oct 30
London, England	(West Centre Hotel) Professional Viewdata Exhibition. Contact IPC Exhibitions Ltd., 01-837 3636	Oct 28 — Oct 30
Cardiff, England	(Sophia Gardens) BEX. Business Equipment Exhibition. Contact Douglas Temple Studios Ltd., 0202 20533	Nov 5 — Nov 6
Birmingham, England	(NEC) Which Computer? Show. Contact Clapp & Poliak Europe Ltd., 01-995 4806	Nov 25 — Nov 28

TRANSACTION FILE

The classified service that's free to non-commercial readers. Advertisements (50 words max) to: PCW Transaction File, 14 Rathbone Place, London W1P 1DE.

For sale

TRS-80 Level II. . . 16k plus cassette, manual, video or TV adaptor, tapes, 1 month old, Tandy warranty, £310. Tel: 01-769 2257.

Data Dynamics. . . KSR 390 terminal, ASCII code, RS232, 10 cps, 80 column, with stand and paper, good condition, £195 ono. Contact S Ross, 44 Premier Ave, Grays, Essex.

Acorn System One. . . VGC with power supply, manuals and some software, factory-built, £60. Tel: 01-979 4696 after 6pm.

SYM 1. . . 4k, £120. Tangerine 1648, £78, Star keyboard, £20, 6522 VIA programmable interface card for Apple/ITT 2020 £65, 16-channel ADC card for Apple/ITT 2020, £68. All in excellent cond. with full documentation. G McArdle, 7 Willow Rise, Kirkbymoorside, York, Tel: 0751 31751 (office).

PET 32k. . . (large keyboard), 800k Computhink disk drive, Centronics 779 printer with unused disks & printer paper, £1850 ono, possibly split. D Payne, The Brambles, Bramley Grove, Crowthorne, Berks. Tel: 034 46 71127.

Cash crisis forces sale. . . static RAMs: 2141 4k x 1, 250 ns; 2114 1k x 4, 200 ns; 4046 4k x 1, 450 ns; dynamics: 4116 16k, 150 ns; UVPROM 2708 3 rail & 2716 5 v only; all new, full spec devices, no reasonable offers refused. Tel: 0524 734470 (evenings).

PET 2001-8k. . . excellent cond, little used, program tapes & PET documentation, £550. Tel: 01-640 1501 (evenings).

TRS-80 Level 1. . . 4k, plugs into ordinary TV, 3 months old, £250 inc. software, ono. Wife wants deep freeze! Tel: Petersfield 61297 (evenings).

Apple II. . . integer firmware card with programmer's aid 1, used only since Xmas (upgraded to language card), £85; Jade 18k RAM expansion kit for Apple II, unopened, £49. Tel: Fisher 01-677 2052 (evenings) or write 98 Moyser Rd., London SW16 6SH.

PET 8k. . . as new, new ROMs, green screen, sound box, plenty of games & utility programs, £500. Tel: 01-554 2533 (after 6pm).

Personal Computer World. . . complete to date except Vol 1 No 9; any offers? S. Reid, 6 Culloden Cres, Arbroath, Tayside DD11 1JX.

TRS-80 Level II. . . 16k, VDU, cassette & tapes inc. Adventure, Microsoft Editor/Assembler & books on assembler programming, boxed as new, £475 ono. Tel: Stirling 3171 ext: 2700 (10 am — 6 pm).

MK 14. . . inc. extra RAM, I/O ports, VDU, new hex keypad cassette interface, PSU, all mounted on wooden board, fully working, £150. Unused ASCII keyboard + data, reqs 5 V, as new £50. Tel: 0302 64244 (Doncaster) after 6pm.

MK 14. . . socketed, PSU, not working, needs attention to keyboard & display, offers to Ed, Tel: Preston 54241 between 6 & 8.

TRS-80 Level II. . . 4k with video & recorder, some software, nearest offer to £400 secures. Tel: Earl Shilton (Leics) 47265.

TRS-80 Level II. . . 16k + exp. interface, Micropolis 5" floppy disk drive, Electric Pencil, NEWDOS & other software. Complete system £850. Tel: 0375 70993.

Nascom 1. . . NAS-SYS monitor, 8k RAM, 8k Basic in ROM, 3 A PSU, complete & working, £250 ono. Also T4 & CCSOFT floating point Basic with all documentation, £25. Tel: Carlisle (0228) 39382.

Sorcerer 32k. . . with S100 exp unit, 16k static RAM S100 board, Micropolis disk drives (315k quad density), converted TV, 32 disks with software, all manuals. Can split; sensible offers. Tel: 0632 876645 weekends/evenings (not Mon or Thurs).

UK 101. . . prof. built, case, full 8k RAM, 12" VDU/TV, new monitor, expansion board with 12k RAM, twin minifloppy interface + 5 V, 3 A PSU; complete & working, will split. Tel: Stevenage (0438) 68624 evenings/weekend.

TI-59. . . programmable calc, excellent cond, complete, with 20 mag cards, £135. Tel: Basingstoke 24880 after 4pm.

MK 14. . . issue 5, extra RAM, I/O, VDU, PSU, memory exp card with 1/4k RAM, room for 1k EPROM, all working, £85 ono. Tel: Nottingham 410514 evenings.

PET 2001. . . 8k, £375. Tel: Rickmansworth 76067.

2114s. . . 16 new 1k x 4 statics, unused. Gone dynamic! £3 each. Tel: Bracknell 23621.

The winner. . . of the BBC Young Scientist of the Year is selling his perfect, as new, 32k green screen PET with Programmer's Toolkit, tape deck, cover, many programs, user port connector, full assembler listing of all the ROMs; in original packing, best offer over £900. Tel: Newcastle (0632) 745771 after 6pm.

TI 59. . . with PC100C printer. Printer still under guarantee, calc 15 months old, all vgc, with navigation module, printer utilities pack, £245 ono. Consider split. P Curran 051-494 0408.

Triton. . . full on-board RAM, V4.1 monitor. Complete with recorder & 9" VDU. Manuals & dem cassettes, nearest £300. Tel: 0743 927 545, 6-8pm.

PET 2001. . . 8k as new with lots of software if req, £375 ono. Tel: 0742 313130.

Nascom I. . . with 40k extra RAM, 8k Basic in EPROM, boxed with PSU & fan, recorder, small TV, misc. software inc. assembler, disassembler, interrupt driven printer routine, T4 or NAS-SYS, £575 or offers for bits. Tel: 0480 66513.

Sorcerer. . . 32k with Basic Rompac, VDU, manuals, games cassettes etc. Bought June 1979, used only by owner, £800 ono. R Cullyer, Chandler's Ford 69565 after 6pm.

UK101. . . built and working, 8k RAM, 8k Microsoft Basic, 2k monitor, TV & cassette interfaces, PSU, manual & tapes, £220. Tel: 031-442 3187

MSI system. . . 6800 processor, 40k, 2 serial ports, parallel port, 5" disk drive, ACT1 VDU, Sanyo monitor, ASR33 (RS232), stand. assembler, disassembler, editor, Basic, full documentation, £2000. Also 4k 550 RAM £45, joystick digitiser £25, slider digitiser £20. Tel: Bromyard (08852) 3707.

Atari. . . video computer with 3 games cartridges, more than 90 games variations, perfect working order, £85. Tel: 0984 23557.

TRS-80 Level II. . . RS232 interface, business progs & manuals, all at half price or exch for PET programs. Tel: Meopham (0474) 812691.

TI-59. . . prog. calc., inc Master Library module, mains adaptor & manuals, 10 months old, £50 ono. Tim Cook, 35 Gunton Drive, Lowestoft, Suffolk NR32 4QA.

Memory chips. . . 80 TMS 4030 type 4k dynamic RAMs; will sell as chips only or on working module with diagrams as 40k x 8 bit. Prev. used with 6800 processor, £50 ono. Tel: 01-904 5792.

HP25A. . . calculator, £25 ono. HP19C calc with thermal printer & standard accessories + extra paper rolls, £75 ono. Steve Yewen Yewen, 6 Pilham Court, Gainsborough, Lincs DN2 1PD.

PET 32k. . . with cassette, spare tapes (new), selection of programs inc. self-teach Basic, only 6 months old, offers around £600. Tel: Hoddesdon 44545.

Casio FX502P. . . & FA1 adaptor, inc both manuals, program library, 3 extra prs batteries worth £1.89 will be sent to buyer for £100 inc. p&p ono. A K Jumat, 363 Gateford Rd., Worksop, Notts. S81 7BH.

Nascom I. . . (NAS-SYS) with PSU & case, recently purchased, still in new cond., tested by Nascom agents, £100 ono. John Griffiths, 22 Alston Close, Solihull, Tel: 021-704 3937.

UK 101. . . 8k RAM, cased, input port with numeric keypad, 300/600 selectable baud rate, over 50 programs on cassette inc. assembler, editor, extended monitor, 20 blank digital cassettes, modified recorder, all manuals + various programming books. Chris Halsey, Tel: 01-385 3333 ext 184

UK 101. . . 4k, only 4 months old old, £200 ono. Tel: 05805 2265 or write N Dangerfield, Lake Side, Stream Lane, Hawkhurst, Kent.

Spring clean. . . PET disk drives £625, Sorcerer 32k £665, Apple Hi-res light pen £140, Apple lores light pen £45, TI59 with master stat library £145, S100 CPU board £95, S100 assemb. 16k dynamic RAM board £145 or expanded to 64k for extra £90, Versafloppy disk controller assemb £115, Shugart SA400 disk drive £175, IBM Selectric with Aculab int £535, Telequipment S54A scope £125. Tel Evesham (0386) 870841.

Acorn System One. . . assemb & tested, with PSU, user's manual, "Programming the 6502" by Rodnay Zaks, first offer over £85 secures. Tel: Ian May on Cambridge (0223) 61200.

UK101. . . 8k Microsoft Basic, extended monitor, 4k RAM, built & working, stack of computer mags, £200, buyer collects. S Davis, 21 Church Rd., Cheriton, Folkestone, Kent, Tel: Folkestone 77314.

PET 3032. . . 32k, 5 months old, with cassette, Toolkit, cover, over 30 taped games and assembler aids. Also Epsom TX-80 printer (prints PET graphics) & PET IEEE lead. Best offer; tel: 01-907 7785.

PET 16k. . . new ROMs, green screen, large keyboard etc., cassette deck, Toolkit, sound box, manuals & books, plus approx 40 programs, £700. Tel: Peterborough 202987.

Wanted

Documentation. . . on any 2nd generation computer (op manuals, hard/software etc) from early 1950s to mid 1960s. Specific documentation on obsolete hardware (CPUs, peripherals, etc) also welcome. Tel: C Vuodi on 0525 370369 or write 31 Plantation Road, Leighton Buzzard, Beds LU7 7HS.

Service manual. . . or circuit diagram for Commodore Chessmate Computer. P Bamfield, Flat 5, 24 Windlesham Gdns, Brighton BN1 3AJ.

Sinclair ZX80. . . inc leads & mains adaptor, will pay £70. Zahir, tel: 01-675 3203 after 6pm.

TI59. . . TI58C or T158. Write K Ubbi, 26 St Barnabas Rd., Liversedge, W. Yorks WF15 8BT or Tel: 0274 870105.

Mag tape. . . or disk equipment, floppies, exp memory for TI9900 system, CMOS micro; buy/barter. J Vickers, Tel: Camberley 63377 ext 4250 day else 0252 49316.

Large keyboard. . . 32k PET needed by disabled person only able to operate machine with dowelling held in teeth; will swop for present, unsatisfactory 40k small keyboard PET. Ken Smith, Tel: 0385 49445 (10am — 4pm) else 0385 62127.

Service data. . . for General Electric Terminet 30 terminal. Borrow or buy. Eric Demmon, Bishop's Stortford (0279) 503435 weekends/evenings.



"We can't prevent him from looking but surely we can do something to stop him changing the channels"

Continued from page 83

WHO'S KING?

First Computer World Chess champion

No, it has not happened yet, but the Fredkin Foundation of Cambridge Massachusetts, recently offered a $100,000 prize for the first computer program to win the world chess championship.

While programmers continue to strive for world-class chess skill in their programs, the Fredkin Foundation is offering a series of incentive prizes for computer-against-human competition. Two human players of a specified skill level will be selected each year to play the two top programs. Each will play a two-game match, winner take all. The first competition will take place this November at Carnegie-Mellon University; the prizes will be $1500 and $1000. In each succeeding year, stronger humans will be selected and the prizes will be increased.

When asked what English players should do, in general, to improve their play, the world champion, Anatoly Karpov, replied, "Endgames, study endgames." That is good advice for chess programmers too, but my advice to Karpov is — computers, study computers!

Next month I will be looking at the new Sensory Challengers. In the meantime, see you at the first World Microcomputer Chess Championship — at the PCW show!

GATEWAYS TO LOGIC

Continued from page 97

have them count the total number of operations involved.

Matchbox computer

Another variation on the same idea is to obtain a number of empty matchboxes — say a dozen — and bind them together with sticky tape (Fig 13). The boxes are numbered and, as an added touch, may have a tag of tape attached for easy pulling. To program the machine, slips of paper carrying the instructions or data are inserted into the appropriate drawers.

The method is only really suitable for children — adults find the drawers very fiddly — but a suitable alternative for us old 'uns is a set of those plastic drawers that are sold for the storage of bits and pieces.

Noughts and crosses is a simple game that lends itself admirably to demonstration by matchbox computer and, as an added bonus, we can demonstrate the ability of the computer to learn by its mistakes — a concept that many people find disturbing.

Three sets of boxes are needed, with nine boxes to each set. They are bound together as before and the sets numbered 2 — 4 (Fig 14); set number 2 represents the computer's second move, number 3 its third move and number 4 its fourth move. We don't need a set for the computer's first move since, for the sake of simplicity, the computer always goes first and always puts its 'X' in the top left-hand corner — square number 1 (Fig 15). To complete the preparation, 8 little cards are placed in each drawer, numbered 2 — 9. They may be well shuffled.

Play begins. The computer is assumed to put an X in square 1 and the human player keeps track of the game. (S)he replies as seems reasonable — let us suppose an 0 in square 5. To determine the computer's response, the student takes the set of boxes representing the number of the computer's move (in this case 2) and opens the little drawer numbered the same as his own LAST move — in this case 5. Whatever little card is on top of the pile inside is the computer's move. Let us suppose that it's 4. The player replies, then goes to the set of boxes for the computer's third move (following the same rules as before) and opens the box corresponding to his own last move. In the circumstances given this was probably 7.

Play proceeds in this way until a result is obtained — almost certainly a victory for the human player.

Various conditions of play will arise. Firstly, the computer may attempt a move to a square already occupied, in which case the card with this move is placed at the bottom of the pile in the drawer and the next one taken. If a drawer opened has no cards in it, or if all squares indicated are occupied, the computer withdraws and concedes defeat.

Now for the learning process. When the human player wins a game, the card representing the computer's last move is taken out of the drawer and discarded; it won't make THAT error again. Finally, if discarding a card results in a drawer now becoming empty the previous move is discarded since all paths from it result in disaster. Options are reopened by replacing all the cards for the subsequent drawer. For example, suppose that drawer 2, move 4 becomes empty. We must ask ourselves what led up to this situation? Suppose that it was a move to square 8 in move 3. We remove this card and replace all of the cards in drawer 2, move 4.

You'll find that, over a number of games, the computer first loses all, then slowly begins to win; at the end it'll be very hard to beat — in fact, following the classic learning curve (Fig 16). Children with the stamina to play a lot of games will be interested to watch the process in operation. Other forms of teaching by games will be looked at later.

Perhaps the greatest single lesson to be learned from computer models is the absolute necessity to be accurate when programming. The computer is itself totally on the ball and logical but it relies ultimately on humans both to program it and to feed it with accurate information. There's an old saying in the computer industry that's well worth repeating, 'garbage in — garbage out'.

It's fast becoming a necessity for the

MICROMART

6250 BAUD for NASCOM 1

This ultra-fast cassette interface board will provide reliable data storage and recall at up to 6250 BAUD on most standard cassette recorders.
e.g. 1K of data loaded in less than 1½ seconds.
The modifications required are minor and full documentation is supplied with each board which comes built, tested and guaranteed.
For immediate delivery send £15.95 + 35p P&P to:-
J. C Hunter
65 Portland Street, TROON
Ayrshire, Scotland
or 'phone 0292 311513
Also a competitively priced EPROM programming service is provided where we can supply the EPROM's programmed to your listings or programme your own EPROM's on a 24 hour turn round basis. Please write or telephone for details.

SOFTWARE FOR NORTH STAR

ACCOUNTS	**£520**
Designed for easy data entry MANAGEMENT ACCOUNTING Profit/loss, predictions, asset ratios, cost analysis, budgeting, reports etc. The ultimate in accounting efficiency for the small company without wasting time. 1 years free maintenance.	
PAYROLL, interactive	£54
GAMEPAK	£24
PET FOOD on C12	
STEAMCAB (simulation)	£6
GHOULIES (game)	£6
BLAKE 7 (simulation)	£6
CHALLENGER 8" disk	
BLAKE 7 graphics	£15
JOB COSTING	£15
TI99/4 on C12	
GHOULIES/SPACEFIGHT	£6
LEARNING CLOCK (CAL)	£12
TABLES (CAL)	£6

All ROMPAK CAL AVAILABLE
Ask for free leaflets
All above includes p&p + VAT

INTELLIGENT ARTEFACTS
Cambridge Road, Orwell, Royston, Herts
Tel: 022 020 (Arrington) 689

BRING NEW LIFE TO YOUR NASCOM

We offer a new 3K monitor, NASMON, for both NASCOM 1 and NASCOM 2 systems which gives you more power and flexibility than ever before:
- text editor built in.
- 'front panel' display of registers, flags etc. this *must* be seen.
- blocked, buffered tape routines.
- powerful low-level 'search' and single step commands.
- a total of 34 commands available through the keyboard.

PASCAL IN UNDER 6K.

NASPAS runs under NASMON or NAS-SYS and offers:
- all major PASCAL statements.
- INTEGER, CHAR, BOOLEAN and Enumerated TYPEs.
- fully recursive Procedures and Functions with value parameters.
- many pre-defined functions e.g. SUCC, PRED, (D)PEEK, (D)POKE etc.

AT LAST, A 12K BASIC

Running under NASMON, this extended BASIC gives you all the features of an 8K BASIC plus:
- 11 significant figure arithemetic.
- IF ... THEN ... ELSE.
- PRINT USING.
- Multi-line, recursive function calls (using DEF).
- line or screen editing.
- excellent printer support.
- Renumber and Automatic line numbering.
- and .... more!

PRICES

NASMON	(in 3 EPROMS)	£25
BAS12K	(on tape)	£25
NASPAS	(on tape under NASMON)	£25
NASPAS	(on tape under NASSYS)	£30

BUY NASMON NOW and get a FREE Chess program — NASCHK.
HISOFT 60, Hallam Moor, LIDEN, SWINDON, Wiltshire.

MICROMART

MICROTYPE



READY CUT CASE FOR SUPERBOARD, UK101, NASCOM 2.
(ALSO AVAILABLE WITH BLANK KEYBOARD FOR HOMEBREW, NASCOM 1, ETC.)

PRODUCED IN BLACK ABS PLASTIC, COMPLETE WITH SCREWS AND INSTRUCTIONS. SPACE FOR EXPANSION, FORCE FEED FAN, NUMERIC PAD AND ADDITIONAL KEYS.
ONLY £24.50 + £1.50 P&P + VAT.
SEND CHEQUES OR P.O.'S FOR £29.90 TO:
MICROTYPE, P.O. BOX 104, HEMEL HEMPSTEAD, HERTS HP2 7QZ
SAE FOR DETAILS. DEALER & OEM ENQUIRIES WELCOME.

MICROTEK

SHARP – NASCOM

NORTH STAR

SEE SHARPS INCREDIBLE POCKET MICRO

Full software-hardware support-programs professionally written to your specification.

MICROTEK
Ipswich (0473) 50152

APPLE & ITT SOFTWARE

Over 100 titles in our free catalogue.
Including:-
Auto-Index (Sophisticated Master Catalog Data-Base Utility) 17.95
FS1 Flight Simulator
(Simulates Sopwith Camel 3-D Hi-Res view from the cockpit. Most incredible graphics.) 17.95

SPIDER SOFTWARE
98 Avondale Road
Croydon
Surrey

Tel. 01-680 0267
Write or telephone for our free catalogue.

FORGET THE REST
THE ULTIMATE GAME HAS ARRIVED

Full of surprises, PAGODA will put your nerve and skill to their greatest test. You'll wonder why you ever played anything else.

£15 cassette for 32K PET ONLY

ALPHOID LTD
67 Johnson Street, London E1

public at large to have some knowledge of programming. I don't mean that all and sundry should be able to sit down and program a computer . . . more that they should know about the basic principles. I feel we must aim to build up a population that will not automatically genuflect when they hear that this or that data has been computerised.

Better than that, the public must begin to question computer results. This is done already to some extent, but the emphasis is in the wrong place, with the result that the computer stands in danger of derision. It's simply not good enough for commercial and industrial concerns to offer the limp excuse, "Sorry — our computer made a mistake." If a hapless pensioner receives a gas bill for £99999.99, then either it was programmed incorrectly or some human fed it with wrong information.

As computers find their way into more and more schools it'll become commonplace to hear adults who don't know any better castigate children as lazy — because they imagine that the computer will do all the child's work for him or her.

All such people overlook the simple fact that in order to use the machine, one must first control one's self. In order to drive a car, we must first learn to gain complete control over legs, arms, hand and eye. Similarly, in order to program a computer to fulfil a task, we must first know intimately how the job has to be approached. In order for our cardboard computer to multiply two numbers, we first had to know how to do it ourselves.

It's totally unacceptable that so many people — including the most articulate and intelligent — still approach me and say, "I'll tell you what you ought to get your computer to do . . .," then go on to describe something for which there is no known solution — like picking the Derby winner, eradicating poverty or banning wars. Their eyes glaze a little when one retorts, "OK, tell me how to do it and I'll shove it through the computer."

Appendix

Number Sentence Cubes may be obtained from Taskmaster Ltd., Morris Rd., Leicester, LE2 6BR, Flowcharting stencils from Open University or better class stationers and many-faced dice from some games shops.
Please note that Hestair Hope Ltd, mentioned in Chapter 1 of this series, no longer supplies binary selection boxes, although the logic blocks are still available.

SECRETS OF SYSTEMS ANALYSIS

Continued from page 71

though the real difficulty involved the recording of the data. If you sell hundreds of small items and have customers queueing impatiently, perhaps you don't have time to key in a record of each sale, any more than you have time to write it down.

So, to conclude this month, the first and perhaps the most important lesson to be learnt in this systems analysis course is. . . get the terms of reference right. Don't start your programmer writing programs for your solution and don't start buying hardware or programs not until you've had a jolly good look at what's *really* causing the problems.

Next month we will examine various ways of looking at and analysing these problems.

BASIC BASIC Continued from page 71

```
10 PRINT"TAPE EDITOR."
20 CLEAR 5000:DIM T$(100):REM. CLEAR NOT NEEDED ON PET.
30 NC=8:DIM CM$(NC):W1$="*TOP*":W2$="*END REACHED*"
40 CM$(0)="B":CM$(1)="F":CM$(2)="L":CM$(3)="D"
50 CM$(4)="I":CM$(5)="R":CM$(6)="SAVE":CM$(7)="S":CM$(8)="T"
60 INPUT"EXISTING FILE (Y OR N)";L$:IF L$="N" THEN 500
70 IF L$()"Y" THEN 60
80 MX=1:GOSUB 10000
90 GOSUB 6000:IF EF THEN MX=MX-1:P=1:GOSUB 7000:GOTO 110
100 T$(MX)=L$:PRINT L$:MX=MX+1:GOTO 90
110 INPUT"C";C$
120 FOR X=0 TO NC:IF CM$(X)=C$ THEN 140
130 NEXT X:PRINT"BAD COMMAND!":GOTO 110
140 ON X+1 GOSUB 170,200,230,260,310,290,340,370,480
150 GOTO 110
170 REM B-ACK
180 GOSUB 600:P=P-N:IF P(N THEN PRINT W1$:P=1
190 PRINT T$(P):RETURN
200 REM F-ORWARD
210 GOSUB 600:P=P+N:IF P(=MX THEN PRINT T$(P):RETURN
220 PP=MX:PRINT W2$:RETURN
230 REM L-IST
240 GOSUB 600:FOR X=P TO P+N:IF X)MX THEN P=MX:PRINT W2$:RETURN
250 PRINT T$(X):NEXT X:P=P+N:RETURN
260 REM D-ELETE
265 IF MX(1 THEN PRINT"CAN7T DO !":RETURN
270 IF P=MX THEN T$(MX)="":MX=MX-1:P=MX:PRINT W2$:RETURN
280 FOR X=P TO MX-1:T$(X)=T$(X+1):NEXT X:PRINTT$(P):T$(MX)="":MX=MX-1:RETURN
290 REM. R-ERLACE CURRENT LINE
300  PRINT "BY?";:GOSUB 1000:T$(P)=L$:RETURN
310 REM. I-NSERT AFTER CURRENT LINE
320 FOR X=MX TO P+1 STEP -1:T$(X+1)=T$(X):NEXT X
324 REM  MAKE NEXT 330
325 P=P+1:MX=MX+1:PRINT"INSERT":GOSUB 1000:T$(P)=L$:RETURN
340 REM. SAVE
350 GOSUB 9000:FOR X=1 TO MX:L$=T$(X):GOSUB 4000:PRINT L$:NEXT X
360 GOSUB 8000:PRINT"SAVE COMPLETED.":RETURN
370 REM. S-EARCH FOR
380 PRINT"SEARCH FOR":GOSUB 1000:F$=L$:IF F$="" THEN 380
390 IF P=MX THEN PRINT"CAN'T DO !":RETURN
400 FOR X=P+1 TO MX:L$=T$(X):GOSUB 2000
410 IF P8()0 THEN PRINT L$:P=X:RETURN
420 NEXT X:P=MX:PRINT W2$:RETURN
480 P=1:PRINT W1$:PRINT T$(1):RETURN:REM T-OP
500 PRINT"TYPE LINES, TERMINATED BY THE LINE:    END":MX=1
510 GOSUB 1000:IF L$="END" THEN MX=MX-1:P=MX:GOTO 110
520 T$(MX)=L$:MX=MX+1:GOTO 510
```

```
600 INPUT"FOR";N:IF N<0 THEN PRINT"ERROR!":GOTO 600
610 RETURN
1000 REM. SUBR. TO READ LINE OF TEXT FROM KEYBOARD TO L$
1010 INPUT L$
1020 RETURN
2000 REM. SUB TO DO   P8=INSTR(L$,F$)  (OFFSET=0)
2070 IF LEN(L$)<LEN(F$) THEN P8=0:RETURN
2090 FOR P8=1 TO LEN(L$)-LEN(F$)+1
2100 IF MID$(L$,P8,LEN(F$))=F$ THEN RETURN
2110 NEXT P8:P8=0:RETURN
3999 REM ********* TAPE I/O SUBS :- 4000,5000,6000,7000,8000,9000,10000
```

Young Computer World Program Listing Cont. from page 113

```
170 PRINT
180 IF E$="DISTANCE" THEN GOTO 230
190 INPUT"ENTER ACCELERATION(m/s/s),TIME(A)(s)";C,D
200 X=C*D
210 PRINT"AVERAGE SPEED=";X;"METRES PER SECOND."
220 END
230 INPUT"ENTER DISTANCE(m),TIME(S)(s)";C,D
240 X=C/D
250 PRINT"SPEED=";X;"METRES PER SECOND."
260 END
270 INPUT"ENTER INITIAL SPEED(m/s),FINAL SPEED(m/s),TIME(A)(s)";C,D,E
280 X=(D-C)/E
290 PRINT"ACCELERATION=";X;"METRES PER SECOND PER SECOND."
300 END
310 INPUT"ENTER CHANGE IN SPEED,ACCELERATION";C,D
320 X=C/D
330 PRINT"TIME TAKEN=";X;"SECONDS."
340 END
OK
```

PCW SUBSET

Continued from page 79

Have a go

Remember that the idea is to put together what everyone has done. . . that way we should all end up having more than we started with. Your code does not have to be brilliant (it could well provoke a bigger and more informative response if it is not) but it must work.

It has been suggested that we gather together routines on the same subject. We might do that although it depends on what you send. Here are some possible groups:

1. Multiplication and division of multiple-length signed binary fields and packed BCD fields.
2. ASCII/binary, ASCII/packed BCD, packed BCD/binary conversions.
3. String matching and sorts.
4. Data (DDMMYY) to binary data conversions — for easy comparison and scheduling.
5. Error checking and correction on memory and peripheral transfers.
6. Random mumber generation.

PROGRAMS

Dots and Boxes

by Jeff Aughton

Here's an intriguing game from one of our regular program contributors. Full instructions are included within the program, so off you go.

```
140 PRINT"WANT THE RULES? (Y/N)
150 GETA$:IFA$="Y"THEN8000
160 X=RND(1):IFA$<>"N"THEN150
170 CLR:INPUT"YOUR NAME  .";N$
180 IFN$<"A"ORN$>"Z"THEN170
190 DIMB%(49),L%(13,19),T%(6),E%(13)
200 C$(0)=LEFT$(N$,1):C$="PET"
210 C$(1)="P"
215 IFC$(0)="P"THENC$=" ME":C$(1)="M"
220 DEFFNA(X)=INT(B%(X)/16)
230 Z$="            ":D$="":R$=""
240 FORI=1TO25:D$=D$+"":R$=R$+""
250 Z$=Z$+" ":NEXT:Z$=Z$+""
260 FORI=2TO8STEP2
270 READC$(I),C(I),C(I+1):NEXT
280 FORI=1TO24:READX:B%(X)=65:NEXT
500 REM DRAW BOARD
510 PRINT"";:FORI=1TO6
520 PRINT"    ●   ●   ●   ●   ●   ●"
530 NEXT:PRINT"":FORI=0TO4:PRINT
540 PRINT"  ";:FORJ=0TO4
550 PRINT"   ";CHR$(65+I*5+J);
560 NEXTJ,I
570 PRINT"":FORI=1TO7
580 PRINTSPC(28)"            "
590 NEXT:PRINT""
600 PRINTSPC(31)"SCORE"
610 PRINTSPC(29)"YOU   ";C$;"
620 PRINTSPC(29)"BOX SIDES"
630 PRINTSPC(31)"●-8-●    |    4    6    |    ●-2-●
640 GOSUB7040
650 PRINTZ$;"DO YOU WANT TO START?";
660 GETA$:IFA$="N"THEN2000
670 X=RND(1):IFA$<>"Y"THEN660
1000 REM HUMAN MOVE
1010 G=0:SB=0
1020 PRINTZ$;"WHICH BOX ? ";
1030 GETA$:IFA$=""THEN1030
1040 N=ASC(A$)-65
1050 IFN<0ORN>24THEN1030
1060 R=INT(N/5):N=N+9+2*R
1070 IFB%(N)<64THEN1100
```


MICROMART

sinclair ZX80 SOFTWARE

Dice Throw — Electro Bandit
Mastermind — Metric Conversion
DIY Package — Hobby Electronics
Word Puzzles — Computer Games
Maths Programs — Noughts & Crosses

Send a LARGE SAE for the full catalogue and details to:

CDS MICRO SYSTEMS
10 Westfield Close, Tickhill
Doncaster DN11 9LA
Mail Order Only

NASCOM USERS

PROGRAMS THAT WORK

Book: £ 7.50 incl.
Tapes & Book: £20.00 incl.

* Super BASIC programs
* Charts
* Interface Details
* Tech. Tips & Improvements

Learn more about your NASCOM

SAE for more info:-

P. TOWN, 30 WOLSEY DRIVE,
WALTON-ON-THAMES, SURREY

The Polytechnic of North London

PROGRAMMER/ ANALYST

D. P. on Microcomputers

The Polytechnic is setting up a small team to develop and implement computer based systems covering most aspects of college administration including finance.

We are looking for a programmer with initiative who can relate easily to user departments, and implement and maintain systems with minimal supervision. Processing will largely be decentralised to local micro-computers running under CP/M, though interfacing to the Dec-10 mainframe will also be important. Programming will be in a variety of languages including CBASIC, COBOL and eventually PASCAL.

This is an excellent opportunity to gain experience in systems design and implementation for extensive micro-computer systems.

Salary on scale rising to £5975.64 inclusive of London Allowance (under review).

Further details and application form from Head of Computing Services, The Polytechnic of North London, Holloway, London N7 8DB. Telephone: 01-607 2789.

MICROMART

Program Power

NASCOM 1&2

INVASION EARTH! (NS/G)—fast M/C code version of the popular arcade, pub game/ 4 INVADER types/intelligent homing, exploding, angled, direct, multiple warhead & radio-jamming missiles/40 skill levels. **Only £9.95!**

SUPER STARTREK! (min 16k)—your mission, Cpt.Kirk, is to destroy the Klingon fleet & save the Federation. Phasers, photon tubes & computer operational! **£9.95**

Alien Labyrith (NS/G/16k)	£7.95	Submarine Chase (G)	£5.45
Space Fighter (NS/G)	£7.95	Driver (NS/G)	£6.95
Secret Agent (NS/G)	£5.95	Stock Market	£6.45
Sheepdog Trial (NS)	£5.95	Labyrinth (NS/G)	£5.45
		Death Run (NS/G)	£6.95
		Code-Breaker	£4.95

NASCOM 1—Cottis Blandford cass. interface-load STAR-TREK in 2mins NOT 10! **£14.90** or **£11.90** with program.

WRITTEN ANY PROGRAMS? — WE PAY HANDSOME ROYALTIES!
(NB Coming shortly — Program Competition)

Send Chq/PO +45p/order p&p or SAE for catalogue
Telephone (0532) 683186 — **PROGRAM POWER**
(G=graphics,NS=Nas-sys only — **5 Wensley Road**
TRADE ENQUIRIES WELCOME — **Leeds LS7 2LX**

PROGRAMMING?

HOW'S YOUR DOCUMENTATION ?

Professional documentation keeps your customers happy, reduces service calls and leaves valuable programmers free to write programs — instead of books!

We offer a professional documentation service for both hardware and software.

Phone or write today for further details:

NWL Editorial Services

Rushley, Langport
Somerset, TA10 9DG

Telephone: Langport (0458) 250834

NASCOM

INTEGER PASCAL FROM DATRON £35+VAT

Ideal for writing structured programs. Perfect low cost way of learning the computer language of the future. Especially suitable for games programs.

Integer Pascal is a compiler which produces Z80 machine code. Integers and arrays in the range £32767 are supported. Input-Output is normally decimal, but hexadecimal and ASCII characters may be selected. Constants, variables, procedures and functions may be declared. Procedures and functions may have parameters and may be nested.

The following standard Pascal statements are supported:

IF———THEN———ELSE———
CASE———OF———:———ELSE———END
WHILE———DO——— REPEAT———UNTIL
FOR———:=———TO/DOWNTO———DO———
BEGIN———END READ (———) WRITE(———)

The editor allows lines to be added, replaced, deleted, renumbered and listed. The source may be printed saved or cleared. Compilation may be either syntax only or full. After a full compilation the machine code may be executed and upon completion control passes back to the compiler package.

state model & monitor

DATRON MICRO CENTRE,

2 ABBEYDALE ROAD, SHEFFIELD S7 1FD
TELEPHONE 0742 585490

PROGRAMS

```
1080 PRINTZ$;"THAT BOX IS TAKEN
1090 GOSUB5000:GOTO1020
1100 PRINTA$,"WHICH SIDE ? ";
1110 GETB$:IFB$=""THEN1110
1120 S=ASC(B$)-48:IFSAND1THEN1110
1130 IFS<2ORS>8THEN1110
1140 PRINTS
1170 IF(B%(N)ANDC(S))=0THEN1220
1180 PRINTZ$;"THAT SIDE IS TAKEN
1190 GOSUB5000
1200 PRINTZ$;"WHICH SIDE OF BOX ";
1210 PRINTA$;" ?";:GOTO1110
1220 GOSUB6000:PRINTM$+C$(S)
1230 GOSUB3000
1240 N=N+C(S+1):S=10-S
1250 IFB%(N)>64THEN1270
1260 GOSUB3000
1270 IFSBTHEN1000
2000 REM PET MOVE
2010 G=1:SB=0
2020 GOSUB4000:R=INT(N/7)-1
2140 PRINTZ$;"I WILL PLAY BOX ";
2150 PRINTCHR$(N+56-2*R),
2160 PRINT"SIDE";S
2170 GOSUB6000:PRINTM$+C$(S)
2180 GOSUB5000:GOSUB3000
2230 N=N+C(S+1):S=10-S
2240 IFB%(N)<65THENGOSUB3000
2250 IFSBTHEN2000
2260 GOTO1000
3000 REM UPDATE STATUS
3005 X=C(S)
3010 ONFNA(N)GOTO3050,3300,3400
3020 B%(N)=B%(N)+16+X
3030 IFB%(N)>64THENGOSUB7000
3040 RETURN
3050 REM CHAIN
3060 SH=0:I=0
3070 K=2↑I:IF(B%(N)ANDK)OR(K=X)THEN3250
3080 B=N+C(2*I+3)
3090 IFFNA(B)<>2THEN3230
3100 FORJ=1TOLC:L=L%(J,0)
3110 FORU=1TOL:IFL%(J,U)<>BTHEN3220
3120 IFJ=SHTHEN3020
3130 IFSHTHEN3160
3140 L%(J,L+1)=N:L%(J,0)=L+1
3150 SH=J:GOTO3250
3160 FORV=1TOL%(SH,0)
3170 L%(J,L+V)=L%(SH,V):NEXTV
3180 L%(J,0)=L+L%(SH,0)
3190 FORV=0TOL%(LC,0)
3200 L%(SH,V)=L%(LC,V):NEXTV
3210 LC=LC-1:GOTO3020
3220 NEXTU,J
3230 IFSHTHEN3020
3240 LC=LC+1:L%(LC,1)=N:L%(LC,0)=1:SH=LC
3250 I=I+1:IFI<4THEN3070
3260 GOTO3020
3300 REM SAVE AS CAPTURE
3310 C=C+1:T%(C)=N:GOTO3020
3400 REM CAPTURE
3410 FORJ=1TOLC:L=L%(J,0)
3420 FORU=1TOL:IFL%(J,U)=NTHEN3440
3430 NEXTU,J
3440 FORI=1TOC:IFT%(I)=NTHEN3460
3450 NEXTI
3460 T%(I)=T%(C):C=C-1
3470 IFL=1THENSH=J:GOTO3190
3480 L%(J,U)=L%(J,L):L%(J,0)=L-1
3490 GOTO3020
4000 REM SMART MOVES
4010 IFC=0THEN4060
4020 FORJ=1TOC:N=T%(J)
4030 GOSUB4900
4040 IFFNA(N+C(2*I+3))>2THEN4870
4050 NEXTJ
4060 V=0:FORI=1TOLC
4070 V=V+L%(I,0):NEXT
4080 IFA>VTHEN4650
4090 REM 3RD PHASE
4100 IFC=0THEN4770
4110 IFLC=1THENN=T%(1):GOTO4860
4120 FORI=1TOLC:L=L%(I,0)
4130 E%(I)=0:FORJ=1TOL
4140 IFFNA(L%(I,J))=2THEN4170
4150 IF(L=3)OR(L>4)THENN=L%(I,J):GOTO4860
4160 E%(I)=E%(I)+1
4170 NEXTJ,I
4180 S=0:FORJ=1TOLC
4190 IFE%(J)=0THEN4330
4200 IF(L%(J,0)=4)AND(E%(J)=1)THEN4600
4210 IFL%(J,0)=2THEN4320
4220 P=0:FORK=1TO4
4230 IFB%(L%(J,K))<48THEN4260
4240 IFP=0THENP=L%(J,K)
4250 Q=L%(J,K)
4260 NEXTK
4270 N=P:GOSUB4900:P=P+C(2*I+3)
4280 N=Q:GOSUB4900:Q=Q+C(2*I+3)
4290 FORI=0TO3:IF(B%(Q)AND(2↑I))THEN4310
4300 IFP=Q+C(2*I+3)THEN4320
4310 NEXT:GOTO4600
4320 S=S+1:X=J:IFS=2THEN4600
4330 NEXTJ
4340 S=0:FORJ=1TOLC
4350 IFX=JTHEN4370
4360 IFL%(J,0)<3THENS=S+1
4370 NEXT:J=X
4380 IF(SAND1)THEN4600
4390 REM SACRIFICE
4400 FORI=1TOL%(J,0):N=L%(J,I)
4410 IFFNA(N)=2THEN4430
4420 NEXT
4430 FORI=0TO3:K=2↑I
4440 IF(B%(N)ANDK)THEN4460
```

```
4450 IFFNA(N+C(2*I+3))<>3THEN4870
4460 NEXT
4600 REM CAPTURE IN CHAIN J
4610 FORK=1TOL%(J,0)
4620 IFB%(L%(J,K))>48THENN=L%(J,K):GOTO4860
4630 NEXTK
4650 REM 1ST PHASE
4660 X=65:IFCTHENN=T%(1):GOTO4860
4670 N=INT(9+33*RND(1)):Q=N
4680 IFFNA(N)>1THEN4740
4690 FORI=0TO3:K=2↑I
4700 IF(B%(N)ANDK)THEN4730
4710 B=N+C(2*I+3):IFB%(B)=XTHEN4730
4720 IFFNA(B)<>2THEN4870
4730 NEXT
4740 N=N+1:IFN=42THENN=9
4750 IFN<>QTHEN4680
4760 IFX=65THENX=-1:GOTO4670
4770 REM MUST GIVE AWAY
4780 M=99:FORI=1TOLC
4790 IFL%(I,0)<MTHENM=L%(I,0):N=L%(I,1)
4800 NEXT:IFM=1THEN4860
4810 FORI=0TO3:K=2↑I
4820 IF(B%(N)ANDK)THEN4840
4830 IFFNA(N+C(2*I+3))=2THEN4870
4840 NEXT
4850 REM FIND SIDE
4860 GOSUB4900
4870 S=2*I+2:RETURN
4900 FORI=0TO3:K=2↑I
4910 IF(B%(N)ANDK)THENNEXTI
4920 RETURN
5000 REM DELAY
5010 FORD=1TO2000:NEXT:RETURN
6000 REM GRAPHICS
6010 M$="■"+LEFT$(D$,4+4*R)
6020 M$=M$+LEFT$(R$,4+4*(N-9-7*R))
6030 RETURN
7000 REM FILL IN
7010 S$="■   ■■■■ "+C$(G)+" ■■■■   ■"
7020 C(G)=C(G)+1:R=INT(N/7)-1:SB=1
7030 GOSUB6000:PRINTM$+S$
7040 PRINT"■■■■■■■■■■"
7050 PRINTSPC(29)"■";C(0)
7060 PRINT"■■";SPC(35);C(1)
7070 A=25-C(0)-C(1)
7080 IFATHENRETURN
7090 PRINTZ$;"■ GAME OVER ":GOSUB5000
7100 PRINT"■■■■■":IFC(1)>17THEN7180
7110 IFC(1)>12THEN7160
7120 IFC(1)>7THEN7140
7130 PRINT"I SURRENDER !!":END
7140 PRINT"YOU WIN-BUT IT WAS CLOSE
7150 GOTO7200
7160 PRINT"I WIN ! HARD LUCK,";N$
7170 GOTO7200
7180 PRINT"YOU WERE HAMMERED,";N$
7190 PRINT"■TAKE UP CHESS-IT'S EASIER
7200 PRINT"■■PLAY AGAIN?
7210 GETA$:IFA$="N"THENEND
7220 IFA$<>"Y"THEN7210
7230 GOTO170
8000 REM RULES
8010 PRINT"■   DOTS AND BOXES-RULES■■
8020 PRINT"1 WE TAKE IT IN TURNS TO";
8030 PRINT" COMPLETE ONE     SIDE O";
8040 PRINT"F A BOX■■
8050 PRINT"2 IF YOU COMPLETE THE 4TH";
8060 PRINT" SIDE OF A BOX   YOU WIN ";
8070 PRINT"THAT BOX AND MUST PLAY AG";
8080 PRINT"AIN■■
8090 PRINT"3 THE WINNER HAS THE MOST";
8100 PRINT" BOXES AT THE    END OF T";
8110 PRINT"HE GAME■■
8120 PRINT"4 TO PLAY, USE A-Y TO PIC";
8130 PRINT"K THE BOX THEN   2,4,6,8 ";
8140 PRINT"AS INDICATED FOR THE SIDE
8150 GOTO170
9000 DATA"■■■——",1,7,"■■■■■■■■■",2,-1
9010 DATA"■■■■■■■■■■■■",4,1,"■■——",8,-7
9020 DATA1,2,3,4,5,6,7,8,14,15,21,22
9030 DATA28,29,35,36,42,43,44,45,46
9040 DATA47,48,49
```

Listing courtesy of Creamwood Software Products

PET Bloobers

by Richard Warner

Here's a fascinating — hypnotic, even — game for the PET. It includes instructions and details on converting it to run on old ROM machines.

```
10 REM
11 REM N.B. ALTER LINE 110 TO CHANGE
12 REM SCREEN SIZE.
13 REM H IS SCREEN WIDTH - MIN=3,MAX=38
14 REM V IS SCREEN DEPTH - MIN=3,MAX=23
15 REM BAD SUBSCRIPT ERROR MAY OCCUR
16 REM ON OLD ROM MACHINES IF H*V>256.
100 P=C:T=R:S=RND(-TI)
110 H=20:V=12
120 TP=32768+INT(19-H/2)+40*INT(12-V/2)
130 P2=TP+H+1
140 P3=TP+V*40+40
150 P4=TP+41+H+V*40
160 IN=166
161 REM OLD ROM'S IN=515
162 REM NEW ROM'S IN=166
170 SS=H*V-1
171 REM OLD ROM'S ONLY:IFSS>255THENSS=255
190 GOSUB1000
```


MICROMART


Distributed Mass . . . **Turntables**

NEW

WHOLE BASE DISC IS A BEARING Ensuring 'even mass distribution' and controlled inertia.

Prov. Pats. Appl. for.

DESIGNED FOR



Microfilm terminals, V.D.U. terminals, copiers, cabinets, machinery, instruments.

Users, Dealers, DEM Eng (01-883 9753)

Ronco Sales Organisation
81-89 East End Road, London N2 0SR
Telephone: 01-883 9753

CARDIFF MICRO CENTRE

PETs
+
SHARP MZ-80s
+
HEWLETT PACKARD
+
COMPUTER BOOKS

SIGMA SYSTEMS
54 Park Place
Cardiff 21515/34869

OSI UK User Group

Support for
OHIO SCIENTIFIC

the independent user group for all users of Ohio Scientific small computers (Superboard to C3) and UK101

professionally-produced A5-format quarterly Newsletter

development and documentation

programming and planning aids

and much more!

£5.00
for 4-issue membership/subscription

contact: *Tom Graves*
19a West End, Street, Somerset BA16 0LQ

MICROMART

SPECIAL OFFER

RS-232 TEST UNIT

Mk 1 - Tests pins 2·3·4·5·6·8·11·20
Mk 2 - " all pins
Mk 3 - As above with bread— board

All models have 25 way D type I/O & LED display for each pin.

Mk 1 rrp	£110	on offer	£80
Mk 2 "	135	" "	105
Mk 3 "	160	" "	120

Offer Ends 15th Oct. 1980

Mike Anthony Electronics,
46, Moredun Pk Gdns., Edinburgh, EH17 7JR

Target Electronics

16 Cherry Lane, Bristol BS1 3NG
Telephone: 0272 421196

NASCOM IMP PLAIN PAPER PRINTER



The Nascom IMP (Impact Matrix Printer) features :
● 60 lines per minute ● 80 characters per line ● Bi-directional printing ● 10 line print buffer ● Automatic CR/LF ● 96 characters ASCII set (includes upper/lower case, $, #, £) ● Accepts 8½" paper (pressure feed) ● Accepts 9½" paper (tractor feed) ● Tractor/pressure feed ● Baud rate from 110 to 9600 ● External signal for optional synchronisation of baud rate ● Serial RS232 interface.

NASCOM DISTRIBUTOR

● Please add 15% VAT ●

Large selection of aluminium boxes & Instrument Cases
Phone in your Access or Barclaycard order Catalogue 25p post paid

New software for PET:

Manufacturer keeps a record of orders and up-to-date accounts on disk. Ideal for a small factory £300
Business Names cassette version needs 32K PET. Disk version needs 8K. Stores names, addresses, comments & telephone numbers and prints envelopes £20

Educational software for PWT:

Pictures maps & diagrams can be drawn on the screen Turns the computer into a store and keeps pictures on cassette ready for a lesson. Supplied with file containing a map of Great Britain £20
Function plots graphs of mathematical functions on the screen £15
Photosynthesis shows the effect of light on plants £5
Venn Diagrams £5

AUDIO CASSETTE PLAYER

Plugs into the user port. Winds, rewinds & plays under computer control £200

Electronic Aids
TEWKESBURY
Mythe Crest, The Mythe, Tewkesbury GL20 6EB
Tel. (0386) 831020

NORTH LONDON HOBBY COMPUTER CLUB

Notice of Annual General Meeting

The AGM will be held in the Students' Common Room at the Polytechnic of North London on Wednesday 24th. September, starting at 1930. Nominations for the Committee must be in the hands of the Committee not less than ten days prior to the meeting. They must be signed by a proposer and seconder and accompanied by evidence that the nominee is willing to serve on the Committee.
Notice of two Extraordinary Motions for discussion:

1. That item 6 of the Constitution be amended to permit notice of any General Meeting to be given either by post or by advertisement in two nominated journals.
2. That item 13 of the Constitution be amended to permit the Committee to accept further nominations at the AGM if insufficient are to hand to fill the number of vacancies.

PROGRAMS

```
200 DIMC(3),D(3,1)
210 FORF=0TO3:READC(F),D(F,0),D(F,1)
230 NEXT
250 DATA85,1,40
260 DATA73,40,-1
270 DATA75,-1,-40
280 DATA74,-40,1
290 DIMP(SS),R%(SS),C%(SS),T%(SS)
300 PRINT"□"
310 FORF=TPTOP2:POKEF,102:NEXT
320 FORF=TPTOP3STEP40:POKEF,102:NEXT
330 FORF=P2TOP4STEP40:POKEF,102:NEXT
340 FORF=P3TOP4:POKEF,102:NEXT
400 C=INT(RND(1)*4)
410 R=INT(RND(1)+.5)
420 P=TP+INT(RND(1)*(H-2))+40*INT(RND(1)*(V-2))+82
430 IFPEEK(P)<>32THEN420
440 IFPEEK(P+D(C,0))<>32ORPEEK(P+D(C,1))<>32THEN420
450 S=0:T=0
500 POKEP,C(C):P(S)=P:T%(S)=T:R%(S)=R:C%(S)=C
510 S=S+1:P=P+D(C,R)
520 IFPEEK(P)<>32THEN600
530 T=INT(RND(1)+1.5)
540 IFR=0THEN570
550 C=C-T:IFC<0THENC=C+4
560 GOTO580
570 C=C+T:IFC>3THENC=C-4
580 IFT=2THENR=1-R
590 GOTO500
600 IFP=P(0)THEN700
610 GETZ$:IFZ$=" "THEN800
620 S=S-1:P=P(S)
630 IFT%(S)=0THEN690
640 R=1-R%(S):IFR=1THEN670
650 C=C%(S)-1:IFC<0THENC=C+4
660 GOTO680
670 C=C%(S)+1:IFC>3THENC=C-4
680 T=0:IFPEEK(P+D(C,R))=32THEN500
690 POKEP,32:GOTO610
700 T=C%(0)-C:IFT=0THEN610
710 IFR=0AND(T=-1ORT=3)THEN610
720 IFR=1AND(T=-3ORT=1)THEN610
750 T=TI:P=0
760 GETZ$:IFZ$<>""THEN800
770 IFTI-T<600THEN760
800 S=S-1:POKEP(S),32
810 FORF=0TO50:NEXT
820 IFS=0THEN400
830 IFPEEK(IN)=60RP=0THEN800
840 P=P(S):R=R%(S):C=C%(S):T=1:GOTO500
1000 PRINT"□";TAB(15);"■BLOOBERS■"
1010 PRINT"  BLOOBERS RANDOMLY GENERATES PATTERNS"
1020 PRINT"ON THE SCREEN.
1030 PRINT"■  IF YOU GET BORED, PRESS THE SPACE BAR"
1040 PRINT"AND THE PATTERN WILL BACKTRACK UNTIL"
1050 PRINT"YOU TAKE YOUR FINGER OFF."
1060 PRINT"■■■        PRESS ANY KEY TO GO"
1070 GETZ$:IFZ$=""THEN1070
1080 RETURN
```

PET Giant Slalom

by P L Brown

```
1 PRINT"□■■■■GIANT SLALOM BY P.L.BROWN"
2 PRINT"■■DO YOU NEED INSTRUCTIONS ?"
4 GET A$:IF A$=""THEN4
6 IF A$="Y"THEN GOSUB 800
10 CLR:Q=32767
20 FORN=1TO10:T(N)=9999:NEXT
25 GOSUB1000:RESTORE:PRINT"□"
40 FOR N=32810 TO 33730 STEP 40
50 FORM=1TO37
60 POKEN+M,160
70 NEXTM,N
80 FORN=Q+47TOQ+52:POKEN,32:NEXT
81 FORN=Q+63TOQ+69:POKEN,32:NEXT
82 FORN=Q+88TOQ+92:POKEN,32:NEXT
83 FORN=Q+104TOQ+108:POKEN,32:NEXT
84 FORN=Q+129TOQ+132:POKEN,32:NEXT
85 FORN=Q+170TOQ+172:POKEN,32:NEXT
86 FORN=Q+145TOQ+147:POKEN,32:NEXT
87 POKEQ+211,32:POKEQ+186,32
88 FORN=Q+282TOQ+362STEP40
89 FORM=1TO7
90 POKEN+M,32
91 NEXTM,N
92 FORN=Q+370TOQ+374:POKEN,32:NEXT
93 POKEQ+335,32
94 FORN=Q+296TOQ+311:POKEN,32:NEXT
95 FORN=Q+257TOQ+258:POKEN,32:NEXT
96 POKEQ+272,32:POKEQ+233,32
97 POKEQ+194,32:POKEQ+195,32
98 FORN=Q+236TOQ+596STEP40
99 POKEN,32:NEXT
100 FORN=Q+612TOQ+772STEP40
101 FORM=0TO18
102 POKEN+M,32
103 NEXTM,N
104 FORN=Q+567TOQ+589:POKEN,32:NEXT
105 FORN=Q+544TOQ+548:POKEN,32:NEXT
106 FORN=Q+465TOQ+505STEP40
107 FORM=0TO2
108 POKEN+M,32
109 NEXTM,N
```

```
110 FORN=Q+671TOQ+791STEP40
111 POKEN,32:NEXT
112 FORN=Q+712TOQ+792STEP40
113 FORM=0TO1
114 POKEN+M,32
115 NEXTM,N
116 POKEQ+794,32:POKEQ+876,32
117 FORN=Q+643TOQ+963STEP40
118 POKEN,32:NEXT
119 FORN=Q+684TOQ+764STEP40
120 FORM=0TO3
121 POKEN+M,32
122 NEXTM,N
123 FORN=Q+821TOQ+824:POKEN,32:NEXT
124 FORN=Q+981TOQ+984:POKEN,32:NEXT
125 FORN=Q+916TOQ+996STEP40
126 FORM=0TO3
127 POKEN+M,32
128 NEXTM,N
130 READ N
135 IFN=-1THENP=223:GOTO130
140 IFN=-2THENP=233:GOTO130
145 IFN=-3THENP=95:GOTO130
150 IFN=-4THENP=105:GOTO130
152 IFN=-5THENP=194:GOTO130
155 IFN=-9THEN200
160 POKEQ+Q,P
165 GOTO130
170 DATA -1,46,62,79,87,103,128,144,169
171 DATA 185,210,235,611,636,772,820
172 DATA -2,53,70,109,148,187,212,234,273
173 DATA312,336,375,404,767,804,825
174 DATA-3,218,196,259,289,330,467,508
175 DATA549,590,631,672,713,754,795,836
176 DATA877,644,687,964,985,-4,193
177 DATA217,232,256,271,295,334,465
178 DATA504,543,980,-5,84,97,74,154
179 DATA127,143,164,174,177,180,188
180 DATA190,207,223,254,260,268,270
181 DATA277,279,345,379,392,409,416
182 DATA422,425,484,452,459,472,486
183 DATA489,496,502,517,519,532,594
184 DATA604,606,649,650,674,676,729
185 DATA730,756,758,838,853,818,866
186 DATA 868,875,886,888,898,910,933
187 DATA946,948,955,990,-9
200 POKEQ+915,134
205 X=123:POKEQ+X,147:S=400:G=0
210 GETC$:IFC$=""THEN210
215 TI$="000000":GOTO440
360 A=PEEK(Q+X):IFA=134THEN600
370 IFA=32ORA=194THEN590
380 B1=PEEK(Q+X+1):B2=PEEK(Q+X-1)
382 B3=PEEK(Q+X+40):B4=PEEK(Q+X-40)
383 IFB1=194ANDB2=194THENG=G+1
384 IFB3=194ANDB4=194THENG=G+1
390 POKEQ+X,147
400 FORN=1TOS:NEXTN
410 GETC$:IFC$=""THEN450
440 IFC$="F"THENS=S-25:GOTO450
445 IFC$="S"THENS=S+25:GOTO450
447 A$=C$
450 POKEQ+X,160
455 PRINT"■■■";MID$(TI$,3,2)":"MID$(TI$,5,2)
460 IFA$="1"THENX=X+39
470 IFA$="2"THENX=X+40
480 IFA$="3"THENX=X+41
490 IFA$="4"THENX=X-1
500 IFA$="6"THENX=X+1
510 IFA$="7"THENX=X-41
520 IFA$="8"THENX=X-40
530 IFA$="9"THENX=X-39
540 GOTO360
590 PRINT"■■YOU'VE CRASHED!!!"
592 T=9999:GOTO700
600 T=VAL(TI$)
603 PRINT"■■WELL DONE-YOU'VE COMPLETED THE COURSE"
604 G=G-33:T=(T-G*10)/100
605 PRINT"YOU MISSED";-G;"GATES"
607 PRINT"YOUR TIME WAS";T
610 FORN=1TO10
620 IFT<T(N)THEN640
625 NEXT:GOTO700
640 FORM=10TON+1STEP-1
650 T(M)=T(M-1):N$(M)=N$(M-1)
660 NEXT
670 T(N)=T:N$(N)=N$
700 PRINT:PRINT"HERE ARE THE BEST TIMES SO FAR:"
710 PRINT"■■■NAME","TIME(SECS.)
720 FOR N=1TO10
725 IFT(N)=9999THEN750
730 PRINTN$(N),T(N):NEXT
750 FOR N=1TO5000:NEXT:GOTO25
800 PRINT"■■YOU MUST GUIDE THE ■■■ FROM THE TOP LEFT"
810 PRINT"OF THE COURSE TO THE BOTTOM RIGHT"
820 PRINT"■EACH RUN IS TIMED AND 10 SECONDS ARE"
830 PRINT"ADDED FOR EACH GATE YOU MISS. THE BEST"
840 PRINT"TIMES ARE SHOWN AT THE END OF EACH RUN"
860 PRINT"■THE DIRECTION OF THE SKIER IS CONTROLLEDBY ";
870 PRINT"USING THE NUMBERS 1-9(EXCLUDING 5):
880 PRINT"■                7 8 9"
890 PRINT"                 \|/"
900 PRINT"               4-■■-6"
910 PRINT"                 /|\"
920 PRINT"               1 2 3"
930 PRINT"■THE SPEED OF THE SKIER CAN BE ALTERED AT";
940 PRINT"ANY TIME DURING THE RUN BY TYPING 'S' TO";
950 PRINT"SLOW DOWN AND 'F' TO GO FASTER"
960 PRINT"■MAKE SURE YOU'RE INSURED FOR ACCIDENTS"
970 PRINT"AND THEN PRESS ANY KEY TO BEGIN"
980 GETA$:IFA$=""THEN 980
990 RETURN
1000 PRINT"■■■■■■■"
1003 PRINT"PLEASE TYPE YOUR INITIALS"
1120 INPUT N$:RETURN
```

Listing courtesy of Creamwood Software Products

MICROMART

µHex EPROM PROGRAMMERS

426 2508/2708/2758/2516/2716
Dual and Single supply Eproms. £95

416 2704/2708/2716 Dual only.£65

480 2704/2708 Kit £35. Built £40.

All programmers require only standard power supplies.
The 426 & 416 are cased and have push-button selection.
Program any length block into the Eprom.
Software included. Range covers Z80, 8080, 6800 and 6500. State machine.

PIO, PIA INTERFACE MODULES
Available for Z80/8080 and 6800/6500.

Prices include carriage. Please add VAT
SAE for further product information.

MICROHEX COMPUTERS
UNION STREET, TROWBRIDGE, WILTS.

⇐ Which Way? ⇒

● If you're lost in the Micro Maze and don't know which way to turn . . . turn to us.

● For impartial advice from an independent consultant . . . consult us.

● For bespoke software designed to meet your needs . . . you need us.

meldon micro services

37 Purbrook Gardens, Purbrook, Portsmouth (Waterlooville 53775)

PETS — We Sell Them
As authorised Commodore Dealers we stock and supply all PET Hardware, Computhink Discs, Oki Microline 80 Decwriter LA34, Texas 810, Qume Sprint 5 — all at competitive prices

PETS — We Buy Them
Part Exchange is very welcome, we also buy for cash.

PETS — We Hire Them
Our specialist hire service, with maintenance included for all Commodore equipment.
— Complete systems for evaluation
— Multiple units for educational courses
— Single units for individual use
From 1 day upwards, all units available. Delivery by arrangement, anywhere in UK.

PETS — Software
We are fully authorised BUSINESS SOFTWARE DEALERS for Commodore Software — COMPAY, COMSTOCK. WORDPRO etc. Also PETSOFT, BRISTOL SOFTWARE, LANDSLER PAYROLL & HOTEL SYSTEM.
PLUS for ACCOUNTANTS, the unique CSM INCOMPLETE RECORDS PACKAGE — this is the best available.

MAIL — ORDER
All Hardware and Software can be bought by Mail Order Delivery by Securicor, or Registered Post. Discounts for Cash & Carry or Mail-Order. Access accepted or by Leasing (subject to acceptance)

MICRO-FACILITIES LTD
127 High Street, Hampton Hill, Middlesex, TW12 1 NJ. 01-979 4546 or 01-941 1197

To advertise in MICROMART
Please ring Jacquie Hancock on 01-631 1682

MICROMART

50 HZ
SUPER BOARD
NOW FROM ONLY

£159·95

Plus P&P & VAT

Includes 8K BASIC, 4K RAM
KEYBOARD etc
FITTED MODULATOR EXTRA

CTS 1 Higher Calderbrook,
Littleborough, Lancs, OL15 9NL
Tel: Littleborough (0706) 79332
anytime

VETS FOR PETS

Anita Electronic Services (London) Ltd. are specialists in the repair and service of Commodore Pets.
We offer a fast on-site service, or alternatively repairs can be carried out at our workshops should you wish to bring in your Pet.
Pet maintenance contracts are available at very competitive prices. Trade inquiries welcomed.

For further information, tel or write to:

John Meade
Anita Electronic Services
15 Clerkenwell Close, London EC1
01-253 2444

We also specialise in the repair of all makes of office equipment.

MINE OF INFORMATION LTD
1 FRANCIS AVENUE,
ST ALBANS AL3 6BL
ENGLAND
Phone: 0727 52801
Telex: 925 859

MICROCOMPUTER CONSULTANCY & BOOK SELLERS

APPLE & ITT 2020 BUSINESS SOFTWARE
Professionally written packages now available with comprehensive manuals, built-in validity checks, interactive enquiry facilities, user options, satisfying accountancy, Inland Revenue and Customs & Excise requirements. On diskette under DOS 3.2 in Applesoft with SPACE utility. Not adaptations. Written for Apple System. Support all printer interfaces. Sales, Purchases and General Ledgers £295-00 each. Manual only £3. Payroll £375. Manual only £4.
General Ledger supports Incomplete Records, Jobs Costing, Branch and Consolidated Accounts, etc.
General Ledger Applications Manual £10.
Prices exlusive of V.A.T. From our shop or your nearest stockist.
COMPUTECH SYSTEMS
168, Finchley Road, London NW3,
Tel: 01-794 0202

PROGRAMS

PET Demolition

```
 1 READA:IFA=0THEN3
 2 GOTO1
 3 FORL=832TO878:READX:POKEL,X:NEXTL
 4 SYS(832):RESTORE
 5 K=255
 8 GOSUB3500
 9 N=59464:POKE59467,16:POKE59466,1:POKEN,1:R=0
 10 TI$="000000":T1=700:D=40:PRINT"■■■■■■■■■■■■■■■■■■"
 11 B1=33489:B2=33526
 12 FORBB=1TO7
 13 FORB=B1TOB2
 14 POKEB,208:NEXTB:B1=B1+40:B2=B2+40:NEXTBB
 30 T1=700-(P/2):A=INT((100)*RND(1)):FORPE=32848TO32888:IFPEEK(PE)=208THEN2000
 31 NEXT:IFTI>T1THENGOSUB1000
 32 POKE32887,31:POKE32847,32
 40 IFA<51THENX=32809:M=1
 50 IFA>50THENX=32846:M=-1
 60 POKEX,42:POKEX-1,32:POKEX+1,32
 70 GETA$
 75 IFA$="E"THEN7000
 80 IFA$=" "THENPOKEX,32:GOTO200
 90 X=X+M
 100 IFX>32846THENPOKEX,32:M=-1
 110 IFX<32809THENPOKEX,32:M=1
 120 GOTO60
 200 X=X+D
 210 IFPEEK(X)=208THENPOKEX-D,32:POKEX,32 :POKE59464,K:P=P+1:GOTO500
 220 IFX>33768THENPOKEX-D,32:POKEN,255:FORL=0TO500:NEXT:POKEN,1:GOTO30
 230 POKEX,42:POKEX-D,32:GOTO200
 500 READDA:IFDA=0THENRESTORE:K=255:POKEN,1:GOTO1200
 510 IFPEEK(X-DA)=208THENP=P+1:POKEX-DA,32:POKEN,K:K=K-9: GOTO500
 530 GOTO500
 900 DATA-40,-1,1,39,41,42,38,83,82,78,77,124,123,117,116,165,164,156,155
 901 DATA206,205,195,194,245,246,235,234,233,247,0
 1000 R=R+1:IFR>7THEN1050
 1010 PRINT:TI$="000000":RETURN
 1050 IFR>13THENR=0
 1100 PRINT:FORRR=33729TO33766
 1110 POKERR,208:NEXT:TI$="000000":RETURN
 1200 PRINT"■POINTS:"P"          HIGH SCORE"HP"    ■■■■■■■■■■■■■■■■■■
```

```
 77 POKE 50,127: TAB 17: PRINT "PRESENTS": POKE 50,255
 80 PRINT : PRINT : TAB 4
 81 PRINT : TAB 12: PRINT "THE THIRD ANNUAL"
 82 PRINT : TAB 4
 87 PRINT "  PERSONAL COMPUTER WORLD SHOW"
 92 PRINT : TAB 4: PRINT "    SEPTEMBER 4,5 AND 6, 1980"
 95 PRINT : TAB 4: PRINT "CUNARD HOTEL, HAMMERSMITH, LONDON"
 97 PRINT : PRINT : PRINT
100 FOR X=1 TO 39: PRINT "*";: TAB X: NEXT X
105 FOR X=23 TO 1 STEP -1: VTAB X: TAB 38: PRINT "*";: NEXT X
110 FOR X=38 TO 1 STEP -1: TAB X: PRINT "*";: NEXT X
115 FOR X=1 TO 23: VTAB X: TAB 1: PRINT "*";: NEXT X
150 FOR X=1 TO 2000: NEXT X
155 GOTO 20
```

Listing courtesy of Lion House

PEEK and POKE for Apple Pascal

by Stephen Withers

Apple Pascal provides routines to control all the standard Apple hardware but controlling additional devices can be a problem. For example, the communications card initialises to 300 baud but should you want to use a 110-baud Teletype then you'll have to load the ACIA's control register with the appropriate value. Instead of writing a routine to do just this, why not make it as generalised as possible by adding a POKE routine? It's then only logical to complement this with a PEEK facility. Just a couple of notes to accompany this listing: using macros in such a short listing is obviously unnecessary but the Pascal Editor allows such items to be copied into a program from a library file; if the value to be POKEd is higher than 255 then the high order byte is ignored; the printer used to produce this listing reproduces the character '#' as '£'.

```
    .MACRO  POP     ;SAVE TWO BYTES FROM STACK. THE PARAMETER MUST
                    ; BE A FREE PAGE 0 ADDRESS. USEFUL FOR SAVING
                    ; A SUBROUTINE'S RETURN ADDRESS.
    PLA
    STA     %1
    PLA
    STA     %1+1
    .ENDM
    ;
    .MACRO  PUSH    ;THE COMPLEMENT OF POP
    LDA     %1+1
    PHA
    LDA     %1
    PHA
    .ENDM
    ;
    .MACRO  DISCAR  ;DISCARD 4 BYTE STACK BIAS
    PLA
    PLA
    PLA
    PLA
    .ENDM
    ;
    ;
    ;ALLOCATE SOME STORAGE SPACE IN PAGE 0
RETURN  .EQU    0
ADDR    .EQU    2
    ;
    ;
    .FUNC PEEK,1
    ;-------------------------------
    ;EQUIVALENT TO BASIC'S PEEK, AND
    ; FUNCTION PEEK(ADDRESS:INTEGER):INTEGER;
    ;-------------------------------
    POP     RETURN  ;SAVE RETURN ADDRESS
    DISCAR          ;DISCARD STACK BIAS
    POP     ADDR    ;SAVE ADDRESS PARAMETER
    LDA     £0      ;MSB OF RESULT
    PHA             ; IS ALWAYS ZERO
    TAY             ;ZERO Y FOR DUMMY INDEXED ADDRESSING
    LDA     @ADDR,Y ;GET CONTENTS OFLOCATION REQUESTED
    PHA             ;SAVE LSB OF RESULT
    PUSH    RETURN  ;PUT ADDRESS BACK ON STACK
    RTS             ;ALL DONE!
    ;
    ;
    .PROC POKE,2
    ;-------------------------------------
    ;EQUIVALENT TO BASIC'S POKE AND
    ; PROCEDURE POKE(ADDRESS,VALUE:INTEGER);
    ;-------------------------------------
    POP     RETURN  ;SAVE RETURN ADDRESS


    PLA             ;THAT'S THE BYTE WE WANT
    TAX             ;SAVE IT
    PLA             ;IGNORE HIGH BYTE OF VALUE
    POP     ADDR    ;SAVE ADDRESS PARAMETER
    LDA     £0      ;DUMMY INDEX FOR INDIRECT ADDRESSING
```


MICROMART

PET
A/D INTERFACE, SOUNDBOX

Put PET to good work measuring/recording/displaying up to 8 analogue voltage inputs simultaneously with INPET 8, or one channel with INPET 1. Basic and machine code operating programs free with either unit. All interfaces are ready built and simple to use.

INPET 1 single channel £65
INPET 8 eight channel £75

Let PET play or make noises in games with CB2 sound ready built interface with free program.

PET SOUND £20
SOFTWARE on cassette

High resolution 1-8 channel bar graph display in basic £6
High resolution 1-8 channel bar graph display in machine code for very fast display of all channels £12
Single channel chart recorder £6
Please add 15% VAT to total order and state OLD or NEW ROM PET.
Alphur Electrics, 29 Holme Lane, Bradford BD4 0QA. Tel: 0274-685926

EPROMPT ERASER



* CLEARS UP TO 32 CHIPS IN 30 MINS ON 200-250v A.C. *
* CONTINUOUS 253.7nM BEAM. SAFE & SIMPLE. GUARANTEED *
* £39 C.W.O. £40 NETT 30 DAYS: ALL INCLUSIVE ! *
TRADE ENQUIRIES INVITED FOR SUBSTANTIAL DISCOUNTS
ALL ORDERS AND ENQUIRIES POST-FREE TO:
TEX MICROSYSTEMS LTD.
FREEPOST. ST. ALBANS. HERTS. AL1 1BR
ST. ALBANS 64077 / TRING 4797

SOFTWARE FOR THE NEW ROM PETS

Send for free list of games and utilities.
MYCROFT specialises in fast efficient machine-code programs at sensible prices eg.

TRACE
Displays the BASIC line being executed along with the values of any variables or expressions you select, in three lines of reverse video anywhere on screen. One line a second or single step. £4.50

COLONY 2
Now you can play Conway's absorbing game of Life on four times the playing area previously available. Use of double density graphics allows colonies up to 78 x 48, processing at over two generations a second. £5.50

COMMAND KEY
Our most popular program. A 300 byte routine that gives auto-repeating keys and adds a command level shift to PET for single key entry of 62 BASIC words. A template is provided. £3.50

RENUMBER
You can select the start number, the step size and where renumbering is to begin. It handles ALL references, including those to non-existent lines and occupies only 750 bytes. £5.00
Prices inclusive. Mail order only. Supplied on quality cassettes.


MYCROFT
262 Francis Chichester Way, London SW11 5HY

PET HIRE Southampton

Weekly charges:
8K large keyboard £23, 32K £30,
Tractor Printer, Floppy Disk £30, Manuals,
Tutorials, Games included.
New low Commodore prices:
16K from £475, 32K from £565, Printer £425,
Floppy Disk £695

All prices exclude VAT
Ex hire machines available
Official Commodore Dealer
SUPER-VISION
13 St James Road
Shirley, Southampton
Telephone (0703) 774023
After hours (0703) 554488

MICROMART



MICRO MAFIA?

An unnamed gentleman on the telephone has threatened to get our supplies cut off if we continue to sell our genuine

PROGRAMMERS TOOLKITS FOR PET

below the 'official' price of £55 + VAT. So best buy now, before our supplier makes us a refusal we can't offer!

16/32K ROM ONLY
£40 + VAT

MICROCASE "turns a board into a real computer"

NASCOM 1 & 2
COMPUKIT
SUPERBOARD
UNCUT FOR OEM USE

Direct from us or from your dealer — but make sure you see a GENUINE MICROCASE!
About £30

SIMPLE SOFTWARE LTD
15 HAVELOCK ROAD
BRIGHTON SUSSEX

Buy it with Access

TOPMARK Computers

dedicated to

APPLE II



Simply the best!

Full details from Tom Piercy on Huntingdon (0480) 212563

The ZX80 MAGIC BOOK

Programs to run. Games to play. Improving the picture. Adding RAM. Programming tips, debugging programs. And lots more for £4.75.
Inc. P&P & VAT
ZX80 Memory & I/O boards
Send SAE for details

TIMEDATA Ltd.57 Swallowdale
Basildon, Essex

PROGRAMS

```
    TAY
    TXA             ;GET LOW BYTE OF VALUE PARAMETER
    STA   @ADDR,Y   ;DO THE POKE
    PUSH  RETURN    ;RESTORE RETURN ADDRESS
    RTS             ;AND FINISH...
    .END
```

Submitting programs to PCW

Our programs section thrives on contributions from you, the readers. In particular we're looking for original ideas (no more Nim, decimal-hex conversions, Masterminds, digital clocks, etc please!) and we're not just interested in games — if you've a handy business/scientific/educational program then we'd be interested to hear from you.

Once you've written and *thoroughly* debugged your program, send it to us on cassette or disk with, if possible, a clear printout made with a new ribbon on plain (not lined) paper. Write a covering letter stating briefly what the program is, *exactly* which machine it's for (ie old/new ROM PET, or TRS-80 Level I or II) and how much memory it requires. On a separate sheet list any special instructions which aren't included in the program and write your name and address on each piece of paper you send us as well as on the cassette/disk. If you'd like your cassette/disk returned then enclose a suitable SAE.

The fact that we publish so many PET programs merely reflects the market share of this machine — we're always happy to see programs for other machines. If your program does not use machine-dependent graphics and can therefore be used on other micros, try to keep it as 'portable' as possible (see 'Basic Basic' this month). Don't purge your listing of unnecessary spaces unless you're really tight on memory as spaces improve program legibility and make it easier for others to key in.

Finally, we're not 100% biased in favour of Basic; we're always interested in short assembler programs and we're eagerly awaiting our first Pascal program!

Send your programs to: PCW Programs, Personal Computer World, 14 Rathbone Place, London W1P 1DE.

LEISURE LINES

with J J Clessa

Some of you have protested that I haven't been allowing enough time for you to work out your answers and get them to me! So last month I extended the deadline to 31 August, which means that I can't announce a winner now for Puzzle No 12.

Quickie

There are eight oranges in a box. How can you divide them between eight people so that each person gets one and one orange is still left in the box. The oranges must not be peeled or cut. As usual, no prizes for this one.

Prize puzzle

I've been told on numerous occasions that the problems aren't tough enough — well, here's one which should bend a few micros.

a. Which 10-digit perfect square contains the most zeros? b. Which 10-digit perfect square contains the most ones? and so on up to (j) Which 10-digit perfect square contains the most nines?

I want ten answers please, for the digits 0 through 9. If more than one perfect square is possible for an answer then any of the possibilities will be accepted. Your answers please on a *postcard* (letters are filed in the bin instantly) to Puzzle No. 13, PCW, 14 Rathbone Place, London W1P 1DE, to arrive by 30 September.

Prize of the month

Sorry to be so boring, but this month I'm giving away a book token.

BLUDNERS

Quite a few this month, starting with two algebraic errors in July's "Computer Games". Michie's formula for evaluating the discernability of a chess player should read:

$$d = (M+1)\frac{3(r+3)}{(r+e)}$$

and Box 3 should read:
Probability of opponent calling bet = p
Probability of opponent *not* calling bet = 1—p.

The address of acoustic-coupler supplier Anderson Jacobson Ltd., mentioned in last month's "Communication" has changed to 752 Deal Avenue, Slough, Bucks. And Peripheral Hardware is now at Armfield Close, West Molesey.

The suppliers of the Paper Tiger were accidentally omitted from our printer survey grid; they are Teleprinter Equipment Ltd of Tring and anyone wanting further details should contact Kaye Brooks on 044 282 4011.

Finally, our Stock Control packages review in July described Amplicon as originators of a package for the PET. In fact, although Amplicon sells the package, it originates from Anagram Systems, 9 Michell Close, Horsham, W Sussex, tel: 0403 68601.


TRS-80 owners!!

Double Disk Capacity with the Phantom Double-Density Module

Provides double density modification to your current TRS-80 Expansion interface

Increases storage capacity up to 204K bytes (on single 40 track drive.)

Includes all hardware and software.



£165

NEW

Load TRS-80 programmes & data Fast!

with the Phantom Disk Drive system

NEW





*23% more storage capacity than TRS-80
*40 track patch at no Extra charge.

Two drive system	£495
Four drive system	£935
Two drive cable	£20
Four drive cable	£30

Single drive system

£265

The only 16k complete computer for under £400

EX-STOCK



Keyboard computer, power supply, UHF modulator and all cables to plug into your own TV set and cassette recorder and go!! 16K of user RAM for decent size programmes and data, sophisticated level II Microsoft BASIC. Complete with level I and level II programming manuals. What more could you ask?

Now! Numeric keypad included

TRS-80

£382

Expansion interface £199.09
4K level I computer £251.30

This lot must be today's best buy!



NEW

Galaxy 2000 by Compu/Think

(.8 Megabyte Disks) £2,950
(2.4 Megabyte Disks) £3,960

SPECIAL – GALAXY prices include Compu/Think Pagemate Database and Report Writer at no charge

The most advanced complete microcomputer system available. Includes CPU, 12" CRT, full keyboard, 2 quad-density disk drives, 2 megahertz 6502 hybrid processor (double speed), 108 K system memory, high resolution (512 x 240) graphics, programmable character fonts, microsoft extended BASIC, DOS with random access I/O, full complement of I/O ports, monitor with debug, trace and tiny assembler, fifth (PL/M and fourth combination) interpreter, complete editing and entry with split screen capability, 64 microprogrammable opcodes, business software (with Database) available.



EX-STOCK

2001-8N

(8K RAM New large keyboard)

£425

NEW 80-Col. 32k £825


Super-Pets are here!

40 & 80 COLUMN

Now you can
– **list unlistable programmes** using the 6502 non-maskable interrupt facility! – just hit the new 'abort' button to jump out of programme into command mode
– **recover from crashes** without switching off – just hit the new 'reset' button.
– **add sound to your programmes!**
The hardware is built-in – just write sounds into your programme using our simple directions.

2001 – 16N (16K RAM and new large keyboard)	**£550**
2001 – 32N (32K RAM and new large keyboard)	**£690**
External cassette deck, suitable for all Pets	£53
CBM dual drive mini floppy	£695
Tractor feed printer with Pet graphics	£395
Pet high-res. graphics 200 x 320	£259

Get into print this easy way!



EX-STOCK

Anadex DP 800 dot-matrix printer

*Speedy 112 ch/s bidir. *Fits A4 page-up to 80 cols. *Up to 4 copies. *Precision form-filling with sprocket feed. *Special headings using double-width chars. *Modern paper format to match A4 filing systems. *Other paper sizes with adj. sprocket. *Full punctuation, U/L case, £ sign, 96-ch. set. *Reliable – strongly built. 100 M.ch. head.

Knock down price!

£499

Interfaces and cables –
Pet £45 Ohios £30
TRS-80 £40 Sorcerer £25
Apple £69




IBM golfball printer ideal for word-processing

*Forget expensive Spin-Wheel printers – the Golfball produces equal quality at up to 15 ch. per sec. *Match various typewriter styles with IBM interchangeable heads. *Completely reliable – each machine rebuilt by IBM trained engineers and fully guaranteed. *Precision form-filling possible with 15 in. pin-feed platen.

Non-keyboard version

£595

Keyboard version £695 (illus)
Interfaces and cables –
Pet £45 Ohios £63
TRS-80 £35 Sorcerer £25
Apple £69



Phantom 400/800 Thermal Printer

*Stop disturbing others with noisy printout! *Neat, clear, 96-ch. set, U/L case & symbols, in text mode. *Fast, 48 ch/s bidir. *Reliable – robust – only two driven parts. *Plug in and go, built in PSU, detailed manual. Thermal paper in 80 ft rolls less expensive than electro-sensitive paper and now – dot hyphen addressable graphics too!!

For only **A snip!**

£249 (40 col)


80 col model (800) £359
Interfaces and cables –
Pet £45 Ohios £63
TRS-80 £40 Sorcerer £25
Apple £69

Up to 1·6Mb for PET!

and 'on-line' with the Computhink Disc System

*Allows powerful business programmes using 16 Extra BASIC commands. *Easy to connect and use – plugs directly into 16/32K PETs, detailed manual supplied. *Simple startup (no difficult procedures to remember) as Disc Op. System in ROM. *Ready to run – useful programmes supplied free; full set of professionally written business packages available – Sales and Purchase Ledger, Stock Control, Payroll etc., *Real-Time processing, Engineering and Commercial boundaries overcome with full language support – Business BASIC, Assembler, FORTRAN, COBOL, PASCAL, FORTH, FIFTH, PLM, PILOT & CESIL.

24K Memory expansion with dual disc for old ROM 8K PET £275
for new ROM 8K PET £320



Basic 400K dual disc system only

EX-STOCK

£840

800K £1,095
1.6 Mb £2,190

You can afford to

start computing now!

EX-STOCK

Fully tested complete with 4K RAM.
Extra 4K RAM £35

£220



*Powerful programming possible – 6502 processor, fast 8K Microsoft floating-point BASIC (easy to learn). Superior utilities, 53 key key-board, giving upper and lower case, user-definable keys, gaming and graphics chs. Ultra-fast and powerful machine code from keyboard. *No intricate soldering or metal work. Computer supplied assembled in ready-made case. *Reasonable sized programmes in 4K RAM. *Expandable to 24K RAM in case, drives discs, printer; available items include Assembler/Editor and Extended Monitor. *Programme inter-changeability/reliability – Kansas City tape interface. *Save programmes on own cassette recorder – all cables supplied.

at a lower price than equivalent kits

COMPUTERAMA LTD.

your dealer for Bath, Bristol and S.W

Tel: Bath (0225) 333232

5 Cleveland Place East, London Road, Bath, BA1 5DJ.

24 hr ordering service
Full after-sales service in our own workshops
One year guarantee on all new machines



Please add £10 Securicor delivery on computers etc plus 15% VAT on all prices

Special terms available for educational and government establishments – dealer enquiries invited.

Advanced technology research and consultancy

logica

to £15,000

Central London and West Surrey

Logica is well known as one of Europe's most successful consultancies in Computing and Communications.

Our reputation for applied research continues to grow and our external clients include an impressive list of international companies, multi-national agencies and governments. To keep pace with rapidly developing technology, we also have a substantial in-house programme to provide system development tools and products for the future.

Communications Networks

Logica has always been strong in communications. Recent activities include the design of advanced military communications systems, and the development of very high bandwidth local user networks based on the Cambridge Ring.

Image Processing

We have succeeded in establishing an impressive skill centre providing services in image processing, speech recognition and pattern recognition. Projects range from ground-based computer systems for handling image data from satellites to classified applications for government and defence. The use of microprocessors in real-time systems and special displays for man-machine interaction are two areas of growing importance. Many of the techniques and tools required are developed on our in-house interactive system.

Software Engineering

With over 40 systems sold since launch in October, our relational database management system, RAPPORT, has gained wide acceptance in the market. We are building on this success with associated data management product developments, and are producing a range of tools which will help overcome problems central to the successful development of large software systems.

We are continually expanding our capabilities and developing new areas of activity. At present we are specially looking for people with backgrounds in communications, microprocessor based systems and software engineering, but we are interested in anyone with proven ability in technical research or consultancy.

Vacancies exist in central London and at our Advanced Technology Centre at Cobham, Surrey.

If you are keen to apply your skills to demanding problems in a dynamic commercial environment, this may be the logical step in your career development. You will be positively encouraged to contribute directly to the expansion of our business and continued success.

All you have to do to explore the possibility is ask Julia Roth on 01-637 9111 or write to her for an application form, Ref TG/18.

Logica Limited
Technical Group
64 Newman Street
London W1A 4SE

ELECTRONIC GAMES

ATARI



SPECIAL PRICE
£86 + VAT

INTELLIVISION MATTEL



Available August 1980
This is the most advanced TV game in the world.
Expandable
next year into a full microcomputer.
COLOUR CATALOGUE AVAILABLE WITH DETAILS ON ALL THE CARTRIDGES

£173.87 + VAT

CHESS COMPUTERS



NEW RANGE AVAILABLE AUGUST 1980
We specialise in computer chess machines & stock over 13 different models from £20 to £300

Send for further details.


TELETEXT



RADOFIN
TELETEXT
Add on Adaptor

£199 + VAT

SPACE INVADERS



HAND HELDS + CARTRIDGES
ATARI - ACETRONIC
- PRINZTRONIC
RADOFIN DATABASE etc.

We keep a full range!
Send for cartridge lists stating which machine you own.

BRIDGE COMPUTER



- ★ Plays 1/2/3 or 4 Hands
- ★ Problem Mode
- ★ Audio Feedback
- ★ Instant Response
- ★ Auto scorekeeping


BACKGAMMON COMPUTERS




OMAR 1
OMAR 2
CHALLENGER
GAMMONMASTER

From £38 to £108. Send for further details.

27 TUNE DOOR BELL £17.13 + VAT



DRAUGHTS COMPUTER



- ★ Solves Problems
- ★ Rejects illegal moves

2 level machine
£43 + VAT
4 level machine
£77.78 + VAT

LEISURE

- ★ CHEAP TV GAMES
- ★ TELEPHONE ANSWERING MACHINES
- ★ AUTO DIALLERS
- ★ CALCULATORS
- ★ DIGITAL WATCHES
- ★ PRESTEL
- ★ HAND HELD GAMES

FREE CATALOGUE


For a free copy of our 32 page catalogue, send a 12p stamp to Silica Shop Ltd or Telephone 01-301 1111

MAIL ORDER SERVICE – Free postage & Packing
TELEPHONE & MAIL ORDERS - accepted on:
Access ★ Barclaycard ★ American Express ★ Diners Club
CALLERS WELCOME – at our shop in Welling – Demonstrations daily
Open from 9am-5pm Mon-Sat (9am-1pm Wed)
GUARANTEE – Full 12 months + After Sales Support!

We have comprehensive brochures on all products. Please let us know what you are interested in and we will send you detailed brochures AND our own 32 page catalogue covering most games on the market.

SILICA SHOP
SILICA SHOP LTD., Dept. PCW 9b
102 Bellegrove Road
Welling, Kent DA16 3QF
Tel: 01-301 1111

EXPANDORAM II



Expandable Random Access Memory Board

Features

- * S-100 Bus Compatible
- * 4MHz Operation
- * Board Select for Multi-user System
- * Expandable Memory from 16K to 256K using 16K or 64K devices
- * DIP Switch selectable boundaries at any 16K or 64K boundary
- * Page Mode Operation Allows up to 8 boards on a Bus
- * Operates with Z80 CPUs
- * Phantom Output Disable and a manual Switch Selectable Output Disable
- * Power Dissipation — 5 watts, Typical
- * Wait States and Invisible Refresh Synchronized
- * 4-64K Banks are available with 4164's

The ExpandoRAM II provides a low cost means for expanding Random Access Memory capability for computers using the S-100 Bus structure. The board's design allows eight boards to operate from the same S-100 Bus.

Page mode operation provides the system with the capability of servicing multiple users without RAM interference. Synchronization of the wait state and invisible refresh deliver faster operation, allowing processing speeds up to 4MHz.

The ExpandoRAM II is compatible with most S-100 CPUs based on the Z80 microprocessor. When other SD SYSTEMS 200 series boards are combined with the ExpandoRAM II, they create a microcomputer with exceptional capabilities and features.

OUR PRICE: £129.00 + VAT (Kit Form) Built & Tested from:— **£295.00 — £495.00** + VAT.

For further information on this board, or any other boards in our comprehensive range i.e.: SBC100, Versafloppy I + II, VDB8024, Z80 Starter Kit etc. Please write or telephone.

airamco
AIRAMCO LIMITED

Unit A2 9 Longford Avenue
Kilwinning Industrial Estate
Kilwinning Ayrshire KA13 6EX
Tel. 0294 57755 Telex 779808

Karadawn Ltd.

Micro Computer Systems & Software

2 Forrest Way, Gatewarth Industrial Estate, Warrington, Cheshire.

Tel: 0925-38772. Telex: 628269

Business Systems

THE INCREDIBLE ROSTRONICS Z PLUS
- 2 MEGABYTE CAPACITY • Z80 CPU • 64K RAM
- ELBIT 1920-x TERMINAL WITH 15" SCREEN
- FULLY HOUSED IN CUSTOM BUILT WORKSTATION
- DELIVERED + INSTALLED AT ONLY **£4500.00**

Printers for the above from £925 — £2,500 by Teletype, Diablo, Qume, Centronics, Texas Instruments. 10 Megabyte Hard Disk system £7,950.

Word Processor Systems

* 2 MEG Z Plus system * Diablo Heavy Duty Daisywheel
* "Wordstar" Word Processor Pack *

DELIVERED + INSTALLED FROM £6,950.00

THE ULTIMATE PERSONAL/SMALL BUSINESS MICRO

Superbrain by Intertec

• 320K Dual Double Density Floppies • CP/m Op System
• 64K • TWIN Z80 A MICROPROCESSORS

DELIVERED + INSTALLED AT ONLY £1,950.00

ALL SYSTEMS CAN BE SUPPLIED WITH INDIVIDUALLY WRITTEN SOFTWARE TAILORED TO YOUR EXACT SPECIFICATIONS BY OUR OWN PROGRAMMERS. ALL OUR SOFTWARE IS FULLY SUPPORTED.

FOR THE PERSONAL COMPUTER

PRINTERS Centronics 730 C80/132 Character Mode,
Roll/Sheet/Sprocket £525.00. Paper Feed,
110 C.P.5, 6 International CHR sets, TEAC Disc Drives. Smooth as Silk.
Single Drives £250 Inc Cable, Double Drives. £450. Inc Cable.
Floppies **FREE** plastic library case with every 10 disks 5¼" verbatim **£33.00**
8¼" Double sided, double density **£45.00**

COMPUTER WAREHOUSE

NOW OPEN
MONDAY-SATURDAY
9.30-5.30

THE CHIPS ARE DOWN
MOSTEK, INTEL, NEC, MOTOROLA
I.C. PRICES SLASHED!

A massive purchase of brand new "state of the art" data processing equipment enables us to offer the following chips at never, and we mean **never** to be repeated prices.

8085A-2	Central Processor	**£11.99**
8155C	256x8 Static Ram	**£8.95**
8253C	Programmable Interval Timer	**£8.95**
8255A	Programmable Peripheral Interface	**£9.95**
8259A-8	Programmable Interrupt Control	**£4.75**
8755A	2Kx8 Eprom 16 1/0 Lines	**£34.50**
2716	5volt Singe Rail 2Kx8 Eprom	**£10.25**
2708	1Kx8 Eprom	**£4.95**
4116	16K Dynamic 250ns Rams 8 for	**£28.50**
2102	1K Static 450ns Rams 8 for	**£6.75**
1702	256x8 Eprom	**£3.75**

And Remember All Chip Prices *Include* V.A.T.

All above I.Cs are brand new *or* removed from new unused socketed P.C.B.'s. Eproms supplied washed.

All full spec. and guaranteed

SUPERVALUE P.C.B. SPECIAL

Another great buy. Board contents include 62 Digital I.C.'s all located in 14 pin D.I.L. sockets. Original cost over **£90**, our price only **£4.95 + PP 65p.**

In stock now test equipment, microprocessors, teletypes, transformers, power supplies, scopes, sig. gen's, motors, peripheral equipment, I.C.'s, tools, components, variacs, keyboards, transistors, microswitches, V.D.U's sub-assemblies + thousands of other stock lines. Just a mere fraction of our vast range, is displayed below: 100's of bargains for callers.

OPTO SMASH!

TIL 302/MAN 7 7 segment LED readout common anode direct drive (via resistors) from 7447 £1.10 each
TIL 119/OC72 Darlington opto isolator 3 for £1.00.
TIL305 0.3" 7 x 5 matrix LED alphanumeric readouts £3.75 each.
PHOTO TRANSISTOR Fairchild FPT-100 NPN silicon 30v. 25ma. 4 for £1.00.



SUPER 77 KEY KEYBOARD KIT

We've done it again! We've purchased a large quantity of **CP CLARE** top quality keyboard reed switches plus full **QWERTY** keytop sets and thrown in a PCB to enable you to customise the keys just as YOU want them, just add and wire an encoder chip and you can arrange **ASCII, BAUDOT,** anything! Adding up to a quality keyboard which would normally cost around £100.00. Supplied with layout and assembly info at only **£26.99** + £1.50pp.

HOW TO GET HERE

Victoria, London Bridge or Holborn Viaduct to Thornton Heath. 1 minute from Thornton Heath Station.

DISPLAY I.C. AND TRANSISTOR BARGAINS NEVER CHEAPER

All I.C.'s and Transistors by well known manufacturers and fully guaranteed. No fall outs. Comprehensive data on I.C.'s 15p per type.
2N4351 N channel MOS FET.
2N4352 P channel MOS FET 60p each £1.00 per pair.
HIGH VOLTAGE NPN POWER SWITCHING transistors BVcbo 600v BVceo 500v BVebo 15v Ic 5 amps Pc 125 watts HFE 60 typ ft 2.5 mhz ideal invertors, etc. TO3 £1.60 each 4 for £5.40.
BF258 NPN 250v @ 200ma 45p each 3 for £1.08.
I.R. BSB01 2.5 amp 100v bridge rec. P.C. mount long leads 35p each 4 for £1.08.
IN4998 4 amp 100v P.C. mount diodes long leads 14p each 10 for £1.10.
LM309K +5v 1.2 amp regulator £1.10 each 6 for £5.35.
AGFA C10 computer grade cassettes complete with library cases 68p each, 10 for £5.50
IN4004 SD4 1 amp 400v diodes 7p each 18 for £1.00.
I.R. 12 amp BRIDGE RECS. 400 volt £1.25 each.

POWER DARLINGTON SCOOP!
MJ1000 NPN 60v 90w 8 amps TO3 95p each
2N6385 NPN 80v 100w 10 amps TO3 £1.25 each
MJ4030 NPN 60v 150w 16 amps TO3 £2.25 each

S.C.R.'s
2N3001 30v 350 ma TO18 22p each 6 for £1.00
2N5061 60v 800ma TO18 27p each 4 for £1.00
2N4441 50v 8 amps TO220 45p each 10 for £4.00
C106D1 400v 5 amps TO202 55p each 10 for £5.00

TRIACS
G.E. 12 amp 600v TO220AB 95p each 10 for £8.75
A.E.I. 10 amp 400v ready mounted on 2½" x 2½" heatsink £1.00 each 4 for £3.75

LOW PROFILE I.C. SOCKETS
8 D.I.L. 10p each 12 for £1.00
14 D.I.L. 14p each 8 for £1.00
16 D.I.L. Gold Plated mil. grade 22p each 6 for £1.00
22 D.I.L. 27p each 5 for £1.00
24 D.I.L. 35p each 3 for £1.00
40 D.I.L. 60p each 2 for £1.00

OTHER GOODIES
2N3055 (R.C.A.) 65p each
2N5943 R.F. output 40 volts, 1 watt up to 1000MHZ T.O.5 55p each 10 for £5.00
2N4304 WN720 F.E.T. transistor 37p each 3 for £1.00
LM380N/SL6051 14 D.I.L. 2 watt A.F. amp 80p each 8 for £6.00
CA3028B DC 120 MHZ differential cascode amp £1.00 each 3 for £2.50
CA3011 20 MHZ wideband amp TO99 case 65p each 2 for £1.00
TMS3114 DUAL MOS 128 bit static shift reg. DC 2.5 MHZ £1.50 each 4 for £4.25
NE555 10 for £2.55
GE424 zero voltage switch, triac SCR relay driver TO5 can £1.10 each 7 for £6.50
FSA2719 8 independent diodes IN4148, IN914 type in 16 D.I.L. pack 38p each 3 for £1.00
FPQ3725 4 NPN 50v 500ma transistors in 14 D.I.L. pack 70p each 2 for £1.00

POWER SUPPLY UNITS

5 VOLT 2.5/8 AMP TTL Made for TTL this compact ex computer systems unit features a 10 amp transformer. DC outputs of 5 volts @ 2.5 amps and 7.5 volts @ 5 amps are available. The 5v output is fully regulated and smoothed with electronic current limiting. May be easily moded for 5 volts @ 7-8 amps. Sold complete with circuit, believed working but untested. **£8.25 + £1.60pp.**

5 VOLT 3 AMP Ex computer systems, complete on one small chassis, features full regulation and crowbar over voltage protection.
£8.50 + pp 80p

PRINTERS
CENTRONICS 101A 132 column Matrix printer, serial/parallel input **£525 + VAT**
DATA PRODUCTS 300-1100 L.P.M. 80 column Barrel printer, standard T.T.L. parallel interface **£650 + VAT**
Many other printers available from **£45.00**

DATA DYNAMICS 390 ASCII PRINTERS



ONLY £135 + CAR + VAT

An advantageous purchase enables us to offer you these superb condition quality printers at a fraction of their original cost. The 390 is a standard Teletype printer housed in a soundproof case. Standard features such as 80 columns, 20ma/RS232 interface and 110 Baud enable direct connection to your M.P.U. Supplied in excellent condition and guaranteed in working order.

SEMICONDUCTOR 'GRAB BAGS'

Amazing value mixed semiconductors, include transistors, digital, linear I.C.'s, triacs, diodes, bridge recs. etc. etc. All devices guaranteed brand new, full spec. with manufacturers markings, fully guaranteed.
50 + BAG **£2.95** 100 + BAGS **£5.15**

MUFFIN FANS

Keep your equipment Cool and Reliable with our tested ex-equipment "Muffin Fans" almost silent running and easily mounted. Available in two voltages. **110 V.A.C. £5.05 + pp 65p OR 240v A.C. £6.15 + pp 65p DIMENSIONS 4¾" x 4¾" x 1½".**

ELECTRONIC COMPONENTS & EQUIPMENT 66% DISCOUNT

Due to our massive bulk purchasing programme which enables us to bring you the best possible bargains, we have thousands of I.C.'s, Transistors, Relays, Cap's., P.C.B.'s, Sub-assemblies, Switches, etc. etc. surplus to our requirements. Because we don't have sufficient stocks of any one item to include in our ads., we are packing all these items into the **"BARGAIN PARCEL OF A LIFETIME"** Thousands of components at giveaway prices! Guaranteed to be worth at least *3 times* what you pay plus we always include something from our ads. for unbeatable value!! Sold by weight

2.5kls £ 4.75 + pp £1.25 5kls £ 6.75 + pp £1.80
10kls £11.75 + pp £2.25 20 kls £19.99 + pp £4.75

COMPUTER BARGAINS
NORTH STAR HORIZON, 56K Ram, dual double sided, double density floppys, 4 I/O ports, software etc, as new **£1850.00.**
CASE 16 Bit Processor, 16K Ram, dual 8" floppys V.D.U. etc. running **£1250 + VAT.**

★ SHUGART SA800 ★
8" Floppy Disk Drives
as new **£225.00** + VAT

I.B.M. I/O GOLFBALL TYPEWRITERS

Still the cheapest way to superb quality print, when interfaced they will print at 15 C.P.S. and give indistinguishable copy as if typed by a highly paid secretary! A large range of type fonts make them ideal for all word processor applications, and even without the computer they still function as a quality electric typewriter. Supplied in 2 grades.

1) Good general condition with I/O mechanics/ electrics may require modification for full correspondence use. Complete with interface data-	**£295.00 + VAT + CARR**
2) Serviced, modified, and ready to go via aculab interface complete with new golfball	**£355.00 + CARR + vat**
ACULAB parallel to IBM interface for Apple, Sorcerer, TRS80, etc.	**£165.00 + CARR + VAT**

DECADE 0-9 THUMBWHEEL SWITCHES. Stackable, gold plated contacts, dim. 33 x 43 x 8 mm. 90p each, 10 for £5.50.
Miniature Continental Series 12VDC 4c/o plug in relays £1.30 each.
Greenpar 50Ω BNC Chass. socket single hole fixing **65p**
C90 Audio Cassettes screw type construction 45p each 3 for £1.00.
Bulbs 24v 14 watt white frosted S.B.C. 8 for £1.00.
Bulbs 12v 100 watt clear, base similar S.B.C. 45p each
S.B.C. Bulb Holders All steel cad plated panel mount easily fixed via nut and round hole, ideal disco displays, scoreboards, etc. 4 for £1.10.
VMOS VMPI Siliconix TO3 power FET 0-60v, DC-200 mhz will drive direct from CMOS etc, £1.50 each, full date 30p.
Heavy Duty Flat Insulated Earth Braid 100-200 amp braided tinned copper in heavy clear PVC sheath 50p per metre. £6 for 15 metres + PP £1 per 15 metres.
BULGIN miniature 6 way male chassis mount socket and matching free plug 60p each, 2 for £1.10.
Red L.E.D.'s full spec. 0.2" 14p each. 10 for £1.25.
Red L.E.D.'s (0.125" 10p each 10 for 80p)
Dynamic Stick Mics 600Ω with built in on/off switch complete with lead and min. jack plug £1.15 each. 10 for £10.00.
TO5 HEATSINKS "Thermaloy" black anodised press on aluminium finned type 18p each. 8 for £1.00

CRYSTALS

FREQUENCY	CASE	PRICE
100.00 KHZ	HC6/U	£2.95
1.00 MHZ	HC6/U	£2.75
2.00 MHZ	HC6/U	£2.35
2.50 MHZ	HC6/U	£2.35
5.00 MHZ	B7G	£2.25
8.00 MHZ	HC18/U	£2.25
10.00 MHZ	HC18/U	£2.25
11.20 MHZ	HC18/U	£2.25
20.00 MHZ	HC6/U	£2.50
33.333 MHZ	HC18/U	£1.75
UART Xtal 38.40 KHZ*	HC18/U	£2.80

SAE for latest XTAL stock list

BARGAINS GALORE!
In our walk round Warehouse
NOW open Monday to Saturday 9.30-5.30

★ 76 KEY ASCII CASED ★

KEYBOARDS

At last a coded 76 key cased ASCII keyboard at the right price. Housed in an attractive light grey case, this unit was originally made for ICL for use in airport reservation systems so only the BEST parts were used. It has everything, we think, to meet your most exacting requirements, numeric keypad, upper and lower case, cursor controls, single 5 volt rail, serial and parallel data outputs, plus eight LEDs mounted on the case. Supplied with circuits, believed brand new, but may have minor scratches on cases.
Only **£43.50** + £1.60pp

★ LOW PRICE CHASSIS ★



A special bulk purchase enables us to offer the above keyboard at a lowest ever price. 49 coded keys encoded into a direct TTL compatible 7 bit output. Features such as delayed strobe, 5 volt D.C. single rail operation and rollover protection make this an absolute must for the MPU constructor! Supplied complete with connection diagram and edge connector, at a secondhand "no time to test" price of only **£20.00** + P.P. **£1.60**

SUPER CASED VERSION Same as above spec. but housed in attractive two tone moulded, free standing case. Unit also includes an all TTL parallel to serial convertor (no details) etc.

£27.50 + P.P. **£1.85**

TOROIDAL TRANSFORMERS

HP 240v pri. sec. 2 x 30v @ 4 amps 2 x 18v @ 1 amp £11.00 + p.p. £1.95
dimensions 4½" x 2½"
PR 240v pri. sec. 15-0-15 @ 2 amps dimensions 3" x 2½" £4.95 + p.p. 99p
TM 240v/110v pri. sec. 15-0-15 8vA dimensions 2½" x 1" £1.95 + p.p. 30p
All voltages measured off load.

Plugs, Sockets & Connectors Cannon 'D' Range

Ways	Plug	Socket
9	£1.03	£1.26
15	£1.17	£2.01
25	£1.72	£2.58
37	£2.35	£4.14
50	£2.90	£5.46

25 way ex-equip. plug or socket **£1.25**

Edge connectors, gold plated

0.1" DS	85 way	**£3.99**
0.1" DS	45 way	**£2.45**
0.15" DS	56 way	**£3.25**
0.156DS	36 way	**£2.00**

All connectors easily cut to size
1000's of other connectors ex stock

ELECTRONICS

Dept. PCW 64-66 Melfort Rd., Thornton Heath, Surrey.
Telephone 01-689 7702 or 01-689 6800


MAIL ORDER INFORMATION

Unless otherwise stated all prices inclusive of VAT. Cash with order. Minimum order value £2.00. Prices and Postage quoted for UK only. Where post and packing not indicated please add 40p per order. Bona Fide account orders minimum £10.00. Export and trade enquiries welcome. Orders despatched same day where possible. Access and Barclaycard Visa welcome.


PERBRAIN™ & NEC

U KNOW THE MACHINES

BUT NOT THE PRICES!



£1390
+VAT



£1495
+VAT

PHONE: 08444 4764


FULL RANGE OF SOFTWARE

MICHAEL JOHNSON LTD

NB

NewBear. in 1980

SHARP MZ80K PLUS THE WIDEST RANGE OF PERIPHERALS & PROGRAMS IN THE



MZ8083 Sharp Printer	@. . . .£517.00
MZ80K FD Double 5¼" Disk Drives	@. . . .£780.00
5 slot I/O Box	@. . . .£ 99.00
Newbear MZ80K V24 Interface	@. . . .£ 49.95
Zen MZ80K Assembler/Editor	@. . . .£ 19.50
Machine Code Tape & Manual	@. . . .£ 22.50
Assembly Code Tape & Manual	@. . . .£ 45.00
Sharp Basic Listing	@. . . .£ 30.00
Sharp Monitor Listing	@. . . .£ 15.00
Sharp Basic Manual	@. . . .£ 7.00

* H.P. TERMS AVAILABLE
* FREE DELIVERY & SELECTED GAMES SOFTWARE

8300 RM PRINTER

80/132 ch per line (switchable); 125 c.p.s.; 2K Buffer; V24 RS232/ Current loop interface; Speed switchable between 110-9600 baud; Double width char. available under software control; sprocket feed; 7 x 9 dot matrix; Paper width 4.5" to 9.5".


Price . . . . . **£525** + carriage

SPECTRONICS U.V. EPROM-ERASING LAMPS

PE14	Erases up to 6 chips, takes approx. 19 mins .	£ 56.00
PE14T	Erases up to 6 chips, takes approx. 19 mins .	£ 76.58
PE24T	Erases up to 9 chips, takes approx. 15 mins .	£111.22
PR125T	Erases up to 16 chips, takes approx. 7 mins .	£237.84
PR320T	Erases up to 36 chips, takes approx. 7 mins .	£384.09

U.V. EPROM ERASING CABINET

PC1000	Erases up to 72 chips, takes approx. 7 mins .	£842.83
PC2000	Erases up to 144 chips, takes approx. 7 mins	£1227.69



apple

APPLE II PLUS
&
NORTH STAR
HORIZON

ZEN Z80 EDITOR/ASSEMBLER
FOR NASCOM I
TRS 80
SHARP M28OK
PLUS
STANDARD INTEL
FORMAT

SPECIAL OFFER

2708*	£4.50
2716*	£12.50

SEND FOR SPECIAL OFFER LIST

*Cash/cheque orders only

Terms: Official Orders (min. £10). Barclaycard & Access welcome. Add 15% to hardware prices.
Send for Catalogue and new July Booklist. All mail order to Newbury.

Mail Order & Head Office: 40 Bartholomew Street, Newbury, Berks. Tel: 0635 30505
Manchester Showroom: 220-222 Cheadle Heath, Stockport. Tel: 061 491 2290
Birmingham Showroom: 1st Floor Offices, Tivoli Centre, Coventry Road, Birmingham. Tel: 021 707 7170

TOMORROW TODAY
at
Birmingham Computer Centre

Commodore official distributors

New low price



from £425

3016, 3032, 3008 PETs
The reliable value for money system with after sales support, instruction and training facilities and a wide range of programmes.

New low price



from £695

3040 DUAL DRIVE FLOPPY DISC
The latest in disc technology.
Low cost with reliable data transfer.

New low price



from £375

3022 PROFESSIONAL PRINTER
The high specification printer.
Prints all PET characters onto paper and accepts labels, printed forms, cheques etc.

New low price



48K Disc drive with controller £1,044 + VAT

Apple authorised distributors
The sophisticated quality system with a reputation for advanced design and innovation.

Camden Electronics, First Floor,
462 Coventry Road, Small Heath,
Birmingham B10 0UG.
Telephone 021 773 8240

Open Mon.-Sat. 9.30-6.00 p.m.

A MEMBER OF THE COMPUTER RETAILERS ASSOCIATION

a digitizer adds another dimension

The Bit Pad computer digitizer converts graphic information into digital form for direct entry into a computer. By touching a pen like stylus or a cursor, to any position on a drawing, diagram, photograph, or other graphic presentation, the position co-ordinates are converted to digital equivalents

- **Bit Pad interfaces with almost any micro computer.**
- **Bit Pad consists of a 15" sq. digitizer tablet (11" sq. active area), a stylus, and a controller cabinet.**
- **Bit pad costs only £532**
  (inc RS232) excluding VAT

Fill in the coupon and we will send you full information and details



tds

Terminal Display Systems Ltd

Hillside, Whitebirk Estate,
Blackburn, Lancs BB1 5BR
Telephone (0254) 662244
Telex 63162 TDS G

Send to Terminal Display Systems Ltd, Hillside, Whitebirk Estate, Blackburn, Lancs BB1 5BR

Name _____

Address _____

PWS980

tds

SMG

HARDWARE
Pet systems with Commodore or Computhink drives.
ITT Apple and Video Geni all on display + disks, tapes, books and games.

SOFTWARE
SMG STOCK CONTROL
SMG ACCOUNTS
(can integrate fully with SMG STOCK CONTROL)
also stockists of GRANT BUSINESS SYSTEM.


SMG MICROCOMPUTERS
39 Windmill Street,
Gravesend, Kent.
Tel: 0474 55813

SORCERER


exidy inc.

CP/M™
S100
Z80

For the serious user:
Business
Education
Amateur



PIO + RS232/20ma serial O/P
Dual 1200 baud cassette O/P



Memory mapped
30 lines × 64 characters
upper/lower case + 128
programmable graphics

Video or UHF

6 slot S100 expansion
(not illustrated)



ROMPAC

SORCERER
16-48K internal RAM
Z80 CPU, 4K monitor



Micropolis 630K dual disk
CP/M or Micropolis MDOS

STANDARD SORCERER

- Displays 30 lines of 64 characters - more than any other personal computer. 79 key stepped typewriter-style keyboard with separate numeric pad for fast data entry.
- Plug in ROMPAC cartridges for programming languages, special applications (e.g. word processing) or creating a user's dedicated system. Sorcerer is supplied with 8K Microsoft BASIC ROMPAC
- Composite video output for video monitor or UHF output for use with an unmodified TV set at nominal extra charge.
- Z80 CPU with up to 48K RAM on-board.
- 4K power-on monitor in ROM allowing machine code programming, batch processing, memory transfers and copying, alteration of memory locations, use of cassette files.
- Dual 300 or 1200 baud cassette ports with motor control
- Parallel I/O port and serial RS232 port for direct connection to printers or use as a terminal to a larger computer - no expensive 'extra' communications interfaces
- Full upper/lower case ASCII characters plus 128 user programmable graphics (64 default to standard graphics symbols if undefined). Default graphics above ordinary characters on keytops.

16K £749.00 **32K £799.00** **48K £849.00**

Expansion Capabilities

- 6 slot S100 expansion for memory up to 56K RAM, disc drives (5¼" or 8") etc. Standard bus means that you are not dependent on equipment from a single manufacturer **£240.00**
- Micropolis double density 5¼" drives with MDOS and Disc BASIC:
  First drive (incl. controller card) single 315K **£690.00**
  Additional drives (max 4 drives/controller) 315K **£390.00**
- FDM 180 Disk Unit: Micropolis Disk Drive, plugs directly into Sorcerer, does not require S100 Unit:
  Single 315K Disk Drive (c/w CP/M and Microsoft BASIC) **£599.00**
  Single 315K Add-on Disk Drive. **£450.00**
- CP/M industry standard disk operating system **£75.00**
- Development ROMPAC - Z80 assembler, loader, editor, debugger **£70.00**
- EPROM PAC for loading dedicated software up to 16K **£35.00**
- Configuring programs allow Sorcerer to be used as a 'dumb' terminal or, with CP/M, as an intelligent terminal.

Programming Languages

The following programming languages are available for CP/M:

Microsoft Disk BASIC interpreter (BASIC 80 - compatible compiler), CBASIC2 (compiled BASIC), FORTRAN 80 and COBOL-80, ALGOL 60 - A Z80 system with graphics, string handling and random-access filehandling.

All Exidy products are covered by 12 months warranty.
CP/M™ is a trademark of Digital Research.
All prices exclusive of VAT

THE WORDPROCESSING WIZARD!

Sorcerer's upper/lower case typewriter keyboard and unusually large display (30 lines of text; approximately equivalent to one double-spaced typed page) makes it ideal for word processing applications. The Exidy word processor PAC is a sophisticated screen editor and text formatter with automatic text wrap-around, left and right justification, proportional letter spacing (on disk only with Spinwriter) and many other formatting facilities. It can also search for and replace strings, move and merge blocks of text and a macro facility allows specification of tasks such as mail-merge letter typing.
Letters and texts can be stored on cassette or disks (one disk will store approximately 300,000 characters and costs less than five pounds. 32K or 48K RAM is recommended.

Word Processor PAC **£120.00** Disk Version: **£118.75**

C.Itoh 8300 dot matrix printer -40, 80 and 120 characters per line on 9½" wide paper, 125 characters/second, upper/lower case, tractor feed, forms positioning **£499.00**

NEC Spinwriter solid font printer -variable horizontal and vertical spacing, proportional spacing, interchangeable fonts, carbon or fabric ribbon, 55 characters/second, paper up to 16" wide **£1,900.00**

Example system: 32K Sorcerer, video monitor, FDM 180 Disk Unit with CP/M and Microsoft BASIC, C.Itoh 8300 printer, Word Processor on disk and CP/M. **£2,225.00**

Business Software

Besides its word processing capabilities, Sorcerer can run a wide range of business software thanks to the widely used CP/M disk operating system available for the Micropolis disk drives. Programs available include:

Payroll: (requires CP/M and CBASIC2) **£250.00**
General Ledger, Job Costing, Accounts Receivable, Accounts Payable: (all require CP/M and CBASIC2) **£335.00 each**

For further information and list of dealers, please contact the sole U.K. distributors.

GEOFF WILKINSON, Dept. PCW.1

LIVEPORT
DATA PRODUCTS
The Ivory Works, St. Ives, Cornwall TR26 2HF
Telephone: (0736) 798157

PLEASE SEND DETAILS OF THE EXIDY RANGE/WORD PROCESSOR

NAME _____

ADDRESS _____

_____

_____ PCW.1



centralex


CENTRALEX-LONDON LTD
8–12 Lee High Rd, London SE13
Tel: 01-318 4213/4/5/6/7
9.30 am – 5 pm Mon to Fri –
Evenings and weekends by appointment

A comprehensive range of Microcomputers Equipment, Peripherals, Software and Services for those who value Professional Standards, Guidance and Continuing Support for Hardware and Software.

APPLE	PET	ITT 2020	EXIDY	HORIZON
TEXAS	OHIO SCIENTIFIC	CROMEMCO	MICROSTAR	SHUGART
MICROPOLIS	CENTRONICS	ANADEX	INTEGRAL	TELETYPE
DIABLO	QUME	DEC	DATA GENERAL	EPSON
MICROLINE	HITACHI	LEXICON	ETC. ETC.	

INFORMEX-80 Printer

£399+VAT




Special offer – for a limited period

For PET, APPLE, EXIDY, TRS80, ETC
A high quality, high speed printer
(125 cps) Upper and lower case letters
plus graphics as standard
Interface and cable for TRS80, PET,
APPLE or RS 232 £69 + VAT
Tractor feed option only £39

ALSO Training, Consultancy, Systems Design, Programming and Software

PAYROLL – INVOICING – STOCK CONTROL – SALES/PURCHASE LEDGER – VAT – MEDICAL RECORDS – EDUCATIONAL & ENGINEERING PROGRAMMES – HOTEL RESERVATION – ESTATE AGENTS – BUILDING MAINTENANCE – COBOL – FORTRAN – ETC.

Maintenance Contracts including stand-by equipment during repair periods – Free Delivery Nationwide – Terms arranged – Credit Cards and official orders accepted.



Micro-Computer Centre for the MIDLANDS

Nascom and Commodore Specialists

A full range of micro computers and peripherals are available, whether buying or browsing we can give helpful and friendly advice.

Commodore Business Systems are suitable for the professional office, the small business or the sole trader. We will be pleased to give advice and a demonstration.

Nascom 2 systems can be fully built and tested to order. We are sole distributors for the **Micro Type case** for Nascom 1 and 2, also stockists of the **William Stuart colour graphics** and full range of 'add-ons'.

COMMODORE nm BARCLAYCARD VISA

Business & Leisure Micro Computers
16 The Square, Kenilworth, Warwickshire CV8 1EB.
Tel: (0926) 512127

INTERACTIVE Data Systems

Interactive Data Systems
14 Buckman Close · Greenleys · Milton Keynes · MK12 6AB
Telephone (0908) 313997

DATA PROCESSING SYSTEMS — INDUSTRIAL CONTROL SYSTEMS
Sales — Design — Manufacture

THE BRITISH S100.

At last you can buy a range of S100 boards manufactured to the highest standards in the U.K., compatible with the new I.E.E.E. S100 specification and competitive in price with anything the Americans can throw at us.

Z80 CPU. A basic 4MHz CPU board with all the logic and buffers required to drive the S100 bus.
Kit £84 A & T £105

SBMC A 4MHz Z80 single board microcomputer featuring 2 RS232 ports (or 20mA) with full handshaking, 1K of scratchpad memory, up to 16K of EPROM and a 4 channel counter/timer/vector interupt.
Kit £178 A & T £235

8KS RAM This is an 8K static memory board utilising the industry standard 2114 memory chip.
Kit £98 A & T £114

16K SRAM This is a 16K static memory board utilising the industry standard 2114 memory chip.
Kit £174 A & T £198

FDC Any combination of 8" and 5", single or double sided floppy disk drives can be handled in single or double density with this board.
Kit £177 A & T £198

TERM 40 Active termination board for reduction of crosstalk and ringing in the bus.
A & T £32-50

SEE YOU AT STAND No. The 3rd Personal Computer Show

PCI Process Control Interface, 8 channels relay isolated output, 8 channels opto-isolated input, 8 bit TTL I/O, 4 x 8 bit D/A, 8 x 8 bit A/D.
Kit £195 A & T £223

Details from the Distributors:–
MENDIP COMPUTERS
57 Bath Road, Wells, Somerset, BA5 3HS.
Telephone: (0749) 75249

INTERTRONIX
83 West Street, Farnham, Surrey GU9 7EN.
Telephone: (0252) 722011

DATRON of SHEFFIELD

for Cromemco the ultimate name in micros



DATRON import direct from Cromemco, California.
DATRON can supply Nationwide.
DATRON can provide maintenance nationally
DATRON can give you the realistic prices.
DATRON have in stock:–

SYSTEM 2 64K £ 2095
SYSTEM 3 64K £ 3746
Z-2H HARD DISC 10M £ 5373

DATRON can supply Systems 2 and 3 with Multi-Tasking facilities.
DATRON easily accessible – in the centre of the country.

Write or telephone for FREE colour brochure on System 3 or Z-2H.
We use Cromemco for our own business, why not call in for a demonstration.

MEMBER CRA COMPUTER RETAILERS ASSOCIATION

Demonstrations. 9am-5pm Monday-Saturday.

BOOKS from DATRON

all books in stock at press date

The BASIC Handbook	David Lien	£11.00
Illustrating BASIC	Donald Alcock	£2.50
Basic BASIC	Donald M. Munro	£2.00
The Little Book of BASIC Style	Nevison	£5.75
Some Common Basic Programs	Osborne	£7.95
32 BASIC Programs for the PET	Rugg & Feldman	£9.75
A guide to BASIC Programming	Spencer	£8.85
A guide to PL/M Programming	McCracken	£7.95
PASCAL An Intro. to Methodical Prog.	Findlay & Watt	£4.95
Introduction to PASCAL	Welsh & Eider	£6.95
Programming in PASCAL	Grogono	£6.95
Primer on PASCAL	Conway et al	£7.10
Struct. Prog. & Problem Solving with PASCAL	Kieburtz	£8.40
Problem Solving using PASCAL	Bowles	£7.95
An Introduction to Programming and Problem Solving with Pascal	Schneider	£5.20
COBOL for Business Applications	Philippakis	£10.25
COBOL with Style	Chmura & Ledgard	£5.40
Learning COBOL Fast	de Rossi	£6.45
FORTRAN Techniques	A. Colin Day	£2.95
FORTRAN Fundamentals	J. Staingraber	£3.45
Problem Solving & Struct. Prog. in FORTRAN	Friedman & Koffman	£9.95
An Intro. to Prog. & Applications with FORTRAN	Hull & Day	£8.45
Z80 Micro Handbook	W. Barden	£6.95
Z80 Programming for Logic Design	Osborne	£6.30
Z80 Micro. Prog. & Interfacing Bk. 1	Nichols & Rony	£7.75
Z80 Micro. Prog. & Interfacing Bk. 2	Nichols & Rony	£8.50
Z80 Instant Programs	J. Hopton	£7.50
Z80 Programs (cassette)		£10.00
Z80 Assembly language Prog.	Leventhal	£8.15
Z80 Programming for Logic Design,	Osborne	£6.30
Programming the Z80	Zaks	£8.95
Mostek Z80 Micro Software Programming Guide		£6.00
6502 Assembly language Prog.	Leventhal	£8.25
6502 Applications Book	Sybex	£8.95
Programming the 6502	Zaks	£7.95
Programming a Micro (6502)	Foster	£7.25
PET Work Books Vol. 1-6		£18.00
6502 Assembly Language Programming.	Leventhall	£8.25
The Best of Micro, Vol. 1		£5.50
Vol. 2		£6.50
The PET Revealed		£10.00
Intro. to Personal & Business Computing	Zaks	£5.45
Peanut Butter & Jelly Guide to Micros	Willis	£6.45
A Career in Computing	Penney	£4.25
Philips Guide to Bus. Computers & the Electronic Office	Enticknap	£3.50
Computer Games	Nahigian & Hughes	£8.40
Basic Computer Games	Creative Computing	£5.50
More Basic Computer Games	Creative Computing	£5.50
Game Playing with BASIC	Spencer	£5.50
How to Build a Computer Controlled Robot	Loofbourrow	£5.95
TTL Cookbook	Lancaster	£7.15
CMOS Cookbook	Lancaster	£7.50
TV Typewriter Cookbook	Lancaster	£7.25
Cheap Video Cookbook	Lancaster	£4.95
Best of Byte		£8.45
Best of Creative Computing Vol. 1		£6.95
Best of Creative Computing Vol. 2		£6.95

P&P free U.K. Overseas add £1

'Phone in your Access Barclaycard No 0742 585490 or complete this order form

Send s.a.e. for full list. Prices correct at going to press. Add 12p insurance on books if required.

Please supply .....

.....

I enclose:– £
Cheque/Postal Order No. .....
Barclaycard/Access No. .....
Name .....
Address .....

DATRON MICRO CENTRE

DATRON INTERFORM LTD

2 Abbeydale Road, Sheffield S7 1FD.
Telephone 0742–585490. Telex 547151.

3D Digital Design & Development

43 Grafton Way, London W1P 5LA

Tel: 01-387-7388

PET INTERFACES

* 16-CHANNEL 8-BIT A-D CONVERTOR UNIT
  IEEE-488 Compatible. PRICE: £300
* 8-CHANNEL 8-BIT D-A CONVERTOR UNIT
  IEEE-488 Compatible. PRICE: £350
* 16-CHANNEL RELAY UNIT
  IEEE-488 Compatible. PRICE: £350
* USER PORT CONVERTOR (A-D & D-A)
  Single channels IN & OUT. PRICE: £200
* X-Y ANALOG PLOTTER INTERFACE
  IEEE-488 Compatible. PRICE: £200
* 8-CHANNEL 12-BIT A-D CONVERTOR UNIT
  IEEE-488 Compatible. PRICE: £600
* 8-CHANNEL DIGITAL DATA INPUT UNIT
  IEEE-488 — 64 bits IN. PRICE: £400
* 8-CHANNEL DIGITAL DATA OUTPUT UNIT
  IEEE-488 — 64 bits OUT. PRICE: £350
* FAST DATA ACQUISITION SYSTEM
  40,000 readings per sec. 4 A/D + 4 D/A
  PRICE ON APPLICATION

All units boxed complete with IEEE-488 address interna internally selectable, with integral power supply, cables, switch, fuse, indicators and illustrate BASIC software.

THE INTERFACE SPECIALISTS

SEE YOU AT STAND No. B35 Personal Computer Show

SHARP MZ-80K INTERFACES

* PARALLEL PRINTER INTERFACE. PRICE: £110
* SERIAL PRINTER INTERFACE. PRICE: £150
* BIDIRECTIONAL SERIAL INTERFACE. PRICE: £ £210
* 16-CHANNEL A-D CONVERTOR UNIT.
  PRICE: £280
* FAST DATA ACQUISITION SYSTEM — 40,000 readings/sec. 4 analog channels IN & 4 channels OUT. PRICE ON APPLICATION

SHARP MZ-80K SOFTWARE

* AIR ATTACK — Bomb the buildings to land successfully — £5
* ANIMAL — Learning program distinguishes between different creatures — £5
* CARD TRICK + ONE ARM BANDIT + LISSAJOU Ingenious mixed bag — £5
* MACHINE LANGUAGE HANDLER (T20C)— £22.5 — £22.50
* EDITOR-ASSEMBLER + LOADER + DEBUGGER — £45.00

'Phone or write for further information.

TERMS All prices EX-VAT P&P extra Cheques should be made payable to 3D Digital Design & Development. All goods supplied under 90 days warranty.

CUSTOM DESIGN UNDERTAKEN

Conquer the Computer



Learn to really understand the Computer. How it works and operates. Its 'language'. How to program it and make full use of its capabilities.

- No previous knowledge necessary.
- Special educational Mini-Computer supplied ready for use.
- Complete home study library.
- Self-test program exercises.
- Complete programming instructions using computer.
- Services of skilled tutor available.

Please send details without obligation to. –

Name .....

Address .....

.....

.....

PCW /9/814 BLOCK CAPS PLEASE

BRITISH NATIONAL RADIO & ELECTRONICS SCHOOL
4 Cleveland Road, St. Helier, Jersey, Channel Islands.

Software for TRS80®

ACCEL 2 — *A major product announcement from Southern.*

ACCEL 2 is a compiler for full TRS Disk BASIC, giving compatible execution with improved performance for correct, properly-structured programs.
Here's what one customer said about ACCEL, Southern's translator for Level 2 BASIC:

"Most impressed by your compiler. On its first run it improved my latest program by a factor of 4."

Now **ACCEL 2** can bring similar performance gains to business programs, including significant string-handling improvements.

ACCEL Level 2 BASIC only	**£19.95**
ACCEL 2 Disk BASIC (incl. Level 2)	**£39.95**
ACCEL 2 upgrade from ACCEL (exchange)	**£20.00**

You'll want to know more, from:

SOUTHERN SOFTWARE PO Box 39, Eastleigh, Hants. SO5 5WQ

CP/M COMPATIBLE SOFTWARE FROM SUPERSOFT

SYSTEM MAINTENANCE

CP/M COMPATIBLE SOFTWARE FROM SUPERSOFT.
System maintenance
Diagnostics 1 — easily the most comprehensive set of CP/M. compatible system check-out programs ever assembled. Finds hardware errors in your system, confirms suspicions or gives the green light.
Tests:
* MEMORY * CPU (8080/8085/Z80) * TERMINAL
* DISK * PRINTER

The CPU test is the first of its kind to our knowledge. It pays to find problems **before** they become serious. Minimal requirements 24k CP/M. Supplied complete with User Manual £39.95, manual alone £9.95.

SOFTWARE SECURITY

Encode/Decode is a complete software security system for CP/M, a sophisticated coding program package which transforms data stored on disk into completely unrecognisable coded text. Encode/Decode supports multiple security levels and passwords, and a user defined combination (from the billion possible) is used to code and decode a file. Uses are unlimited, and DATA BASES, PAYROLL FILES, PROGRAMS, GENERAL LEDGER, CORRESPONDENCE, TAX RECORDS, INVENTORY, ACCOUNTS PAY/REC and MAILING LISTS are just a few of the applications possible. Encode/Decode I provides a level of security for normal use. **£39.95 complete with User Manual.** Manual alone **£9.95**

Encode/Decode II provides enhanced security for the most demanding needs. **£79.95 complete with User Manual. Manual alone £9.95.**
Both versions come supplied on discette.

STAND ALONE ACCOUNTING PROGRAM

STAND-ALONE ACCOUNTING PROGRAMS
Accounts Payable/receivable is a complete, user oriented package featuring:
*AUTOMATIC POSTINGS TO GENERAL LEDGER (optional) ***ACCOUNTS PAYABLE** *CHEQUE PRINTING WITH INVOICE * INVOICE AGING
* **ACCOUNTS RECEIVABLE** *PROGRESS BILLING * CUSTOMER STATEMENTS *PARTIAL INVOICE PAYMENTS *INVOICE AGING.

Menu driven and exceptionally easy to learn, it includes error checking and excellent user displays. This package can be used to stand-alone or with the General Ledger below. Requires 48K CP/M, terminal with cursor positioning and clear screen, on 8" disk or two 5" disks. CBASIC2 required.

Complete with extensive User Manual, ONLY £167.50. Manual alone **£14.50**

General Ledger is a complete user-oriented package which features:
* ACCEPTS POSTINGS FROM EXTERNAL PROGRAMS (ie. AP/AR above).
* ACCEPTS DIRECTLY ENTERED POSTINGS
* MAINTAINS ACCOUNT BALANCES FOR CURRENT MONTH, QUARTER, YEAR AND PREVIOUS THREE QUARTERS
* FINANCIAL REPORTS — TRIAL BALANCE' INCOME STATEMENT BALANCE SHEET, ETC

Menu driven, easy to learn and use, the General Ledger offers excellent displays and error checking for trouble free operation. Can be used as a stand-alone system or with the Accounts Payable/Receivable program above. Needs 48K CP/M, terminal with cursor positioning, home and clear screen, one 8" disk or two 5" disks. CBASIC2 required.

Complete with extensive User Manual, ONLY £167.50 Manual alonge **£14.50**

SAMS BOOKS AT LOWEST PRICES

COMPUTER BOOKS		
Microcomputer Primer (2nd Edition)	NEW	£7.17
Microcomputers for Business Applications		£5.37
The Howard W. Sams Crash Course in Microcomputers	NEW	£10.50
Fundamentals of Digital Computers (2nd Edition)		£5.97
Getting Acquainted with Microcomputers		£5.37
How to Buy & Use Minicomputers & Microcomputers		£5.97
Computer Graphics Primer	NEW	£7.77
TEA: An 8080/8085 Co-Resident Editor/Assembler	NEW	£5.37
6502 Software Design (Book 1)		£5.70
(Book 2)		£5.97
BASIC Programming Primer		£5.37
DBUG: An 8080 Interpretive Debugger		£3.75
How to Program Microcomputers		£5.37
Computer Dictionary (3rd Edition)	NEW	£7.17
Boolean Algebra for Computer Logic		£3.95
Computers & Programming Guide to Scientists & Engineers (3rd Edition)	NEW	£9.57
Microcomputer Interfacing with the 8255 PPI Chip		£5.37
Programming & Interfacing the 6502, with Experiments	NEW	£7.17
TRS-80 Interfacing	NEW	£5.37
Z-80 Microcomputer Design Projects	NEW	£7.77
Z-80 Microprocessor Programming & Interfacing — 1 and 2		Books
(Book 1)		£6.97
(Book 2)		£7.77
Interfacing and Scientific Data Communications Experiments		£3.95
Introductory Experiments in Digital Electronics and 8080A		
Microcomputer Programming and Interfacing		
(Book 1)		£7.77
(Book 2)		£7.77
Microcomputer — Analog Converter Software and Hardware Interfacing		£5.70
The 808A Bugbook: Microcomputer Interfacing and Programming		£6.30
The S-100 and Other Micro Buses		£3.95
The Cheap Video Cookbook		£3.75
TV Typewriter Cookbook		£5.97
Using the 6800 Microprocessor		£4.77
Z-80 Microcomputer Handbook		£5.37
8085 Microcomputer Design	NEW	£5.97
COOKBOOKS		
TTL Cookbook		£5.70
Active-Filter Cookbook		£8.97
TV Typewriter Cookbook		£5.97
CMOS Cookbook		£6.97
The Cheap Video Cookbook		£3.75
IC Converter Cookbook		£8.37
IC Op-Amp Cookbook (2nd Edition)		£8.97

MICROCHIPS AT MICRO PRICES

DIL SWITCHES
4 pole 99p
6 pole 115p
8 pole 140p
10 pole 175p

LOW PROFILE SOCKETS BY TEXAS — **SALE**
8 pin 7p — 18 pin 15p — 24 pin 22p
14 pin 9p — 20 pin 18p — 28 pin 25p
16 pin 10p — 22 pin 22p — 40 pin 28p

74LS00	18p	74LS42	56p	74LS138	69p	74LS245	325p
74LS01	12p	74LS47	78p	75LS151	75p	74LS251	120p
74LS04	15p	74LS48	85p	74LS153	75p	74LS257	110p
74LS08	20p	74LS49	99p	74LS155	65p	74LS290	95p
74LS10	19p	74LS73	30p	74LS161	78p	74LS293	120p
74LS11	30p	74LS74	30p	74LS163	90p	74LS366	57p
74LS12	30p	74LS75	39p	74LS164	90p	74LS373	170p
74LS14	60p	74LS86	39p	74LS168	190p	74LS374	170p.
74LS15	38p	74LS90	40p	74LS174	99p	74LS375	140p
74LS20	19p	74LS107	40p	74LS175	99p	74LS377	188p
74LS30	19p	74LS123	69p	74LS195	87p	74LS393	135p
74LS32	25p	74LS125	50p	74LS221	110p	74LS490	140p
74LS40	26p	74LS132	79p	74LS244	175p	74LS670	260p

INTERFACE LINEAR

MC1488	90p
MC1489	90p
DM8123	125p
75150	125p
75154	125p
75182	195p
75322250p	250p
75324	325p
75325	325p
75361	350p
75365	295p
75451	50p
75491/2	75p
8T26	175p
8T28175p	175p
8T95	175p
8T97	175p

LEDs

TIL209	9p
TIL211	13p
TIL212	15p
TIL220	12p
TIL222	15p
TIL224	18p

DISPLAYS

FND500	80p
FND510	80p
FND567	125p
DL704	85p
DL707	85p
MV57164	225p

ISOLATORS

ILD74	120p
ILQ74	325p
MCT6	90p
TIL111	75p

SUPPORT DEVICES

6920	495p
6522	795p
6532	895p
6551	1095p
6810	375p
6820	425p
6821	425p
6850	425p
6852	425p
8212	395p
8214	450p
8216	395p
8224	395p
8228	395p
8251	495p
8253	1125p
8255	495p
8257	1050p
8259	1325p
MC 144 12VL	797p
Z80 P10	595p
Z80 CTC	595p
Z80A P10	695p
Z80A CTC	695p
Z80 DMA	1995p
Z80A DMA	2495p
Z80 S10/1	2995p
Z80A S10/0	3495p
Z80 S10/1	2995p
Z80A S10/1	3495p
Z80 S10/2	2995p
Z80A S10/2	3495p

CHARACTER GENERATOR

RO-3-2513 UC	450p

BIPOLAR PROMS

93448	512 x 8	40 NS	p.o.a.
93453	1k x 4	40 NS	p.o.a.
93451	1k x 8	45 NS	p.o.a.
93511	2k x 8	50 NS	p.o.a.

FLOPPY DISK CONTROLLERS

FD1771 B-01	S/D Inverted Bus	2995p
FD1791 B-01	D/D Inverted Bus	4995p
FD1792 B-01	S/D Inverted Bus	3495p
FD1793 B-01	D/D True Bus	5495
FD1794 B-01	S/D True Bus	3495p
FD1795 B	D/D Inverted Bus, side select	5995p
FD1797 B	D/D True Bus, side select	5995p

New! AY-3-8910 Bang ZAP clang Tweet

THE NEW CI COMPUTER SOUND CHIP

The amazing AY-3-8910 is a fantastically powerful sound and music generator, perfect for use with any 8-bit micro processor. Contains 3 tone channels, noise generator, 3 channels of amplitude controls, 16-bit envelope period control, 2 parallel I/O, 3D/A converters plus much more. All in 40 pin DIP. Super easy to interface to the S-100 or other Busses.
ONLY £8.50 + VAT, including FREE reprint of BYTE '79 article!
Also, add £2.25 for 60-page data manual.
"Perhaps the next famous composer will not direct a 150-piece orchestra but, rather, a trio of microcomputers controlling a bank of AY-3-8910s."
BYTE July '79.

NEW! SPECIAL OFFER!

4K CMOS RAM (1K x 4) 450 NS

ONLY £7.95! (8 for £50)

The TC 5514P from Toshiba, CMOS equivalent of the 2114!

* Low Power Dissipation
  .10pW/BIT (TYP.) @ 3.0V (STANDBY)
  .10uW/BIT (TYP.) @ 5.0V (OPERATING)
* Data Retention Voltage 2V to 5.5V
* Single 5V Power Supply
* 18 PIN Plastic Package
* Full Static Operation
* Three State Output
* Input/Output TTI Compatible
* Fast Access Time 450NS.

Toshiba's TC5514P (industry type 6514) is a full static read write memory organised as 1024 words by 4 bits using CMOS technology. Ultra low power dissipation means it can be used as battery-operated portable memory system and also as a non-volatile memory with battery back-up. Operates from a single 5V power supply with static operation, hence no refresh periods and a much simplified power supply circuit design. Three state outputs simplify memory expansion for minimum data retention voltage is 2V, the battery back-up system needs only simple circuit. Toshiba's original C2MOS technology also means wide operating and noise margins. The TC 5514P is moulded in a dual-in-line 18 pin plastic package 0.3 inch in width.

MEMORIES

2114	300 NS		275p
4116	900 NS		300p
4116	150 NS		395p
4315	(4k x 1)	CMOS RAM	995p
	450 NS		
6514	(1k x 4)	CMOS RAM	795p
	450 NS		

DEVELOPMENT MODULE

Z800 DM	1099p

CPU'S

6502	795p
6504	795p
6505	795p
6800	695p
6802	995p
808A	525p
8085A	1095p
Z80	795p
Z80A	995p
Z8001	12500p
Z8002	9500p
WD900B	19900p

EPROMS

1702A	450p
2708 450 NS	425p
2716 5V 450 NS	995p
2532 32K 450 NS	2995p

UARTS

AY-5-1013A	325p
AY-3-1015D	398p
IM6402 IPL	425p

KEYBOARD ENCODER

AY-5-2376	795p

Ordering information. Unless otherwise stated, for orders under £50 add 50p p&p. Add 15% VAT to total (no VAT on books). All devices are brand new, factory prime and full spec and subject to prior sales and availability. Prices subject to change without notice. Minimum telephone order using ACCESS is £10. If ordering by post with ACCESS, include name, address and card no. written clearly. Please allow 4/6 weeks delivery on books.

MICRO BYTE

Dept. PCW1,
Unit 9/10, 1st Floor, E Block,
38 Mount Pleasant,
London WC1X 0AP
Tel: 01-278 7389
Telex: 895 3084

The Software Solution

We all know that a computer system is only as good as the software and that much of the applications software hitherto available has proved to be the weak link. Written in Microsoft basic for use with CP/M based hardware, Interface Software is probably the most comprehensive and robust application software currently available, which really will transform your micro-computer into an effective problem solving tool.

Applications Software
- Nominal Ledger
- Sales Ledger
- Purchase Ledger
- Payroll
- Incomplete Records
- Word Processing (Wordstar)
- Mailing Address

Etc.,

Systems Software
- CP/M
- MP/M
- MBasic 5.0 (CP/M) Interpreter/ Compiler
- CBasic (II) Interpreter/Compiler
- Fortron 80 Compiler
- Cobol 80 Interpreter/Compiler
- Pascal 8 (UCDS) Interpreter
- Z80 Macro Assembler

Recommended by Logitek for the ALTOS microcomputer and Rostronics for the Micromation but of course suitable for any CP/M based machine.

For more details contact Jim Reid or Sue Archer at:-

DEALER ENQUIRIES WELCOME.


INTERFACE SOFTWARE LIMITED,
100, PARK STREET,
CAMBERLEY,
SURREY.
Telephone (0276) 27982.

WE CHOSE THE VIDEO GENIE

Being a long-standing software house specialising in the Tandy TRS-80 we decided to market the hardware for our programs.

The Video Genie fitted the bill admirably — it does all the TRS-80 does at a fraction of the cost with the extra advantage of a reliable cassette system.

It has full 16K user RAM 12K Microsoft Basic in ROM. Has a self-contained cassette system and simply plugs into your television or monitor.



THE VIDEO GENIE SYSTEM
Including User Manual Video Lead and Second Cassette Lead
PLUS Basic Manual PLUS Beginners Programming Manual
PLUS Four Kansas Programs PLUS Four Blank Tapes

At only £364 it's got to be Britain's Best Buy in personal computers! (absolutely nothing extra to pay)

AND REMEMBER — ONLY KANSAS TRS-80 ARE GUARANTEED TO RUN ON THE VIDEO GENIE

SEE IT IN ACTION AT OUR STAND AT THE PCW SHOW STAND B6

Kansas AUTHORISED DEALERS

Kansas City Systems, Unit 3, Sutton Springs Wood, Chesterfield, Derby Tel 0246 850357

COMPLETE COMPUTER SYSTEMS

BUY — FROM CCS Microsales

APPLE

- The Apple is great in a business environment, with our commercial systems software.
- An Apple based Word Processing System is available for only £1990, including software.
- File management/database systems available.
- For the technically minded there are CCS boards, including Arithmetic Processor, ROM, IEEE 488 interface, Synchronous and Asynchronous Serial Interface, and an A-D converter.

* 18 months guarantee included

SOFTWARE FOR APPLE/PET

- Data Manager modular data handling systems for incorporating in your programs.
- *5 Piles handled simultaneously up to *500 character records up to *100 fields
  * can be expanded or reduced.
- Minimum modules required are
  DEFINE FILE, READFILE, DESCRIPTION, FETCH A RECORD £40.00 (on disc)
- Other modules available are DISPLAY, EDIT, UPDATE & PRINTOUT each £10.

COMMODORE

- 8K with original keyboard now only £375.
- New keyboard PETS available on all sizes, (8K £399, 16K £499 & 32K T.B.A.).
- PET dual disc (340K) or Compu/Think dual disc (800K) available (3040 disc £649). Also PET printer.

HIRE — FROM CCS Microhire

- The leading microcomputer hire company.
- Available are: Apple, PET, Exidy Socerer, Seed System One/ MSI 6800, NASCOM/MICROS, and the Tandy TRS 80.
- Peripherals also available, and software!
- New monthly rates — £79 to £99 per month (8K to 48K).

CCS Microsales
and
CCS Microhire

WE HAVE RELOCATED! Visit or contact us at our new showroom

7 The Arcade
Letchworth
Herts


Tel No. (04626)-73301
Telex 261507 (Ref 3244)

Mini-Digital Cassette Recorder

An alternative to disc for program & data storage

FEATURES

* The Philips MDCR 220 mechanism of proven reliability
* Holds up to 120k Bytes/Cassette with fast data transfer
* Extra memory board with RAM and ROM to hold operating software
* Will read & write (in blocks from 256 bytes to 60k Bytes), backspace & search for end of data on tape
* Compatible with 6502 based systems ie PET, AIM65, OHIO, KIM, COMPUKIT ETC.



PRICES (INCLUDING MANUAL)

MINI RECORDER MECHANISM	£95.00
INTERFACING BOARD (TYPEA)	£42.50
MEMORY BOARD (WITH ROMS FOR 6502)	£55.00
CASSETTES (BOX OF6)	£15.90
MANUALS (SEPARATE)	£10.00
CARRIAGE	£2.25

PRICES EXCLUSIVE OF VAT @ 15%

CURRAH

COMPUTER COMPONENTS

Unit 7 Hartlepool Workshops, Sandgate Industrial Est.
Hartlepool, Cleveland

New and exciting Applesoft programs

NEW! **the correspondent** By Roger Wagner

by R. Wagner

THE CORRESPONDENT is sure to be one of the most versatile programs in your library! It can be used as:

A Text Processor: Upper/lower case, 1-80 cols. (4-way scrolling). Text move/copy/insert/delete, tabbing, justify text, auto-centering and more!

A Database (with or without printer!) Extremely fast find routine and easy editing make it a natural for free-form data files. Create and fill out forms, access phone lists or index your magazines.

A Programming Utility: (printer or not). Examine, edit, transfer random or sequential text files. Create versatile exec. files. Even put bi-directional scrolling in your own programs!

Apple disk £29.95 + VAT

Roger's Easel

by R. Wagner

At last a program which allows you to draw colour pictures in lo-res graphics, and then permanently link them to your own Integer or Applesoft programs. Linked pictures can be displayed on either text/graphics page. (Integer basic).

Apple disk £14.95 + VAT

Apple-Doc *By Roger Wagner*

An Aid to the Development and Documentation of Applesoft Programs

This 3 program set is a must to anyone writing or using programs in Applesoft! It not only provides valuable info. on each of your programs, but allows you to change any element throughout the listing almost as easily as you would change a single line!!

With Apple-Doc you can produce a list of every variable in your program and the lines each is used on, each line called by a GOTO, GOSUB, etc., in fact, every occurance of almost anything! You can rename variables, change constants and referenced line numbers or do local or global replacement editing on your listing.

Apple-Doc is a must for the serious Applesoft programmer.

Diskette complete with full documentation £24.95 + VAT

tridee ©Robin L. Frost

An exciting new addition to your Pascal library — enables you to create 3D graphics, viewable from any angle and distance. As easy to use as Turtlegraphics.

Procedures include Ortho, Perspec, Rotate, View, Move to-3, View-from.

Complete with comprehensive instructions £49.95 + VAT

Animations & Simulations ©A. Rowe

A teaching aid, used to illustrate algebra and statistics. Makes full use of the Apple's high resolution graphics.

Apple disk £29.95 + VAT

Plus a complete range of "off the shelf" programs for finance, commercial, scientific and education.
Keep yourself up to date, send for our "Fact Sheets" giving full program details.

LEICESTER
computer centre limited
109 QUEENS ROAD LEICESTER LE2 1TT
Tel: 0533 709841

apple computer Sales and Service




PRINTER SUPERMARKET COMPLETE SYSTEMS



60 CHARACTERS PER SECOND RICOH RP-1600 THE FASTEST DAISY WHEEL PRINTER. £1320

FAST, heavy duty commercial DAISY WHEEL printer, with high quality printout, coupled with low noise necessary for office environment. Nationwide service by NEXOS. 90 day warranty provided at your premises.
124 char: upper/lower case. • 10/12 chars: per inch giving 126 or 163 columns. • 15 inch wide frintion platen. • /reverse Top of the form, BOLDING, underline, and host of other features. • Centronics type parallel interface as standard.
options: serial interface 60 • PET interface 65 • APPLE interface 75.



OKI MICROLINE 80/132. THE QUIET PRINTER YOU CAN LIVE WITH £495


THE QUITIEST DOT MATRIX AVAILABLE. 40, 80, OR 132 COLS PER LINE • EXCELLENT PRINT QUALITY • 3 WAY PAPER HANDLING: LETTERHEADS, FANFOLD, OR PAPER ROLLS • GRAPHICS • IDEAL FOR SOFTWARE WRITTEN FOR LARGE 132 COL PRINTERS • CONTINUOUS RATING PRINTING DAY IN AND DAY OUT • CENTRONICS PARALLEL STANDARD. OPTIONS: RS-232, PET, APPLE.
DEALER ENQUIRIES INVITED

NEW MAXI ANADEX WITH GRAPHICS £895

Takes up to 13.5 inch wide paper • Upper/lower case with decenders • £ sign • 132 or 175 chrs/line with double width printing • Fast 150 CPS bi-directional logic seeking printing • Heavy duty print head giving 650 million chrs print life • serial, Parallel and Current Loop interfaces built in • Host of other features found on printers costing twice as much.




EPSON TX-80 £395



DOT-MATRIX PRINTER PET GRAPHICS.
PRINTS 80 COLUMNS ON PLAIN RAPER AT 90 CHARACTERS/ SECOND. ADJUSTABLE TRACTOR • UPPER/LOWER CASE • DOUBLE WIDTH PRINTING • MICRO CONTROLLED • SELF TEST • HEAVY DUTY PRINT HEAD USING JEWELL BEARINGS FOR LONG LIFE • MADE BY SHINSHU SEIKI AN AFFILIATE OF SEIKO WATCH CO OF JAPAN. INTERFACE: CENTRONICS PARALLEL, OPTIONS: PET, APPLE, AND SERIAL.

ANADEX DP-8000 NEW LOW PRICE £475

FAST 112 CHARACTERS PER SECOND • BOTH RS-232, AND CENTRONICS PARALLEL INTERFACES BUILT IN • UPPER/ LOWER CASE WITH £ SIGN




NEW TRS-80 MODEL 1 48K SYSTEM WITH DUAL DISC DRIVES. £1250

NEW GREENSCREEN VDU, WITH ROCK STEADY DISPLAY, REDESIGNED 32K EXPANSION INTRFACE WITH TROUBLE FREE DISC OPERATION, TWO 40 TRACK TEAC DISC DRIVES, COMPLETE WITH CABLES.
TRIDATA SALES, PURCHASE, INVOICING, PAYROLL PACKAGES AVAILABLE.

WITH DESK AND EPSON PRINTER £1750

NEW SUPER BRAIN DUEL DENSITY £1875/QUAD DENSITY £2250



NOW WITH CP/M 2.2, & INCREASED DISC STORAGE. TWIN Z80-A 1MHZ • 2 DISC DRIVES, DUAL DENSITY 320 K QUAD DENSITY 700 K STORAGE • 64 K RAM • HIGH RESOLUTION 12 INCH CRT. 80 x 24 LINES UPPER/LOWER CASE • 2 RS-232 PRINTER PORTS • CPM 2.2 OPERATING SYSTEM • MBASIC, COBOL, FORTRAN, PASCAL, WORD PROCESSING & ACCOUNTS PACKAGES AVAILABLE.
DEALER ENQUIRIES INVITED

TRS-80 MODEL £1999



STATE OF THE ART SECOND GENERATION COMPUTER. OVER 10,000 ALREADY SOLD IN USA, 8 SLOT BUS ENSURES EXPANSION OF HARD DISCS & OTHER PERIPHERALS., 76 Key professional keyboard, self test on POWER UP. TRSDOS & LEVEL III BASIC STANDARD. CP/M AVAILABLE AS OPTION, making a wide range of accounting, educational, scientific & word processing packages instantly usable.
NATIONWIDE SERVICE THROUGH 180 TANDY STORES & COMPUTER CENTRES.

LOW COST WORD PROCESSOR I

BASED ON TRS-80 LEVEL 2 16K, CASSETTE RECORDER, ELECTRIC PENCIL SOFTWARE, UPPER/LOWER CASE MOD, PRINTER INTERFACE AND OKI DOT MATRIX PRINTER. COMPLETE READY TO GO £1095. FREE MAILING LIST PROGRAM.
WORD PROCESSOR II
SAME AS ABOVE BUT WITH 48K, 2 DISC DRIVES AND RICOH DAISY WHEEL PRINTER £2575

WORD PROCESSOR III

BASED ON SUPERBRAIN COMPUTER SHOWN ABOVE. WITH RICOH PRINTER & "MAGIC WAND" THE ULTIMATE IN WORD PROCESSING. LETTERS AUTOMATICALLY FORMATTED WITH ADDRESSES FETCHED FROM SEPARATE FILE. COMPLETE SYSTEM £3395
INVOICING, STOCKCONTROL, SALES LEDGER, PURCHASE LEDGER, PAYROLL AVAILABLE FOR ABOVE COMPUTERS. FROM £250 PER PACKAGE.

PRICES QUOTED ABOVE DO NOT INCLUDE VAT. PHONE OR CALL FOR FURTHER DETAILS OR DEMONSTRATIONS.

LONDON COMPUTER CENTRE LIMITED
43, GRAFTON WAY, OFF TOTTENHAM COURT ROAD, LONDON W1
TEL: 01-388 5721 OPENING HRS: 11-7 MON-FRI, 12-4 SATS.

NOTHERN DEALERS

MICRO SYS LTD
58 HIGH STREET
PRESCOTT
MERSEYSIDE TEL: 051 426 7271

HORIZON SOFTWARE LTD
REGENT HOUSE
16 WEST WALK
LEICESTER LE1 7NG TEL: 0533 556550

BITS & PCs


☎ 0937 63744

4 WESTGATE WETHERBY WEST YORKSHIRE

OUR NEW **SHOP** NOW OPEN

Nascom Add-ons specialists

PROGRAMMERS AID



AUTO
RENU
DELE
FIND
HELP
STEP

APND
HEX
DUMP
OFF
INKEY



KEY BOARD REPEAT

PRINTER HANDSHAKE

Only £42·00 INCLUDING V.A.T.

SUPPLIED IN 2708 EPROMS FOR NASCOM ROM BASIC GIVES YOUR NASCOM THE FOLLOWING COMMANDS

WE ARE NOW DISTRIBUTORS OF:
INTERTEC SUPERBRAIN
COMMODORE PET
SHARP MZ 80 K
TEXAS TI99/4
NASCOM
FULL RANGE OF BOOKS
PERIPHERALS and MEDIA

Nascom
PET
Sharp

Texas TI99/4 Computer

ON DEMONSTRATION
LARGE S.A.E. FOR DETAILS PLEASE

SOUND EFFECTS & MUSIC

FOR PET, SUPERBOARD, UK101, NASCOM

A startling addition to games & other programs. Capable of up to 3 simultaneous outputs.

EXAMPLES: Lasers, explosions, whistling bombs, telephone tones, racing cars, sirens, musical instruments, drums, cymbals.....almost any conceivable sound!!!!!

Stereo output, doppler sweep & amplitude control give a truly dynamic depth to the sound.

By careful design of hardware the processor time used is minimal. Simply run by basic or M-code.

Also includes two 8 bit I/O ports that can be used for control and/or monitoring of various devices switches, lamps, cassette motor etc.

Complete built & tested unit with selectable output for stereo amplifier or small speaker, demo program & full instructions.

Nascom version suits 77 way Nasbus, Compukit & Superboard versions on 40 pin D.I.P. connector, Pet version with 24 Pin D.I.P. connector.

EX-STOCK **£45** ALL INC.

£ Has your Business outgrown its Software? $
Fed up with those games ?

IF YOU HAVE ANY REDUNDANT ORIGINAL SOFTWARE ON PROFESSIONAL LABELS FOR PET OR OTHER MICROS THEN WHY NOT TURN THEM INTO CASH! WE BUY AND SELL. WRITE OR PHONE TODAY!

Superboard II
@ £1.50 ea. FIFTY, FLYWALK, NUMBERS, RAM CHEQUE.
@ £2.00 ea. MOTORCYCLE JUMP, MOONBASE ATTACK, DRUNK'S MAZE, ALIEN ATTACK, DEATHDROIDS, OBSTACONSTRUCTION! 20 EXTRA FUNCTION & DRAGSTER.
@ £2.50 ea. CODEMASTER, AWARI.
@ £3.25 ea. DAWN PATROL, SIMPLY ADD, ALPHARAPID, DIGITAL TIMER, CALENDAR.
Simple 'music' & tones from your Superboard/UK101 kit of parts & tape £4.50
Nascom Superboard II still £178.
@ £4.50 ea. ALIEN LABYRINTH
@ £3.00 ea. MUSICAL STAVE TYPE SET.
@ £2.50 ea. MINEFIELD
Pet
@ £2.00 ea. TIE FIGHTER ATTACK, ANGLO-METRIC, SAFECRACKER
@ £2.50 ea. TREASURE HUNT, UFO CAPTURE, SAPPER, PAWNSTRIKE
@ £4.00 ea. LABYRINTH OF OBEHOL (16K)
Research Machines 380Z
@ £4.00 ea. SURVIVAL, CRACKER, PINBALL, ONE ARM B.
@ £10.00 ea. HOTEL BOOKING, MAILING LIST, SMALL BUSINESS STOCK CONTROL TELEPHONE/ADDRESS DIRECTORY
@ £15.00 ea. DISASSEMBLER

ALL PRICES INCLUSIVE

Easicomp LTD.
Sprowston,
NORWICH. NR7 8BH

Always wanted quality original programs for publication.
Top rates of commission paid.
For details write or phone
0508 46484

CRYSTAL ELECTRONICS
CC ELECTRONICS

SHARP MZ80K

For the latest competitive PRICE
Contact us
Before you accept discounts elsewhere.
GIVE US A TRY
CRYSTAL ELECTRONICS is the home of XTAL BASIC
ACCLAIMED BY MANY

We KNOW the SHARP computers, we BACK the SHARP computers
What we give FREE is worth more than money.

MZ80K owners—are you XTAL followers?
NO! Then please read on.
XTAL BASIC (SHARP)

Takes 5K less memory, has all the features of SHARP BASIC *PLUS* Multi dim strings, error trapping, logical operators, machine code monitor, more flexible peripheral handling, improved screen control, increased list control, auto run, If.. then.. else—and it doesn't stop there—it grows. You can extend the commands and functions at will—10K, 12K, 16K, BASIC?.

SHARP to XTAL BASIC conversion program is included.
£40 plus VAT (Disc version on its way)

DESIGNERS OF MICROCOMPUTER SYSTEMS + XTAL BASIC IS WORTH CONSIDERING ON COST ALONE.

Members of Computer Retailers Association & Apple Dealers Association

Shop open 0930-1730 except Saturday & Sunday

40 Magdalene Road, Torquay, Devon, England. Tel: 0803 22699
Telex 42507 XTAL G

Access and Barclaycard welcome.

COMPUTERS AND COMPONENTS

SIRTON COMPUTERS

76 Godstone Road, Kenley (Nr Croydon)
Surrey CR2 5AA
Tel: 01-668 0761/2

MIDAS S100 SYSTEMS

MIDAS 1 : From £750
MIDAS 2 : From £1580
MIDAS 3 : From £2150
MIDAS 4 : From £5900

ITHACA-DPS 1 : From £1075



- Our versatile Z80 Microcomputers are available as standard units or custom configured to your exact specification from a comprehensive range of stocked S100 boards.
- Disc storage capacity of the MIDAS 3 can be 2M Bytes, expandable to over 20M Bytes with a Winchester Hard Disc Unit in our MIDAS 4 range.
- MIDAS runs CP/M and MP/M is also available. Other Software includes M-BASIC, C-BASIC, FORTRAN, COBOL, CIS-COBOL, PASCAL and Word Processing.
- **A MIDAS 3, with 64K RAM and 2M Bytes storage on two 8" drives with two Serial I/O Ports and CP/M 2 only £2600.**
- Printers, VDUs and other peripherals stocked to give complete package systems at keen prices.
- Business Packages include Accounts, Stock Control, Purchase Ledger etc etc.

Boards stocked from Ithaca, Godbout, SSM, S D Systems, Vector, Micromation Mullen, Mountain Hardware, Hi-Tech, Video Vector, Pickles & Trout, Central Data, Cromemco, Thinker Toys – Send for full Price List (many available in kit form).

PROCESSOR

Z80 Starter Kit	£188
SBC100	£208
SBC200	£237
Z80 CPU's4 MHz	from £130

EPROM

2708 EPROM (16K)	£60
2708/2716 Programmers from	£134

VIDEO

16 lines, 32/64 ch	from £104
24 Lines, 84 ch	from £265

DISC CONTROLLERS

Versafloppy S/D	£198
Doubler D/D	£280

RAM

Dynamic RAM 16K – 64K	from £205
Static RAM 8K – 64K	from £95
Memory Manager	£52

I/O

2S/4P prov 4K RAM/4K ROM	£169
2S/2P or 2S/4P or 3P/1S or 4S/2P	from £135
Analogue 8 or 12 bit	from £287
Optically isolated I/O	£114
IEEE 488 Interface	£350

MISCELLANEOUS

Real Time Clock	£180
High Dens Graph/8K RAM	£333
Hi-Tech Colour	£295
Motherboards – various from	£34
Extender Board/logic probe	£39
Maths Board AMD 9511	£330


SOFTWARE

CP/M 1 & 2, MP/M, PL/1, C-BASIC 2, M-BASIC V5, XYBASIC, FORTRAN 80, COBOL 80, CIS-COBAL, PASCAL/Z, PASCAL (UCSD), PASCAL M/T, Forth, MAC, ZSID, Disassembler, Wordstar, Datastar, Magic Wand, Wordmaster, Supersort etc etc.

ELECTRONIC BROKERS LTD

VDU PRICES SHATTERED


£199



HAZELTINE 1000
The low, low priced teletypewriter — compatible video display terminal with 12" screen (12 x 80) 64 ASCII alphanumerics and symbols.
Full/Half Duplex.
RS-232

ALL EQUIPMENT RECONDITIONED UNLESS OTHERWISE STATED

£299



HAZELTINE 2000
The world's largest-selling teletypewriter — compatible video display terminal.
Features include: 12" screen (74 x 27) 64 alphanumerics and symbols. 32 ASCII control codes. Switch-selectable transmission rates to 9600 baud. Three switch-selectable operating modes full-duplex, half-duplex or batch. Direct cursor addressability. Dual-intensity video. Tabulation. Powerful editing capability. Remote keyboard. Selective or automatic roll-up. RS-232


£425



MODULAR ONE BASIC
12" screen (24 x 80). XY cursor addressing, 64 ASCII alphanumerics & symbols. Dual intensity detachable keyboard. Choice of 8 transmission rates up to 9600 baud. RS232. Range of options including lower case (£35.00), Printer port (£70.00).

MODULAR ONE EDIT
All the above plus full edit capability, tabulation, 8 special function keys + many other features. £695.00.
POLLING MODELS also available — P.O.A.


SPECIAL LOW COST PRINTER OFFER



The famous Teletype 33 printer mechanism including case but no keyboard or electronics. 64 upper case ASCII, Print Speed 10cps. Pinfeed platen.
ONLY £85.00 + VAT (personal callers) or £115.00 (mail order total)

NEW LOW-COST ASCII KEYBOARDS

TTL compatible, ROM-encoded Full 128 ASCII character set Range of spares and accessories Prices from **£45.00** Send for full leaflet/price list.



Also available — attractive keyboard enclosures in heavy-duty moulded plastic — manufacturer's surplus Dimensions 17½" wide, 8" deep, 1¾" — 4" high.
ONLY £6.00 (mail order total £8.63).

Digitronics 35cps Paper Tape Punch Solenoid — actuated unit capable of punching 5 to 8 channel tapes asynchronously. Basic punch contains 8 data, 1 sprocket and 2 transport solenoids plus end of tape switch. Pulse amplitude 27VDC. Very compact unit measuring only 6½ x 8 x 5½", weight 9½ lbs. Price **£95.00**
(mail order total £115.00).

ELECTRONIC BROKERS LIMITED 49-53 Pancras Road, London NW1 2QB. Tel: 01-837 7781. Telex: 298694

Erase Eproms in 8 minutes for under £100

£97 delivered in U.K. + V.A.T.



The high speed, high capacity model UV8 sets new performance and price standards.

- Cuts typical erasure times by a factor of 5
- 8 MINUTE SOLID STATE TIMER
- Capacity up to 14 EPROMS
- 2708 type erased in 4 to 7 minutes
- High intensity 254 NM UV source
- Safety interlock automatically starts timing sequence
- Audio tone signals erasure cycle complete
- Internal switch to extend erase time.

MICRODATA Computers Ltd, Belvedere Works, Bilton Way, Pump Lane Industrial Estate, Hayes Middlesex.

Telephone (01) 848 9871 (6 lines) Telex 934110

Kemitron

SINGLE BOARD SYSTEMS From £65

Z80 + 64K 8" DISKS + CP/M From £2,000

FLASH 8070 LOW-COST DEVELOPMENT SYSTEM NOW AVAILABLE

WE DESIGN AND PRODUCE OUR OWN SYSTEMS. THIS MEANS THAT WE CAN OFFER LOW COST, FLEXIBLE MICRO-COMPUTERS. WE ARE ALSO ABLE TO PAY ATTENTION TO YOUR INDIVIDUAL REQUIREMENTS. OUR TECHNICAL STAFF ARE ALWAYS AVAILABLE TO CUSTOMERS. KEMITROM MACHINES COMBINE RELIABILITY WITH THE LATEST DEVELOPMENTS. CALL US ON CHESTER (0244) 21817 OR WRITE FOR DETAILS TO

Kemitron Electronics Limited,
Chester Computing Centre,
21-23 Charles Street,
Hoole,
Chester CH2 3AY

CHROMASONIC electronics

SEE YOU AT STAND No. B34 The 3rd Personal Computer Show

56 FORTIS GREEN ROAD MUSWELL HILL LONDON N10 3HN
TELEPHONE 01-883 3705 01-883 2289

your soundest connection in the world of components

PETS

2001-8N (8K RAM)
£449

2001-16N (16K RAM) **£549**
2001-32N (32K RAM) **£649**
ALL WITH NEW KEYBOARD AND GREEN SCREEN.



PERIPHERALS
Service & Assistance available
Interfaces available are:
X-Y plotters, analogue to digital converter, 16 channel interfaces, bi-directional interfaces, etc.

EXTERNAL CASSETTE DECK SUITABLE FOR ALL PETS **£55**

UK101



£179 in kit form
£229 ready built & tested
£249 complete in case

NO EXTRAS REQUIRED
* FREE SAMPLER TAPE
* FULL QWERTY KEYBOARD
* 8K BASIC
* RAM EXPANDABLE TO 8K ON BOARD (4K INC)
* KANSAS CITY TAPE INTERFACE
* New monitor allows full editing & cursor control.

£22

INVADER TAPE £5.00

ASSEMBLER EDITOR TAPE £14.95

LATEST STOP PRESS AND PRICE LIST

SEND SAE OR PHONE FOR UP TO DATE **PRICES** OF ALL OUR RANGE OF ITEMS STOCKED

CASES

Available for UK101, Superboard, NASCOM. Approx. dim. 17" x 15" 435mm x 384mm
Price £24.50
Post and packing £1.50


TAPES

Unique stackable tape storage unit. Interlocking drawers. 5 drawers each containing 2 C12 tapes.
10 drawers **£9.50**
5 drawers **£5.25**
Single drawer **£1.10**

PRINTERS

TX-80 £395

EPSON TX-80 £395
Dot-matrix printer with Pet graphics Interface: Centronics parallel, options: PET, Apple and serial.



MEMORY EXPANSION KIT

Suitable for UK101, Superboard expansion using 2114's. Each board has 16K RAM capacity.

Kit contains:

* On board power supply
* 4K EPRON expansion
* Fully buffered for easy expansion via 40 pin socket

• **8K KIT £99.95**

• **16K KIT £139.90**

MEMORY

D. RAMS	£ p.
4027	2.75
4050 (350NS)	2.35
4060 (300NS)	2.39
4116	4.35
S. RAMS	
2102A	1.09
2102A-2	1.09
2112A	2.25
21L02	98
2114-4045	2.95
4035	1.07
4044-5257	6.93
BULK PURCHASE	
8. 2114	22.50
8. 4116	29.95
8. 21L02	7.00
BULK PURCHASE	
16 2114	39.95
16 21L02	13.00
32 21L02	25.00
64 21L02	45.00

EPROM'S

2708	4.95
2716 (5v)	13.95
2532	39.95

ROM'S

2513(UC)	5.95
2513(LC)	5.95

CPU'S

6502	9.50
8080	4.75
9900	25.95
6800	5.90
Z80	8.95

BUFFERS

81LS95	1.25
81LS96	1.25
81LS97	1.25
81LS98	1.25
SN74365	52
SN74366	52
SN74367	52
SN74368	52
8T26	1.75
8T28	1.75
8T95	1.57
8T96	1.57
8T97	1.50
8T98	1.57

BAUD RATE GENS

MC14411	8.75
MM5307	8.75

UARTS

AY-5-1013	3.45
AY-5-1015	3.98
MM5503	4.75
6011	3.55

BARCLAYCARD VISA

PLEASE ADD VAT 15% TO ALL PRICES. POSTAGE ON COMPUTERS, PRINTERS & CASSETTE DECKS CHARGED AT COST. ALL OTHER ITEMS P&P 30p. PLACE YOUR ORDER USING YOUR ACCESS OR BARCLAYCARD (Min. Tel. order £5.00). TRADE & EXPORT ENQUIRIES WELCOME, CREDIT FACILITIES ARRANGED.

We welcome Access

PROGRAMMER SW1

Commercial experience unnecessary. Sound knowledge of BASIC essential.

Do you gain satisfaction from writing elegant, reliable programs which utilise system resources efficiently?

Do you want to become a member of a small growing team developing application programs within a progressive professional firm?

We have Hewlett Packard 3000 Series III and HP2000 Access systems, running on BASIC in interpretive and compiled forms, with 180 megabytes of online storage and 20 user terminals. We can offer challenging programming fare, principally evolving new applications and extensions for our real-time database.
Please apply in writing to C. W. Jonas FRICS

DRIVERS JONAS

Chartered Surveyors
16 Suffolk Street
London SW1Y 4HQ
01-930 9731

Buying Computers?

Commodore PET 32K
£675.75 plus VAT

Sharp MZ-80K
£480.00 plus VAT

ITT 20/20 16K
£607.00 plus VAT

ACT 808 inc dual disk drive
£3950.00 plus VAT

We'll give you more than a good deal

Under one roof in London's West End you can find:

HARDWARE:
A comprehensive range of hardware to meet most applications – and budgets. with terms to suit you.

SOFTWARE:
Probably the widest range of off-the-shelf software in the UK. Try out the packages and choose the one that suits you.

CONSULTANCY SERVICES:
To apply micro computer systems to business, education or the home, make an appointment with our trained professionals for friendly advice based on extensive experience of discussing problems with many others like you.

MAINTENANCE AND REPAIR CLUB:
that guarantees microcomputer users minimum downtime at very attractive premiums.

REFERENCE MATERIAL:
A library of publications covering all aspects of the microcomputer world, including back issues of this and other important periodicals.

DEMONSTRATIONS:
Regular, free demonstrations of business software – phone for details, times etc.

LION MICROCOMPUTER CENTRE
is the single source to meet all your requirements.
The above prices do not apply to account sales.



LION MICRO-COMPUTERS
Small Computers – to make your business bigger
Lion Computer Shops Ltd., Lion House, 227 Tottenham Court Road
London W1 (First Floor) Telephone 01-637 1601
Telex 28394 Lion G.
Open 9 to 6, Monday to Saturday (Thursday to 7)

SUPERBRAIN™



System Specification

* Dual 4MHz Z-80 C.P.U.s
* Dual double-density mini-floppies (320K bytes)
* Dynamically focused 12 inch CRT
* 25 lines by 80 characters 8 x 8 in 8 x 12 field
* Full ASCII keyboard
* S-100 Bus via direct connection
* Dual synchronous/ asynchronous RS 232 ports
* CP/M(tm) operating system
* Single desk top unit

SOFTWARE SUPPORT

- Wide range of standard software (FORTRAN, COBOL, BASIC, APL, Pascal). Sales Order processing, invoicing, sales ledger, purchase ledger, nominal ledger, payroll, Word Star (word processing).
- 90 day warranty
- One year maintenance **£155.00**
- Full client support

£1495

COMPLETE (+ VAT)


*** OUR PRICE IS THE R.R.P.**

K.G.B. MICROS LTD.
88 HIGH STREET
SLOUGH, BERKSHIRE
TEL. SLOUGH 38581

SUPERBRAIN™ *is the registered trademark of Intertec Data Systems.*

SOFTY Software Development System AND EPROM PROGRAMMER

EX-STOCK



MICROSYSTEM DEVELOPMENT USING SOFTY

SOFTY is intended for the development of programs which will eventually become software residing in ROM and forming part of a microsystem. During the development stage of a microsystem, SOFTY will be connected in place of the firmware ROM via a ribbon cable, terminated in a 24 pin DIL plug.
Data may be entered into the SOFTY RAM via the **serial port, parallel port, direct memory access,** or the **keypad,** and manipulated using the **assembler key-functions**. When the program has been entered, and the internal microprocessor can be 'turned off', and the external microsystem and it's resident microprocessor allowed to access and run the program in SOFTY's RAM and/or programming socket. In this way, modification can be made until the required program is complete — the **contents of the RAM being clearly visible as a 'page' on TV or monitor.** 4 pages are available, 2 of the Data RAM and 2 of the programming socket.
In the end, when the program is complete and working, the DIL plus is removed and replaced by an EPROM device programmed by SOFTY. **SOFTY is able to program the 2704/2708/2716 family** which have 3 voltage rails —
To help in the process of program development SOFTY has various assembler key-functions, which include — **block shift without overwriting, block store, cursor control, match byte and displacement calculations** (for jumps etc).
A **high speed cassette interface** is also provided for storing working programs and useful subroutines.
SOFTY Kit-of-parts: (including zero insertion force socket for EPROM programmer) Price £115 (inc VAT, p&p). SOFTY built and tested — £138:00 (inc VAT, p&p).
Built SOFTY power supply — £23:00 (inc VAT, p&p).
Write or telephone for full details.

NEW


SOFTY CONVERSION CARD — **EX-STOCK**
Enables SOFTY to program the single rail EPROMs 2508, 2758, 2516, (INTEL 2716), 2532.
Selection of device type and 1K block are by 4 way pcb slide switches.
Programming socket is zero insertion force. Supplied ready built & tested with Dip jumper for connection to SOFTY. £46:00 (inc VAT, p&p).

NEW

SOFTY PRINTER CARD — **EX-STOCK**
- 40 column electrosensitive printer • 5 × 7 dot matrix
- software selection of characters per line (1 to 16 bytes)
- push button printing of EPROM/RAM/Intercursor contents
- Connects to SOFTY card edge • Well documented • Supplied ready built & tested, including power supply, edge connector & paper roll for £166:75 (inv VAT, p&p) Spare paper rolls (28-30metres/roll). Four rolls for £8.00 (inc VAT, p&p).

MODEL 14 EPROM ERASERS

EX-STOCK



MODEL UV 141 EPROM ERASER
- Fast erase times (typically 20 minutes for 2708 EPROM)
- 14 EPROM capacity
- Built-in 5 to 20 minute timer to cater for all EPROMs
- Safety interlocked to prevent eye and skin damage
- Convenient slide-tray loading of devices
- 'MAINS' and 'ERASE' indicators
- Rugged construction
- Priced at only £89.70 (inc VAT, p&p)

MODEL UV 140 EPROM ERASER
Similar to Model UV141 but without timer
Low price at only £70.73 (inc VAT, p&p)
WRITE OR TELEPHONE FOR FULL DETAILS OR SEND CHEQUES/OFFICIAL COMPANY ORDERS TO:

GP Industrial Electronics Limited

Skardon Works, Skardon Place, North Hill, Plymouth
PL4 8HA. Telephone: Plymouth (0752) 28627
TRADE AND EXPORT ENQUIRIES WELCOME

NASCOM 1 and 2
16384 BYTES for UNDER £100!
32768 BYTES for UNDER £140!

UK 101 SUPERBOARD
23807 BYTES FREE!

SMART
MEMORY EXPANSION

Send SAE for more details to:
Mike Dennis Associates, Blackberries,
Sherriffs Lench, Evesham, Worcs,
WR11 5SR. Tel: Evesham (0386) 870841

INTEGRATED SMALL BUSINESS SOFTWARE ISBS

Professional Business Packages for Microcomputer systems include:

- **PAYROLL**
- **STOCK CONTROL**
- **ORDER ENTRY & INVOICING**
- **COMPANY SALES**
- **COMPANY PURCHASES**
- **GENERAL ACCOUNTING**
- **NAME & ADDRESS SYSTEM**

Available as individual modules or complete system to run on RAIR BLACK BOX, NORTHSTAR, HEATH, CROMEMCO, DYNABYTE, IMS 5000/8000, ALTOS, ALTAIR, SUPERBRAIN, MICROMATION and most other 8080 based systems.

Contact Lifeboat Associates, 32 Neal Street, London WC2 or your nearest dealer.

CRAFTCOM SYSTEMS GROUP 52 SHAFTESBURY AVENUE LONDON W1 01-734 8862

VERY SPECIAL GAMES !

NEW from PREMIER PUBLICATIONS, the leaders in exciting, original computer games:

AIR TRAFFIC CONTROL
Play under pressure to keep up to twelve planes from colliding in the crowded airways. Twenty levels of play.

CHALLENGE!
Beat the clock to find the odd man out. Almost infinite levels of play, and the better you do the harder it gets!

SCRAMBLER
Unscramble the letters to find the hidden word. Educational and highly entertaining.

TIME-MAZE
THE maze game. Beat the clock by navigating and blasting your way through a devilishly devious maze. Succeed, and your next game's even harder.

FOUR VERY SPECIAL GAMES
AT A VERY SPECIAL PRICE!

Sold individually, these games could cost you £5 – £8 each. But to introduce you to the PREMIER software range, we're offering all four for only £9.95.

AVAILABLE NOW

for TRS 80 (Level 2) VIDEO GENIE, UK 101 (8k) and SUPERBOARD (8k).

ORDER NOW!

And we'll also send you a bonus voucher worth £2 off your next PREMIER software pack. Just send cheque/PO for £9.95 plus 50p p&p (total £10.45), quoting product reference GPA, to:

PREMIER PUBLICATIONS,
12 Kingscote Road,
Addiscombe, Croydon.
01-656 6156


10 day money-back Guarantee of Satisfaction.
(Over 80,000 programs sold to date)

MULTI-USER, MULTI-TASKING MICRO SYSTEMS FROM £5000

For business, education and scientific use.
- Cartridge storage 10MB to 1200MB.
- Comprehensive utilities.
- Word processing.
- Multi-language (languages supported include Basic, Cobol, Fortran, APL, Pascal etc.

OEM and Dealer enquiries invited.

EQUINOX
COMPUTER SYSTEMS LIMITED
Kleeman House, 16 Anning Street,
New Inn Yard, London EC2A 3HB.
Tel: 01-739 2387 & 01-729 4460



IF

. . . . . you want the best service
you need professional advice
years of experience impress you
you are trying to find the best computer equipment
as well as the finest software . . . . .

MICROSOLVE

is the Company to contact

MICROSOLVE COMPUTER SERVICES LTD
3rd Floor (rear),
MIDDLESEX HOUSE,
29-45 High Street,
EDGWARE,
Middlesex.
(exit 4 M1/20 mins. West End).
(prices ex. VAT)

01-951 0218/9/0

We cover a full range of equipment including the **APPLE II** (from £695/16K); the **MICROSTAR** multi-user system (from £4,950) and the powerful **ALPHA MICRO** which will run 1 to 22 terminals — the most cost effective system available today.

WE OFFER A COMPLETE SERVICE which encompasses advice, systems design, sale and installation of computer and peripherals, as well as tailor-made software, where necessary. There are fully documented ACCOUNTING and WORD PROCESSING PACKAGES etc., for Accountants, Solicitors, Manufacturers, Retailers, Medical Practitioners in fact all business applications.

ALSO in stock are PRINTERS, VDUs, CONTINUOUS STATIONERY, DISKETTES, DISK BOXES, all from the best names in the computer world — **TEXAS, LEAR SEIGLER, TALLY, QUME, PAPER TIGER** etc.

So if you either wish to buy a computer to program yourself or take advantage of our service TELEPHONE NOW FOR AN APPOINTMENT.

MICROSOLVE MICROSOLVE

INTELLIGENT ARTEFACTS LTD

DISCOUNT PETS

NOW....SUPERPETS

(IMMEDIATE DELIVERY)
8032 S/PET £825
8000 DISK £825
ALSO . . . . *STANDARD PETS*
8K £400, 16K £500, 32K £600
C2N £54, DISK £650, TOOLKIT £45

INEXPENSIVE PRINTERS

EPSON TX80B (WITH PET GRAPHICS) £350
BASE 2 M800 STM
(FRICTION & TRACTOR) £390


TI 99/4 HOME COMPUTER
WITH COLOUR TV £860

NORTH STAR HORIZON II

£1400
TECHNICAL BACKUP FROM MAPCON ENGINEERS
PRICES ARE EXCLUDING VAT

INTELLIGENT ARTEFACTS LTD
Cambridge Road, Orwell, Royston, Herts
Telephone: Arrington 689

THE SHARP MZ-80 COMPUTER SYSTEM



As one of Sharp's largest systems dealers we supply complete MZ-80 systems including FLOPPY DISCS and PRINTERS.

We have considerable experience in implementing SALES, PURCHASE and NOMINAL LEDGERS, PAYROLL, STOCK CONTROL, FOREIGN EXCHANGE and FINANCIAL PROGRAMMES.

Contact us now for details on 01-247 8506.

SCOPE Stone House, Houndsditch Entrance
128-140 Bishopsgate
London EC 2M 4HX

SHARP

GATE MICROSYSTEMS LIMITED

Scotland's Complete Microcomputer Service

now supply and support:

HARDWARE:
Apple II Systems and Peripherals
Commodore Business Systems
A wide range of VDUs, printers, etc.

SOFTWARE:
Incomplete Records Accounting
Sales Ledger
Purchase Ledger
Nominal Ledger
Stock Control
Payroll
Word Processing
Database

Software can be tailored to your requirements or written completely to your specifications.

Our service is comprehensive, ranging from advice on system selection through installation and implementation, to operator training and comprehensive Hardware and Software maintenance.

You don't have to take our word for it.
Call us and arrange a demonstration.

GATE MICROSYSTEMS LTD.,
THE NETHERGATE CENTRE,
66 NETHERGATE,
DUNDEE.
TEL: (0382) 28194.

Write better programs for your pet using

THE PET SUBROUTINE LIBRARY

OFFICIALLY APPROVED COMMODORE DEALER

Containing a collection of useful subroutines, some in machine code, for readers to incorporate into their own programs.

Input/output routines incorporating error checking and validation — high density graphs and barplots — date input and validation — high speed machine code array sort (100 element array of any variable name sorted in a few seconds) — search routines — linked lists — utility programs — check digits — double density graphics — random access files — large sequential file sort — disk file access by machine code — program chaining and menus — disk file utilities and displays — plus many others.

Price book only £10.00 or
Book plus 3040 format diskette of all subroutines £20.00

THE PET REVEALED

OFFICIALLY APPROVED COMMODORE DEALER

Best selling reference book for the PET. Price £10.00

SEE YOU AT STAND No. B13 The 3rd Personal Computer Show SEPT 4-6 CUNARD INTERNATIONAL HOTEL

Cheques payable to Computabits Ltd

COMPUTABITS LTD,

P.O. BOX 13, YEOVIL, SOMERSET. Tel Yeovil 26522

AS REVIEWED IN JULY PERSONAL COMPUTER WORLD AND JULY PRACTICAL COMPUTING

A Microcomputer in your pocket?



* Basic programming language
* Cassette interface
* 24 character LCD display
* Non volatile programme memory
* 300 hour battery life
* 3 manuals

100 page instruction manual, 50 page beginners basic manual. 300 page application manual.

* £139.95 complete with cassette interface including VAT, postage packing and insurance.

PC-1211
FROM
SHARP

CENTRAL CALCULATORS LTD
86/90 Paul Street London
EC2A 4NE
01-729 5588

Make cheques payable to Central Calculators Ltd.

Please send me PC-1211 complete with CE-121 ☐ More details ☐

Name . . . . . .

Address . . . . . .

. . . . . .

PCW9



MAD HATTER SOFTWARE

LOOKING FOR SOFTWARE?
We have the VERY BEST!
Business, Utility or Games for
APPLE, TRS 80, PET
and SORCERER.

Send for our catalogue or ask your local dealer.

MAD HATTER SOFTWARE
146 Oxford Street, London, W1.

Dealer Enquiries welcomed:
Telephone 01-637 2108

Explorer/85



8085 BASED
COMPUTER SYSTEM
with S100 on board
WE DO IT BETTER!
Kit W/T

MOTHER BOARD
(A:B:D:) 2K monitor ROM:4K Users RAM: Will connect direct to Video Terminal: 2 S100 Pads: RS232 & 20ma loop: cassette interface: Full buffering for S100 Cards: fully regulated: etc
Kit £170 W/T £211

VIDEO KEYBOARD TERMINAL
1K Video RAM cpu controlled, 128 characters: ASC11 or Boudot terminal I/D:RS232 or 20ma loop: Upper & Lower case: full cursor control 32/64 characters: 16 lines (does not include monitor)
Kit £114 W/T £139

MICROSOFT BASIC-80 in ROM (plus E) **W/T £69**

STEEL CABINET FOR Mother Board (IBM Blue/Black) **W/T £36**

STEEL CABINET
FOR KEYBOARD TERMINAL (IBM/Blue/Black) W/T **£15**

S100 EXPANSION CAGE
(C) allows total of 6 S100 cards **Kit £28 W/T £36**

P.S U. 16K JAWS DYNAMIC RAM CARD
(cpu controlled) expand-able to 64K runs 8085:Z80:8080 etc based systems **Kit £149 W/T £169**
16K Expansion Kits **Kit £69** **S100 Connectors W/T £5.50**
RF Modulator (for TV use as monitor) **W/T £2.75**
Intel 8085 Users manual **W/T £5** Monitor Source Listing **£5**
COMING SHORTLY:– FULL FLOPPY DISC SYSTEM
MONITORS 9" & 12" P.O.A.
ELF11 RCA COSMAC 1802
Based system Basic Board **Kit £59.95 W/T 79.95**

Newtronics
BARCLAYCARD VISA
255 ARCHWAY ROAD, LONDON N6 5BS
TEL: 01-348 3325 (24 hrs)
Open Monday—Saturday 9-6pm

Dyad Developments

are pleased to announce that they have been appointed UK Distributors of

COMPUCOLOR II


The Compucolor Corp. are now supplying them with their up to date systems and these have been found to be exceptional in performance and reliability. These second generation machines represent the most sophisticated and powerful small computers available today and at only half the cost of their counterparts.

WHAT YOU GET

13" colour video monitor. Built in disc drive RS232C port, selectable Bdr. High resolution graphics. Two character sizes. Extended Basic with DOS. Vector plotting. And much more.

TYPICAL PRICES

8K USER RAM	*£ 998*
16K USER RAM	*1078*
32K USER RAM	*1198*
ADDITIONAL DISC DRIVE	*310*
SOUNDWARE (MUSIC)	*30*
ASSEMBLER	*15*
TEXT EDITOR	*15*




DEALER INQUIRIES WELCOMED PRICES EXCL. VAT

THE PRIORY – GREAT MILTON – OXON – OX9 7PB – TEL (08446) 729

NOW!

Typewriter Quality Printing



on your microcomputer for

£960 +VAT

or Easy Terms

The CPS 3982 is a fully re-conditioned IBM 3982 'golf ball' printer with special CPS electronics designed for use with your microcomputer.

90 day warranty and nation-wide maintenance service agreement available.

Features

- Interchangeable golf ball print head (mathematical font available)
- 132 print positions
- Serial port 110 Baud via 25 way 'D' socket (RS 232 type)

Options:-

- Pin feed platen
- PET IEEE interface
- APPLE Serial interface card

For more information and easy terms facilities
'phone 021-707 3866 Telex 312280 CPS G

CPS (DATA SYSTEMS) **LTD**

Arden House, 1102 Warwick Road,
Acocks Green, Birmingham B27 6BH

CPS are PET and APPLE Dealers

Micro-computers



For Business, Education and Leisure

Micro-Facilities Limited
127 High St Hampton Hill Middx.

Approved Business Dealers for:
Commodore Computers & Business Packages
Apple II
North Star Horizon
IMS 5000/8000 Series

As fully authorised Dealers for the above equipment, and as experienced data processing professionals, we are the best people to help you. Our complete package offers you:

Free initial discussion & advice
Systems Design & Programming
Software Packages
Supply & Installation of equipment
Leasing & Financing terms
Full Maintenance Contracts
Genuine After Sales Service

Prices FROM £425

Contact us to discuss your problems and requirements, we offer you a lot more, but only charge the same. Our ability will give you peace of mind and confidence that the job will be done properly.

01·979 4546
01·941 1197

MICRO FACILITIES

What will you do with 12-year-old programmers when they reach 16?

Any microcomputer is a major investment for an educational establishment. Many potential users feel that a BASIC only computer is ample for their needs. That may be fine today, but with computer education starting so early you may in a surprisingly short time find you want more than current implementations of BASIC.

The 380Z is a computer that can grow to match your needs.

In the design of the 380Z our target user is the graduate research scientist. This ensures that the expandability and versatility needed tomorrow has been provided for in the computer you buy now.



Might you want to add disc storage in the next few years?

If you do:

Given good hardware, software availability completely determines the flexibility and usefulness of your system. There is absolutely no question that a Z80 based micro-computer which uses the industry-standard CP/M* disk operating system has several times more software on the market available to it than non CP/M computers.

Today you can purchase a mature CP/M BASIC, FORTRAN, COBOL or Text Processor for the 380Z. Soon there will be CP/M Pascal and Database Management systems.

CP/M software is several years ahead of software available for non CP/M family machines.

If you don't:

Remember that professionals writing packages for your cassette system will themselves often use a disk 380Z, and the power of their tools will influence what they produce.

For many people a disk machine is too expensive – but at least the 380Z approach will allow your students to advance.

380Z BASIC is not frozen in ROM. An enhanced BASIC could be loaded in mid 1980 and a BASIC with structured features sometime later.


On the 380Z the memory used by a BASIC interpreter can also be used for other software.

Does our research-oriented design pay off in classroom hardware?

Our scientific graphics was produced for the professional user. Interest in it for classroom use has been surprising.

The 380Z has the best graphics now available on a microcomputer, allowing multiple resolutions, multiple paging, fading and accurate control over colour. All these features help bring excitement to efforts in computer assisted learning.

Our standard machine comes with low resolution graphics and support for this from BASIC allows you to plot a point directly with a plot command – useful for training and teaching.



It is worth remembering too that neither our low resolution graphics nor our optional scientific (high resolution) graphics has any limiting effect on your memory usage, and in both you can



freely mix upper and lower case text and diagrams.

Mains noise can cause system crashes which result in loss of programs and data. All current 380Zs include a mains filter which significantly reduces the chances of this happening.

Don't buy a 380Z on patriotic grounds.

Please only buy it if you would have bought it anyway. But remember, because it is designed and manufactured here you are bound to have better access to us for influence and help than if we were on the other side of an ocean.

Prices range from a 16K cassette 380Z @£897 to a 56K Dual Full Floppy Disk 380Z @£3322.

LOWER COSTS

Three things have happened which make it easier to buy a 380Z.

ONE: From 1st November 1979 most prices have been reduced.

TWO: Schools and some colleges can now get a 5% discount on computer orders.

THREE: A new Local Authority quantity discount scheme has been introduced to make it easier for more users to benefit from quantity purchasing.

Please contact the Sales Office for details.

RESEARCH MACHINES

RESEARCH MACHINES Ltd,
P.O. Box 75, Mill Street, Oxford, England.
Telephone: Oxford (0865) 49791/2/3.
Please send for full sales information.
Prices do not include shipping costs or VAT @15%.

* Trademark, Digital Research.

KRAM

KEYED RANDOM ACCESS METHOD

Now available in the UK!

KRAM is quite simply a revolution in microcomputer disk access techniques, and another FIRST for the PET! Just plug the KRAM ROM into your 16K/32K PET, load the rest of KRAM's machine language logic from disk (just like DOS), and with the ten commands illustrated below you have complete control of your disk data, either directly by individual key, or sequentially in forward or reverse ASCII order. KRAM is a development of "VSAM" mainframe techniques. KRAM is fast, compact, and does not interfere with BASIC. You'll wonder how you managed without it! Get cracking – get KRAM!

CREATE KC$="CREATE O:MAILFILE,120,15,1: SYS 24600 This example tells KRAM to create an indexed file called MAILFILE on the disk in drive zero, with a record length of 120 characters and a key length of 20 characters which starts at position 1 of the record. KRAM looks at the RESERVED variable KC$ to identify the function and its parameters; the SYS call tells KRAM to execute the function. The record length can be any value up to 254 characters and the key up to 48 characters, a total of 302. KRAM packs as many records into the 255 character disk block as necessary.

OPEN KC$="OPEN O:MAILFILE": SYS 24579 This tells KRAM that we will want to make accesses to the file called MAILFILE on the disk in drive zero. KRAM returns in location zero (peek (0)) the file number by which this file can be accessed during the rest of the program.

ADD KC$="ADD 1,NA$,AD$": SYS 24591 This tells KRAM to add to file number one the data in variable AD$ whose key is NA$. For example in a mailing list, the key NA$ might be the name 'SMITH A.J.' and AD$ might be the address '120, HIGH STREET, ANYTOWN'. Any normal double character string variable can be used to denote the key and the record.

GET KC$="GET 1,NA$,AD$": SYS 24582 This tells KRAM to get from file number one the data belonging to the key NA$ and put it into variable AD$. In our example, if NA$ was 'SMITH A. J.', KRAM would read the address '120, HIGH STREET, ANYTOWN' from file and put it into variable AD$. If we weren't sure of the exact surname, we could give KRAM the key 'SM' and it would get for us the next alphabetically higher name beginning 'SM', together with its address! Or if we gave KRAM a blank key, it would find the first name and address on file.

READ KC$="READ 1,NA$,AD$": SYS 24585 This tells KRAM to read the data belonging to the next highest key following the name in NA$, and put it into variable AD$. In our example, a complete file of names and addresses could be read in alphabetical order, starting at any name in the file, simply by executing successive READ commands! For instance, having got Mr A. J. Smith from file, executing the READ command as above would get us say 'SMITH M.' in NA$ together with his address in AD$.

READ – KC$="READ-1,NA$,AD$": SYS 24585 This works like READ except BACKWARDS! It tells KRAM to read the data belonging to the next lowest key preceding the name in NA$, and put it into AD$. For instance, having read 'SMITH M.' with the forward read, executing the backward read as above would get us 'SMITH A.J.' in NA$ together with his address in AD$.

PUT KC$="PUT 1,NA$,AD$": SYS 24588 This tells KRAM to rewrite to file number one the data in variable AD$ which belongs to key NA$. For instance, if we wanted to change Mr A.J. Smith's address, we would simply set NA$ equal to 'SMITH A.J.', AD$ equal to his new address, and execute the PUT function.

DELETE KC$="DELETE 1,NA$,AD$": SYS 24594 This tells KRAM to delete from file number one the key contained in NA$ and its associated data contained in AD$. In our example, to delete Mr A. J. Smith from the file, we would simply set NA$ equal to 'SMITH A.J.', AD$ equal to his address, and execute the DELETE function. KRAM will release for further use the disk space made available by the deletion.

CLOSE KC$="CLOSE 1": SYS 24597" This tells KRAM that file one is finished with for now. KRAM updates the BAM on disk, but the file can still be used without another OPEN command.

INITIALIZE SYS 24600 This function is used at the beginning of each program to clear KRAM's work areas and buffers.

The examples above illustrate the use of KRAM in a mailing list application, with disk access times from less than one second. KRAM can of course be used in any application program with the Commodore disk where programmer time, user time and disk space are at a premium.


Each KRAM package includes a ROM which plugs into the middle ROM socket of the 16K/32K Pet, a demonstration disk with a mailing list program and a 40-page User Reference Manual. KRAM is available by post (cash with order) price £115 including VAT, or by credit card phone the KRAM 24 Hour Order Desk on 01-546 7256; or see your nearest dealer. (Quantity discounts available).

Calco Software

Lakeside House, Kingston Hill, Surrey KT2 7QT 01-546-7256

Mainframe software at a micro price

OHIO SCIENTIFIC SUPERBOARD II



50 HZ BLACK AND WHITE SUPERBOARD II £159–95 + 15% VAT POST FREE.
50 HZ COLOURBOARD II, THE NEW COLOUR VERSION £205 + 15% VAT.
+
THE UNIQUE SPECIAL OFFER YOU CANNOT RESIST

If bought with superboard or colourboard these items are at the reduced prices shown first. Also sold separately at the bracketed prices. Add 15% vat. Modulator and power supply kit £7–95 (£11). 4K extra ram £20 (£24). Display expansion kit approx 30 lines x 54 characters £15 (£20). Case £23 (£26). Colour conversion board fully assembled £45 (£45). Cassette recorder £13 (£15). Superprint 800MST printer £399 (£399).



SUPER PRINT 800MST
The ideal impact matrix printer for Superboard, UK101, pet, apple, trs80. 60 lines/minute. 5 print densities of 72, 80, 96, 120 or 132 chr/line. Tractor and friction feed for up to 9½" tractor paper. Graphics with user definable set in ram. RS–232 20ma, IEEE488 and centronics I/O. ONLY £399 + 15% vat post free.

COMPUTER GAMES
Chess challenger 7 £75. Atari video-computer £129. Space invaders cartridge £27–50 (only £17 if bought with the video-computer.)

SINCLAIR (THANDAR) PRODUCTS
SC110 10MHz oscilloscope £144–95. PFM200 £51–95, case £2–07, adaptor £4–20, connector kit £13–95. Microvision TV £89, mains adaptor £6–88. PDM35 £34–23, mains adaptor £4–20, case £2–07. DM350 £76–70, DM450 £102–17, DM235 £55–55. Accessories for all 3 models:– rechargeable batts £7–99, mains adaptor/charger £4–20, case £8–90. Enterprise prog calculator £19–95. TG105 £87. TF200 £150.

SWANLEY ELECTRONICS
Dept. PCW, 32 Goldsel Rd., Swanley, Kent BR8 8EZ.
Mail order only. Please add 35p postage. Prices include VAT unless stated. Lists 27p post free. Overseas customers deduct 13%. Official credit orders welcome.

TAP THE ALTERNATIVE

BUSINESS EDUCATION PERSONAL

TAP modular software will provide a solution for your Text and Address Processing applications.

Our brochure will tell you how.

Write or telephone for one today

PET SOFTWARE

We Offer

* *WPS Word Processing System*	*£85*
* *MAS Membership Accounting System*	*£75*
* *PRS Personell Record System*	*£70*
* *MLS Mailing System*	*£45*

Your Invoice
For any combination of above no greater than:-

* *TBS TAP Business System*	*£125*

For Less Specific Applications

* *TAP Text and Address Processor*
  £20 Tape version
  £40 Disc Seq. files.
  £65 Disc Random Access

For School P.T.A's

* *SLS Small Lottery System*	*£45*

HARTFORD SOFTWARE

9 Massey Ave., Hartford. Cheshire CW8 1RF Tel: 0606 76265

Personal demonstrations available at all times in our new showrooms at 30 Lake Street. Also a large range of personal computers, books and magazines. Barclaycard and leasing available.

CompUtopia LIMITED

30 Lake Street, Leighton Buzzard, Bedfordshire
Tel: (0525) 376600 24 hour Answering Service.

apple



SOFTWARE

Computech Purchase Ledger	295.00
Computech Sales Ledger	295.00
Computech General Ledger	295.00
Computech Payroll	375.00
Computech Utilities	20.00

Plus Software from Databank and many more.

HARDWARE

Apple 16K Video Output	£695.00
Disc Drive with Controller	349.00
Disc Drive w/o Controller	299.00
Pascal Language system	299.00
Integer Card	116.00
Eurocolour Card	79.00

PERIPHERALS

PRINTERS

Texas Instruments Omni 8 810 Printer	£1450.00
Paper Tiger Printer with Graphics	598.00

MONITORS

VM129 Hitachi 12" B&W Video Monitor	187.00
VM910 Hitachi 9" B&W Video Monitor	127.00

ACCESSORIES

Floppy Disk 5¼" Hard & Soft sectored pack of 10	30.00
Floppy Disk 8" Hard & Soft sectored pack of 10	35.00
C12 Computer cassettes pack of 10	4.00
Computer Stationery on request	


ACORN

A complete range of single boards and accessories available.

System 1 Kit	£65.00
System 1 Assembled and tested	79.00
System 2 Kit	285.00
System 2 Assembled and tested	320.00
System 3 Kit	670.00
System 3 Assembled and tested	735.00

EPSON

PRINTERS



The TX-80 offers:

- 96 Ascii char. set and Pet
- 80 col 150/125 char/sec
- Condensed line, Enhanced print
- 5x7 dot matrix, 6x7 dot matrix for graphics

Prices starting from £395 including delivery

Interface boards and cables available for Pet, Apple, TRS 80. 1EEE488 and serial etc.

DEM Prices available.

THE VIDEO GENIE SYSTEM EG 3003



At last, value for money in microcomputers.

£425 incl VAT

- *16k User RAM plus 12k Microsoft BASIC in ROM
- *Fully TRS 80 level II software compatible
- *Huge range of software already available
- *Self contained, cassette, PSU & UHF modulator
- *Simply plugs into video monitor or UHF TV
- *Full expansion capability for disks & printer

L.S. CHIP PRICES

74LS02	0-22
74LS08	0-22
74LS10	0-22
74LS32	0-30
74LS74	0-50
74LS86	0-45
74LS93	0-85
74LS100	0-20
74LS132	1-15
74LS138	1-05
74LS175	1-00
74LS191	1-30
74LS244	2-65
1488P	0-95
1489P	0-95

MEMORY CHIPS

5116	each	6-40
	for 8	48-00

Master Your Micro FAST with...

Little Genius floppy diskette based courses will teach you, how to use your system and how to realise the full potential of the "Mighty Micro". These fully interactive computer lessons will guide you quickly to a high level of understanding and confidence in your ability to make the most of your microcomputer system.

Courses now available

- *Applesoft BASIC*
- *Advanced Applesoft BASIC*
- *Using your Apple*
- *PET BASIC*
- *Advanced PET BASIC*
- *Palsoft BASIC*
- *Advanced Palsoft BASIC*
- *Using your 2020*



Little Genius

Each course, comprising a floppy diskette, and starting instructions, costs only £40.00 plus VAT.

SPECIAL "3 in one" OFFER for 3 courses covering the same system only £99.00 plus VAT.

Little Genius courses are available from most computer retail outlets, or direct mail order from:

LITTLE GENIUS
Suite 504, Albany House, 324 Regent Street, London W1R 5AA.
Telephone: 01-580 6361

Happy Memories

4116	200ns	£3.75	4116	150ns	£4.95
2114	450ns	£2.95	2114	200ns	£3.45
2708	450ns	£4.95	2716	5V	£10.95

Memorex soft-sectored mini-discs with free plastic library case £19.95 per 10.

Low profile I.C. sockets:

Pins:	8	14	16	18	20	22	24	28	40
Pence:	10	11	12	16	17	19	21	27	37

Euroconnectors:
64/96 Male (right angled) £2.39 64/96 Female £3.52
RS232 connectors (solder):
Male 25 way: £1.86 Female 25 way: £2.13
Hoods: 66p

ALL PRICES VAT INCLUSIVE
Please add 30p postage to orders under £10.
Government + Educational orders welcome
£10 minimum



Happy Memories
Galdestry
Kingston
Herefordshire
HR5 3NY
Tel: (054 422) 618

BARCLAYCARD VISA

We welcome Access

S T Commercial Systems Ltd

24 Ranelagh Road, London W5 5RJ
England



SuperBrain

COMPLETE twin Z80 CP/M computer system with 64K RAM twin double density disk drives, printer, 2 RS232 ports, integral VDU and BASIC or FORTRAN. Plus a full year's guarantee . . . £2,800+VAT

Printer
MICROLINE-80 by OKIdata, the quietest, most reliable little printer available – 40, 80, or 132 characters per line with graphics.

Software
Microsoft BASIC or FORTRAN for no extra charge.

Guarantee
All hardware fully guaranteed for a year. If anything goes wrong we'll have an engineer on your premises within 24 hours – wherever you are in Britain.

SPECIAL Educational and quantity discounts – Dealer enquiries invited:

We also stock CP/M software:-
Wordstar, Selector, all Microsoft languages, CBASIC . . . and lots more.

AND . . .
TELEVIDEO terminals – call for prices. Very special dealer deals.

NEC Spinwriters – all models.



CALL Maria or Gerry: 01-840 1926 anytime 01-992 2909 after hours.

...British S100 BOARDS...

(MANUFACTURED IN THE U.K. TO IEEE BY
INTERACTIVE DATA SYSTEMS)

IDS SBMC	Single Board Micro Computer, Z80A, 4MHZ, 1K RAM, up to 16K EPROM, 2 SERIAL PORTS!	KIT £178 A&T £235
IDS 16K SRAM	4 MHZ Static RAM using 2114 chips.	KIT £174 A&T £198
IDS DFDC	Double/single density, Double/single sided Floppy Disc Controller, up to 4 drives.	KIT £177 A&T £198
IDS SFDC	As IDS DFDC but Single Density only.	KIT £109 A&T £140
IDS IOC	2 Serial, 2 Parallel port I/O Controller.	KIT £107 A&T £130
IDS PCI 10	Process Control Interface, opto-isolated, TTL and analogue inputs, relay, TTL and analogue outputs (multichannel)	KIT £195 A&T £223

..£15 OFF ABOVE BOARDS..

SPECIAL OFFER FOR CASH ORDERS
EXTENDED TO 10th AUGUST 1980

IDS 8K SRAM	4MHz Static RAM using 2114 chips (available August)	£T.B.A.
IDS Z80 CPU	Z80A, 4MHZ CPU board.	KIT £84 A&T £105
IDS TERM 40	Active Termination Board.	KIT £25 A&T £32.50

ALSO

7M.BD	7 slot Mother Board (excluding connectors)	EA	£16
15M.BD	15 slot Mother Board (excluding connectors)	EA	£24
S100 CONN	Edge connectors for Mother Board (solder tail)	EA	£2.90
DP 8000	Anadex dot matrix printer, RS232 interface	EA	£495
CHIPS	Diskette Drives		
	2114, Low Power SRAM for 4 MHz operation*	EA	£4.75
	2716, 450nS Single supply EPROM	EA	£19.95
	Z80A, 4MHZ CPU	EA	£11.20
	2708, 450nS EPROM	EA	£6.65
	4116, Dynamic RAM for 4MHz operation*	EA	£5.95
	* 350nS or better		
CATALOGUE	Includes fuller details of above items and more . . . (Free)		

Please add 15% VAT to all prices. P&P 50p under £15. MAIL ORDER ONLY

Mendip Computers

57 Bath Road, Wells, Somerset, BA5 3HS. Telephone 0749 (WELLS) 75249

PARAMOUNT COMPUTERS LTD

42/45, New Broad St. London EC2M 1QY.
Tel. 01-403-4746.

TRY A 'NIBBLE'

THE BEST MAGAZINE FOR USERS OF

APPLE & ITT 2020

CONTAINS PROGRAMME LISTINGS, TECHNIQUES
FEATURE ARTICLE, NEW PRODUCT REVIEWS. etc.

MAIN PROGRAMME AVAILABLE ON DISK


ASK FOR OUR COMPREHENSIVE SOFTWARE
& HARDWARE CATALOGUE

Cheque payable to "Paramount Computers Ltd"

Order Form
Name .....
Address .....
.....
.....

Subscription £17.50 p.a. inc. post. 8 Issues
Amount Enclosed. £ .....

Trident



£670.00

£2650.00

£2150.00

Configuration shown is for word processing including WORDSTAR £5450

★ Full Business Systems available
★ 64K 4MUZ Memory
★ Rack Mounting available
★ Interface to most VDUS and printers
★ Wide range of high level Languages available
★ Fastest CPM Machine
★ 6 slot S100 mother board
★ 2 or 4MBYTE Disc Storage

SIGMATECH LTD.
ELECTRONICS

For further information:– Tel: (0734) 587000
22, Portman Road, Battle Farm Estate, Reading, Berks.

Array Processing from Silicon Glen on the West Coast of Scotland

Video Vector Dynamics Ltd announce what will be one of the most significant innovations in microcomputing during the 1980's — The VP 9500 Vector Processor.

For more details contact:

Video Vector Dynamics Ltd
39 Hope Street,
Glasgow G2 6AE
Telephone number 041-226 3481/2

MICRO CONTROL

apple

SALES
SERVICE
OFFICIAL DEALERS

for further details write or phone

224 EDGEWARE ROAD
LONDON W2 1DN

Tel (01) 402 8842

ADVERTISERS INDEX

AJD Direct Supplies Ltd	135	Datron	143	L&J Computers	78	Personal Computers	OBC
Acorn Computers Ltd	68	Digital Design & Development	144	LP Enterprises	10/11	Petalect	106
Aculab	24	Display Electronics	137	LTT Electronics	26	Petsoft	108
Almarc Data Systems	8	Drivers Jonas	154	Leicester Comp Centre	148	Premier Publications	157
BNR & ES	144	Dyad	161	Lion House	154	Printout	44
BASF	41	Easicomp	150	Little Genius	164	Research Machines	162
B.E.M.	74	Electronic Brokers	152	Liveport Data Systems	141	Rostronics	3
Bits & Pc's	150	Equinox	157	Logica	134	SMG Microcomputers	140
Business & Leisure	142	Facit	22	Logitek	9/146	Science of Cambridge	102/103
Byte Shop	114	Galatrek	16	London Computer Store	149	Scope	158
CCS Microhire	147	Gate Microsystems	159	Lowe Electronics	21	Sharp	19
CPS	29/161	Graffcom	156	Mad Hatter	160	Sharp Co-op	112
Cadle	28	Graham Dorian	101	Matrix Computer Systems	20	Sigmatek	166
Calco	163	GP Industrial	156	Mendip Computers	165	Sirton	151
Cambridge Comp Shop	94	GW Computers	14/15	Michael Johnson	138	Small Systems	6/32
Camden Electronics	140	HL Audio	160	Microbits	18	Software House	160
Central Calculators	160	Happy Memories	164	Micocontrol	166	Southern Software	144
Centralex	142	AJ Harding	30	Microcontrol	26	Stack	23/33
Chromasonic	153	Hartford Software	163	Microbyte	145	St. Commercial Systems	165
Comart	67	Heath	27/29/31	Microcentre	IFC	Sun	66
Commodore	39	Hewlett Packard	52/76	Microdata Comps	26/152	Supersoft	106
Comp Shop	168/IBC	Hitech Electronics	86	Microfacilities	161	Swanley Electronics	163
Computech	2	Intelligent Artifacts	158	Microsense	72	TVJ Microcomputers	35
Computerama	133	Interactive Data Systems	142	Microsolve	158	Tandy	4/5
Computerbits	159	Interface	82	Microtrend	104	Templeman Software	31
Computopia	164	Intex Datalog	66	Micro UK	12/13	Terminal Displays	140
Creative Computing	7	KGB Micro	155	Mighty Micro	120	Tor Business	165
Crystal	150	Kansas City Systems	146	Mike Dennis	156	Transam	25
Cumana	17	Karadawn	136	Mike Rose Micros	28	Troycrow	6
Currah	148	Keen	62	Mine of Information	20	Video Vector	166
Databank	32	Kemitron	152	Newbear	139	Xitan	34
Data Plus	28	Kobra Microsystems	92	Oxford Computing	96		
Dator Mark Ltd	78			PHL	27		

CHIP CHAT

Once upon a time a PCW Benchtester ran into problems with a machine under review. The company which loaned the system was contacted and the faults were confirmed; the company then added, "Look, if we forget to collect the machine from you, why don't you forget to mention these faults in your Benchtest?" Needless to say our Benchtester refused, the machine was returned and the faults duly reported in the Benchtest. Just in case anyone else is thinking of trying this, be warned: next time we shall Name Names...Still moralising, we can't approve of the latest marketing technique being pioneered by one 'H' of a well-known Tottenham Court Road outfit. HB Computers had a massive multi-dealer stand at the Online show, on which 'H' was seen to be doing brisk business selling hardware. Some time elapsed before HB realised that this particular firm was not part of the HB stand and in fact wasn't even exhibiting at the show! 'H' was duly invited to remove himself from the stand. "It was just accidental," he told us later, denying that he had gone on to sell hardware on other stands at the show: "I was selling books," he said...
The HB stand was by far the biggest at the show. "Next year we're inviting Online to take part in our show," said HB man Stuart Whittaker...
Our newshound Guy Kewney was seen leaving the Online show with a Transam Tuscan Kit tucked up his sleeve (he wears a kimono especially for this purpose when visiting shows); what's he up to? No doubt we'll find out sooner or later....About to burst onto the scene, with a rumoured $8 million advertising budget, is Atari, determined to dominate the home market (although the Japanese will give them a run for their money); supremo in this country is Steve Bernard, a one-time mobile disco DJ — sounds like he'd get on well with ex-DJ 'Spangles' Cary of Comp Shop...Talking of Comp Shop, have you noticed their ad for refurbished ZX80s? Already!?...
Look out next month for news of a giant jolly to next April's Sixth West Coast Faire at an astonishingly value-for-money price...
This month's Interesting Idea: an ingenious use of a bar code reader for inputting Basic command words, speeding up programming immensely. If the pioneer would like to contact us, we'd be most interested...
Who are Diego Rincon and Halina di-Lallo? Persons answering to these unlikely names allegedly inhabit the offices of *Computnig Toady*; who'll be the first to unscramble these anagrams? Personally, we don't believe they exist at all and this opinion will only be altered by their appearing at our office, offering to buy us lunch (which we'll accept)...
The identity of microgossiper 'Inside Trader' of *Printout* has been revealed at last; he confessed, in confidence, to Guy Kewney who, naturally, immediately told us. If you want to know who it is then come to the PCW show, bearing a bid in a sealed envelope. Bids will be examined on the final day of the show and the Truth will be passed on to the donator of the highest bribe — er, bid that is...Commodore is now selling a new accounting package in favour of their own. The proud owners? — no less than Colin Stanley and Mick (not Mike) Hambly of HB....US software houses have an uncanny knack of coming out with games which accurately reflect the American version of the real world. The latest offering to come to our notice is called "Free the Hostages!" (sick), in which you have to rescue "the beautiful Delilah" and her friends who are being held by the "High Tollah" and his mates following the removal of their leader, the "Shah Tollah"; the ad doesn't say whether the game is approved by Jimmy Carter. On similar lines, another company advertises a game called "Interlude" which, it's claimed, will "turn your love life into exciting, adventurous, delicious fun!" Among the features offered by the full-colour advert (which shows a scantily-clad lady lounging on satin sheets with an Apple II) are "wet fun on a hot summer night" and "a bubble bath that ends with a bang"... Good to see that 'Uncle' Clive Sinclair recognizes quality when he sees it. His latest ZX80 ads in the national press call PCW "the leading journal in the field". A pity, then, that this truism appears directly below the over-enthusiastic statement that the ZX80 is "sophisticated enough to do quite literally anything", including "managing a business"!

BITS & BYTES

8MHz Super Quality Modulators		**£4.90**
6MHz Standard Modulators		**£2.90**
C12 Computer Grade Cassettes	10 for	**£4.00**
Anadex Printer Paper — 2000 sheets		**£25.00**
Floppy Discs 5¼" Hard and Soft Sectored		**£3.50**
Floppy Disc Library Case 5¼"		**£3.50**
Verocases for Nascom 1 & 2 etc.		**£24.90**
Keyboard Cases		**£9.90**

MEMORY UPGRADES

16K (8 x 4116) £29.90 + VAT

4K Compukit (8 x 2114) £29.90 + VAT

EPROM 2716 £12.50 + VAT


COMP PRO MIXER

Professional audio mixer that you can build yourself and save over £100.

6 into 2 with full equalization and echo, cve and pan controls.

All you need for your own recording studio is a stereo tape or cassette recorder.

This superb mixer kit has slider faders, level meters and additional auxilliary inputs.




Only **£99.90** plus VAT for **complete** kit

Plus **FREE** power supply valued at £25.00

Ideal for
DISCOS STAGE MIXING
HOME STUDIOS AND MANY OTHER APPLICATIONS

NEC SPINWRITER

only **£1490** + VAT



NEC's high quality printer uses a print "thimble" that has less diameter and inertia than a daisy wheel, giving a quieter, faster, more reliable printer that can cope with plotting and printing (128 ASCII characters) with up to five copies, friction or tractor fed. The ribbon and thimble can be changed in seconds. 55 characters per second bidirectional printing — with red/black, bold, subscript, superscript, proportional spacing, tabbing, and much, much more.




HITACHI PROFESSIONAL MONITORS

9" — **£129**
12" — **£199**

- **Reliability** Solid state circuitry using an IC and silicon transistors ensures high reliability. • **500 lines horizontal resolution** Horizontal resolution in excess of 500 lines is achieved in picture center. • **Stable picture** Even played back pictures of VTR can be displayed without jittering. • **Looping video input** Video input can be looped through with built-in termination switch. • **External sync operation** (available as option for U and C types) • **Compact construction** Two monitors are mountable side by side in a standard 19-inch rack.

RRP £540






only **£399** + VAT

ANADEX DP8000

Super Quality — Low cost printer. Tractor Feed with full 96 ASCII character set. Accepts RS232C at band rates between 100 and 9600 and Parallel Bit data.
Attaches either directly or through interfaces to Pet, Apple, TRS80, Sorcerer, Nascom, Compukit etc.

THE NEW ANADEX DP9501

A PROFESSIONAL PRINTER



- Bi-directional printing
- Up to 220 chars/line with 4 print densities
- 500 char buffer
- RS232C and Centronics Parallel interface built in
- Full software control of matrix needles allowing graphics capability
- 200 chars/sec • Adjustable width tractor feed.

All this for only **£895** + VAT.

COMPUPHONES

YOU NEED NEVER MISS AN IMPORTANT CALL AGAIN TWO CORDLESS TELEPHONE SYSTEMS — DIRECT FROM USA



THE ALCOM only **£147** + VAT

Base station connects to your telephone line. Remote handset clips to your belt and gives you push-button dialling — Bleeps when call arriving — Nicad rechargeable batteries. Charger in base unit.



THE BOHSEI only **£125** + VAT

Base station connects to your telephone line. Remote handset stylishly designed in red — Push button dialling comes complete with charger unit for batteries in handset.



LOW COST TELEPHONE ANSWERING MACHINE only **£99.95** + VAT

Microprocessor controlled answering machine. Plug into your phone line. Records any phone call messages. Remote bleeper enables you to listen to your messages from anywhere in the world. Uses standard cassettes. Comes complete with mains adaptor, microphone, remote bleeper, base unit, cassette with 30 sample pre-recorded messages.



COMMERCIAL • EXPANDABLE • COMPLETE



TRS 80 · MODEL II

This new unit from the world's most successful micro company is now available immediately with software.

The basic unit comes complete with 64 thousand characters (bytes) of Memory. The built in 8" Floppy disc adds another ½ million extra characters including the disc operating system. More disc expansion is now available.

The Model II is a complete unit with a full keyboard including a numeric pad and 12" screen which gives 24 lines of 80 characters. The computer is supplied with both the disc operating system and the Level III Basic.

A full self test routine is written into the power up procedure to eliminate incorrect operation. Both serial and parallel expansion sockets are standard. A printer is a plug-in operation.


Both hardware and software necessary to talk to a mainframe are included. Terminal usage is very possible. With the addition of CPM2 you can operate with COBOL, FORTRAN, MBASIC, CBASIC in which languages are many other applications packages i.e. accounting, payroll stock etc.

64K 1-Disk Model II **£1995.00** + VAT
RRP £2250.00

CP/M2	**£95.00**
CIS COBOL	**£400.00**
C BASIC	**£75.00**
M BASIC	**£155.00**
FORTRAN	**£220.00**
WORDSTAR	**£255.00**

1 DISK EXPANSION
Room for 3
500K per Drive gives total of 1.5M Byte — 1 Drive plus Cabinet **£799** + VAT

COMING SOON
26 megabyte Hard Disc multi-user DOS



WE USE THIS MACHINE IN OUR BUSINESS



EUROPE'S FASTEST SELLING ONE BOARD COMPUTER

COMPUKIT UK101

★ 6502 based system — best value for money on the market. ★ Powerful 8K Basic — Fastest around ★ Full Qwerty Keyboard ★ 4K RAM Expandable to 8K on board. ★ Power supply and RF Modulator on board. ★ No Extras needed — Plug-in and go. ★ Kansas City Tape Interface on board. ★ Free Sampler Tape including powerful Dissassembler and Monitor with each Kit. ★ If you want to learn about Micros, but didn't know which machine to buy then **this is the machine for you.**

40 pin Expansion Jumper Cable for Compukit expansion **£8.50** + VAT

Build, Understand and Program your own Computer for only a small outlay.

KIT ONLY **£179** + VAT
NO EXTRAS NEEDED

Available ready assembled, tested & ready to go **£229** + VAT

NEW MONITOR FOR COMPUKIT UK101
● In 2K Eprom 2716 ● Allows screen editing ● Saves data on tape ● Flashing cursor ● Text scrolls down **£22.00** + VAT

FOR THE COMPUKIT

Assembler/Editor	**£14.90**
Screen Editor Tape	**£5.90**

All Prices exclusive VAT

Game Packs

1. Four Games	**£5.00**
2. Four Games	**£5.00**
3. Three Games 8K only	**£5.00**

Space Invaders	**£5.00**
Chequers	**£3.00**
Real Time Clock	**£3.00**
Case for Compukit	**£29.50**

EXTENDED WARRANTY BY COMPUCARE

only **£349** + VAT



TRS80 LEVEL 2 16K

Fully converted to UK T.V. Standard. Comes complete with easy to follow manuals. UK Power Supply — Cassette Leads — Sample tapes. Special box to enable you to plug into your own TV. Recommended for first time-buyers. Just plug in and go. **Full Range of Software Available**

Interface to Centronics Parallel for TRS80 £75.00 + VAT

only **£295** + VAT

Expand your TRS80 by 32K.
32K Memory on board. Centronics parallel port. Disk controller card. Real time clock. Requires Level II Basic. Interface for 2 cassette decks. complete with power supply.

TRS80 EXPANSION INTERFACE

THE ATARI VIDEO COMPUTER GAMES SYSTEM

£79.00 + VAT



Atari's Video Computer System now offers more than 1300 different game variations and options in twenty Game Program™ cartridges!

Most Cartriages only £13.90 + VAT
Prices may vary with special editions Basic Maths, Airsea Battle, Black Jack, Breakout, Surround, Spacewar, Video Olympics, Outlaw, Basketball, Hunt & Score*, Space War, Sky Diver, Air Sea Battle, Codebreaker*, Miniature Golf.

Extra Paddle Controllers — **£14.90** + VAT
*Keyboard Controllers — **£16.90** + VAT

SPACE INVADERS NOW IN STOCK £25

SPECIAL—ONCE IN A LIFETIME OFFER!

16K **£399**
32K **£449**
48K **£499**
+ VAT



EXIDY SORCERER

For Personal or Business Use.
32K or 48K memory. 8K Microsoft Basic in ROM. Dual Cassette I/O, RS232 I/O. Parallel I/O (Centronics). Expansion available through optiona! extra S100 Motherboard. 69 Key keyboard including 16 key numeric pad.

EXTENDED WARRANTY BY COMPUCARE



video 100


12" BLACK & WHITE LOW COST VIDEO MONITOR

only **£79** + VAT

● Ideal for home, personal and business computer systems ● 12" diagonal video monitor ● Composite video input ● Composite video input ● Compatible with many computer systems ● Solid-state circuitry for a stable & sharp picture ● Video bandwidth - 12MHz + 3DB ● Input impedance -75 Ohms ● Resolution - 650 lines Minimum In Central 80% of CRT; 550 Lines Minimum beyond central 80%.


SPECIAL OFFER

We will part exchange your Sinclair ZX80 for any of our products.



Refurbished ZX80's—fully guaranteed **£69.90** + VAT
(Supply dependant upon stocks).

NEW TV GAME BREAK OUT



Has got to be one of the world's greatest TV games. You really get hooked. As featured in ETI. Has also 4 other pinball games and lots of options. Good kit for up-grading old amusement games.
MINI KIT — PCB, sound & vision modulator, memory chip and de-code chip. Very simple to construct. **£14.90** + VAT
OR PCB **£2.90** MAIN LSI **£8.50** Both plus VAT

We have one of the largest collections of Computer Books under one roof, along with racks of software for the PET and TRS80.
Come and see for yourself.

WE ARE NOW STOCKING THE APPLE II EUROPLUS AT REDUCED PRICES



16K **£599**
32K **£649**
48K **£690**
+ VAT


EXTENDED WARRANTY BY COMPUCARE

Getting Started APPLE II is faster, smaller, and more powerful than its predecessors. And it's more fun to use too because of built-in features like:
● BASIC — The Language that Makes Programming Fun. ● High-Resolution Graphics (in a 54,000-Point Array) for Finely-Detailed Displays. ● Sound Capability that Brings Programs to Life. ● Hand Controls for Games and Other Human-Input Applications. ● Internal Memory Capacity of 48K Bytes of RAM, 12K Bytes of ROM; for Big-System Performance in a Small Package. ● Eight Accessory Expansion Slots to let the System Grow With Your Needs.
You don't need to be an expert to enjoy APPLE II. It is a complete, ready-to-run computer. Just connect it to a video display and start using programs (or writing your own) the first day. You'll find that its tutorial manuals help you make it your own personal problem solver.

EXTENDED WARRANTY BY COMPUCARE

We give a full one year's warranty on all our products.

We now have in stock demonstration models of the Atari 800 and Texas 99/4. **Come and see them**



EXATRON STRINGY FLOPPY FOR TRS80

(Expansion interface not needed)
only **£169** + VAT

High Speed storage medium that is cheap and reliable. Includes 20 wafers - M/C monitor - BUS EXPN cable. **£169**


NASCOM-2

WITH FREE POWER SUPPLY & 16K RAM B BOARD
only **£305** + VAT
Subject to Availability

NEW REDUCED PRICES

8K **£399**
16K **£499**
32K **£599**
+ VAT

RRP £795 for 32K



EXTENDED WARRANTY BY COMPUCARE


The PEDIGREE PETS

Very popular for home & business use. 8K Microsoft Basic in ROM. 8K Pet 32K & 16K with new improved keyboard. All with green screen.
Cassette Deck **£55 extra** Full range of software available.
Interface PET IEEE — Centronics Parallel
Not decoded **£49.00** + VAT Decoded **£77.00** + VAT

EXTENDED WARRANTY BY COMPUCARE

NASCOM 2 DISC DRIVES

Add a powerful, double density, mini floppy disc to your Nascom system.



● Disc Controller Card (includes Nasbus 6 S100 interface
● Will control 4 Drives.
● CPM operating system.
● Extended Disc Basic Compiler.
● Power supply included

One Disc System — **£499** + VAT
Additional Disc Unit — **£299** + VAT


SPECIAL SCOOP

GET YOURSELF A PRINTER FOR YOUR PET AND SAVE A FORTUNE

EXTENDED WARRANTY BY COMPUCARE

only **£349** + VAT

Full Pet Graphics including cables. Ready to go.
EX-STOCK.



Please add VAT to all prices — including delivery. Please make cheques and postal orders payable to **COMPSHOP LTD.,** or phone your order quoting **BARCLAYCARD, ACCESS, DINERS CLUB** or **AMERICAN EXPRESS** number. **CREDIT FACILITIES ARRANGED** — send S.A.E. for application form.

14 Station Road, New Barnet, Hertfordshire, EN5 1QW Telex: 298755 TELCOM G
Telephone: 01-441 2922 (Sales) 01-449 6596
OPEN - 10 am - 7 pm — Monday to Saturday
Close to New Barnet BR Station — Moorgate Line.

✸ **NOW in IRELAND at:** 80 Marlborough St., Dublin 1. Tel: Dublin 749933
✸ **COMPSHOP USA,** 1348 East Edinger, Santa Ana, California, Zip Code 92705. Telephone: 0101 714 5472526

COMP SHOP LTD

"Europes Largest Discount Personal Computer Store"

COMP COMPUTER COMPONENTS
(Part of the Compshop Ltd. Group)

DINERS CLUB INTERNATIONAL
BARCLAYCARD
VISA